

The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under Creative Commons Attribution 4.0 International License unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

Journal of Threatened Taxa

Building evidence for conservation globally

www.threatenedtaxa.org ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

Νοτε

BLANK SWIFT *CALTORIS KUMARA MOOREI* (EVANS, 1926) (LEPIDOP-TERA: HESPERIIDAE) IN DEHRADUN VALLEY, UTTARAKHAND, INDIA: A NEW RECORD FOR THE WESTERN HIMALAYA

Arun Pratap Singh

26 December 2020 | Vol. 12 | No. 17 | Pages: 17380–17382 DOI: 10.11609/jott.6694.12.17.17380-17382





For Focus, Scope, Aims, Policies, and Guidelines visit https://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-0 For Article Submission Guidelines, visit https://threatenedtaxa.org/index.php/JoTT/about/submissions#onlineSubmissions For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/about/editorialPolicies#custom-2 For reprints, contact <ravi@threatenedtaxa.org>

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Publisher & Host



Member



#6694 | Received 10 September 2020 | Final received 10 November 2020 | Finally accepted 12 November 2020



Blank Swift *Caltoris kumara moorei* (Evans, 1926) (Lepidoptera: Hesperiidae) in Dehradun Valley, Uttarakhand, India: a new record for the western Himalaya

Arun Pratap Singh 🝺

Forest Entomology Division, Forest Research Institute, P.O. New Forest, Dehradun, Uttarakhand 248006, India ranoteaps@gmail.com

Caltoris kumara (Moore, 1878) (Hesperiidae: Hesperiinae: Baorini) is known to occur as three races. The nominate race C. k. kumara (Moore, 1878) occurs from northern Gujarat to southern India (Western Ghats -(Maharashtra southwards to Kerala, Bangalore, Tamil Nadu), Madhya Pradesh, and Chattisgarh). The second race C. k. moorei (Evans, 1926) is found from western Nepal to Myanmar (Dawnas), through Sikkim, Arunachal Pradesh, northeastern India besides West Bengal, Bangladesh, and southern Yunnan (China). While the third race C. k. lanka is restricted to Sri Lanka (Wynter-Blyth 1957; Smith 1989, 2006; Zhang et al. 2010; Kehimkar 2016; Gasse 2017). The species is known to prefer forested areas up to 1,950m and is in flight from January–December (Kehimkar 2016), however, the species has never been reported from Uttarakhand or even the western Himalaya (Singh & Sondhi 2016).

On 21 September 2018 the author recorded *C. k. moorei* (Evans, 1926) in the New Forest Campus of Forest Research Institute, Dehradun (30.341°N & 79.997°E; 670m), India. The butterfly was trapped in the window of the Forest Research Institute building. The specimen was collected, pinned, and preserved as an unidentified

specimen, however, it was recently identified by the author based on wing morphology and its genitalia. Distinctive morphological features of this individual (female; forewing length: 21mm; Image 1) being: no spot in upper forewing cell area, prominent large round spots in 1b in the upper forewing inner edge which is visible as a diffuse spot on the underside (Wynter-Blyth 1957). The female genitalia was dissected (Image 2, Figure 1) and the species was identified and compared with that of three other congeners [C. confusa (Evans, 1932); C. philippina (Herrich-Schäffer, 1869) & C. tulsi (de Nicéville, [1884]] in the Caltoris group (Devyatkin 2010). In the female genitalia of C. k. moorei the postvaginal plate (PPL) is distally concave, with its outer angles acute and lateral lobes of the antevaginal plate projections are only slightly narrower than PPL which is distinct from others (Devyatkin 2010).

The larval food plants of this species are known to be Poaceae (Robinson et al. 2010), *Bambusa* (Swinhoe 1913; Wynter-Blyth 1957), *Bambusa vulgaris* (Kalesh & Prakash 2015), *Bambusa tuldoides* (Nitin et al. 2018), *Imperata cylindrica* (Wynter-Blyth 1957; Robinson et al. 2010), *Ochlandra scriptoria* (Kalesh

Editor: B.A. Daniel, Zoo Outreach Organisation, Coimbatore, India.

Date of publication: 26 December 2020 (online & print)

Citation: Singh, A.P. (2020). Blank Swift Caltoris kumara moorei (Evans, 1926) (Lepidoptera: Hesperiidae) in Dehradun Valley, Uttarakhand, India: a new record for the western Himalaya. Journal of Threatened Taxa 12(17): 17380–17382. https://doi.org/10.11609/jott.6694.12.17.17380-17382

Copyright: © Singh 2020. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: None.

Competing interests: The author declares no competing interests.

Acknowledgements: Help of Tribhuwan Singh (JRF) is acknowledged for dissection of the specimen genitalia.



Image 1. Blank Swift Caltoris kumara moorei (Evans, 1926) female collected from New Forest, Dehradun, Uttarakhand (lower western Himalaya) on 21.ix.2018: a-dorsal view | b-ventral view. © Arun Pratap Singh



Image 2. Female genitalia organ of Blank Swift *Caltoris kumara moorei* (Evans, 1926) collected from the New Forest, Dehradun, Uttarakhand (lower western Himalaya) on 21.ix.2018.

& Prakash 2015), Ochlandra travancorica (Kalesh & Prakash 2015), and Oryza sativa (Davidson & Aitken 1890). Amongst these the genus Bambusa is present at a number of places in the New Forest Campus in plantations, botanical garden, bambusetum and also as clumps in hedge-groves, thus it also likely that the species is breeding here but needs further investigation.

This is the first record of this species from the state of Uttarakhand, India and the western Himalaya.

References

- Davidson, J. & E.H. Aitken (1890). Notes on the larvae and pupae of some of the butterflies of the Bombay presidency. *Journal of the Bombay Natural History Society* 5: 349–375.
- **Devyatkin, A.L. (2010).** Taxonomic notes on Oriental Hesperiidae, 4. A key to the continental species of *Baoris* Moore, [1881] and *Caltoris* Swinhoe, 1893, based on the female genitalia (Lepidoptera, Hesperiidae). *Atalanta* 41 (1/2): 239–244.
- Evans, W.H. (1932). The Identification of Indian Butterflies. 2nd Edition. Bombay Natural History Society, Bombay, x+454pp+32pl.
- Kalesh, S. & S.K. Prakash (2015). Additions to the larval host plants of butterflies of the Western Ghats, Kerala, South India (Rhopalocera, Lepidoptera): Part 2. *Journal of the Bombay Natural History Society* 112: 111–114.
- Kehimkar, I. (2016). The Book of Indian Butterflies. BNHS, Oxford University, Delhi Press, 497pp.
- Nitin, R., V.C. Balakrishnan, P.V. Churi, S. Kalesh, S. Prakash & K. Kunte (2018). Larval host plants of the butterflies of the Western Ghats, India. *Journal of Threatened Taxa* 10(4): 11495–11550. https://doi. org/10.11609/jott.3104.10.4.11495-11550
- Robinson, G.S., P.R. Ackery, I.J. Kitching, G.W. Beccaloni & L.M. Hernindez (2010). HOSTS - A Database of the World Lepidopteran Hostplants. Natural History Museum, London. http://www.nhm. ac.uk/hosts. Electronic version accessed on 05 November 2020.
- Singh, A.P. & S. Sondhi (2016). Butterflies of Garhwal, Uttarakhand, western Himalaya, India. *Journal of Threatened Taxa* 8(4): 8666– 8697. https://doi.org/10.11609/jott.2254.8.4.8666-869
- Smith, C. (1989). Butterflies of Nepal (Central Himalaya). Tecpress Service L.P., Bangkok, 352pp.
- Smith, C. (2006). Illustrated Checklist of Nepal Butterflies. Craftman Press, Bangkok, 129pp.
- Wynter-Blyth, M.A. (1957). Butterflies of the Indian Region. Bombay Natural History Society, Bombay, xx+523pp+72pls.
- Zhang, Ya-Lin, G.-X. Xue & F. Yuan (2010). Descriptions of the female genitalia of three species of *Caltoris* (Lepidoptera: Hesperiidae: Baorini) with a key to the species from China. *Proceedings of the Entomological Society of Washington* 112(4): 576–584. https://doi. org/10.4289/0013-8797.112.4.576




Figure 1. The female genitalia of four species of the genus *Caltoris* Swinhoe, 1893 (adapted from Devyatkin 2010): A—*Caltoris philippina* (Herrich-Schäffer, 1869) | B—*Caltoris tulsi* (de Nicéville, [1884]) | C—*Caltoris confusa* (Evans, 1932) | D—*Caltoris kumara moorei* (Evans, 1926).







The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under Creative Commons Attribution 4.0 International License unless otherwise mentioned. JoTT allows allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

December 2020 | Vol. 12 | No. 17 | Pages: 17263–17386 Date of Publication: 26 December 2020 (Online & Print) DOI: 10.11609/jott.2020.12.17.17263-17386

www.threatenedtaxa.org

Article

Genetic and reproductive characterization of distylous *Primula reinii* in the Hakone volcano, Japan: implications for conservation of the rare and endangered plant

 Masaya Yamamoto, Honami Sugawara, Kazuhiro Fukushima, Hiroaki Setoguchi & Kaoruko Kurata, Pp. 17263–17275

Review

A review about fish walking on land – Arumugam Kumaraguru, Rosette Celsiya Mary & Vijayaraghavalu Saisaraswathi, Pp. 17276–17286

Communications

Diversity, distribution and conservation status of the Adder's-tongue ferns in Goa, India

- Sachin M. Patil & Kishore Rajput, Pp. 17287-17298

An inventory of the native flowering plants in East Siang District of Arunachal Pradesh, India

 Momang Taram, Dipankar Borah, Hui Tag & Ritesh Kumar Choudhary, Pp. 17299–17322

Crepuscular hunting of swiftlets (Family: Apodidae) by Besra (Family: Accipitridae) in the urban areas of the Andaman Islands, India – Amruta Dhamorikar, Dhanusha Kawalkar, Prathamesh Gurjarpadhye & Shirish Manchi, Pp. 17323–17329

A study on diversity of mammalian species using camera traps and associated vegetation in Mizoram University Campus, Aizawl, Mizoram

 – J.H. Zothanpuii, Sushanto Gouda, Abinash Parida & G.S. Solanki, Pp. 17330–17339

Short Communications

Distribution of *Syzygium travancoricum* Gamble (Myrtaceae), a Critically Endangered tree species from Kerala part of Western Ghats, India

– V.B. Sreekumar, K.A. Sreejith, M.S. Sanil, M.K. Harinarayanan, M.P. Prejith & R.V. Varma, Pp. 17340–17346

Butterflies (Lepidoptera: Rhopalocera) of the undivided Midnapore District, West Bengal, India: a preliminary report

 Anirban Mahata, Niladri Prasad Mishra & Sharat Kumar Palita, Pp. 17347–17360

Occurrence of *Corica soborna* Hamilton, 1822 (Clupeiformes: Clupeidae) in the Godavari basin, India – Kante Krishna Prasad, Mohammad Younus & Chelmala Srinivasulu, Pp. 17361–17365

Notes

Strobilanthes affinis (Acanthaceae): a new addition to the flora of Manipur, India

– Sanjeet Kumar & Rajkumari Supriya Devi, Pp. 17366–17369

A new species of the genus *Opius* Wesmael, 1835 (Hymenoptera: Braconidae: Opiinae) from Kashmir Himalaya, India – Zaheer Ahmed, Ahmad Samiuddin, Altaf Hussain Mir & Mohammad Shamim, Pp. 17370–17373

Larvae of the blow fly *Caiusa testacea* (Diptera: Calliphoridae) as egg predators of Polypedates cruciger Blyth, 1852 (Amphibia: Anura: Rhacophoridae)

W.G.D. Chathuranga, K. Kariyawasam, Anslem de Silva &
W.A. Priyanka P. de Silva, Pp. 17374–17379

Blank Swift *Caltoris kumara moorei* (Evans, 1926) (Lepidoptera: Hesperiidae) in Dehradun Valley, Uttarakhand, India: a new record for


the western Himalaya – Arun Pratap Singh, Pp. 17380–17382

First photographic record of the Asiatic Brush-tailed Porcupine Atherurus macrourus (Linnaeus, 1758) (Mammalia: Rodentia: Hystricidae) from the Barak Valley region of Assam, India – Rejoice Gassah & Vijay Anand Ismavel, Pp. 17383–17384

Book Review

A look over on Red Sanders

- S. Suresh Ramanan, Pp. 17385-17386





Member

