

Building evidence for conservation globally
**Journal of
Threatened
TAXA**



Open Access

10.11609/jott.2022.14.4.20811-20950

www.threatenedtaxa.org

26 April 2022 (Online & Print)

14(4): 20811-20950

ISSN 0974-7907 (Online)

ISSN 0974-7893 (Print)



Publisher

Wildlife Information Liaison Development Societywww.wild.zooreach.org

Host

Zoo Outreach Organizationwww.zooreach.org

No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalapatti Road, Saravanampatti,

Coimbatore, Tamil Nadu 641035, India

Ph: +91 9385339863 | www.threatenedtaxa.org

Email: sanjay@threatenedtaxa.org

EDITORS

Founder & Chief Editor

Dr. Sanjay MolurWildlife Information Liaison Development (WILD) Society & Zoo Outreach Organization (ZOO),
12 Thiruvannamalai Nagar, Saravanampatti, Coimbatore, Tamil Nadu 641035, India

Deputy Chief Editor

Dr. Neelesh Dahanukar

Noida, Uttar Pradesh, India

Managing Editor

Mr. B. Ravichandran, WILD/ZOO, Coimbatore, India

Associate Editors

Dr. Mandar Paingankar, Government Science College Gadchiroli, Maharashtra 442605, India**Dr. Ulrike Streicher**, Wildlife Veterinarian, Eugene, Oregon, USA**Ms. Priyanka Iyer**, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India**Dr. B.A. Daniel**, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India

Editorial Board

Dr. Russel Mittermeier

Executive Vice Chair, Conservation International, Arlington, Virginia 22202, USA

Prof. Mewa Singh Ph.D., FASc, FNA, FNAsc, FNAPsy

Ramanna Fellow and Life-Long Distinguished Professor, Biopsychology Laboratory, and Institute of Excellence, University of Mysore, Mysuru, Karnataka 570006, India; Honorary Professor, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore; and Adjunct Professor, National Institute of Advanced Studies, Bangalore

Stephen D. Nash

Scientific Illustrator, Conservation International, Dept. of Anatomical Sciences, Health Sciences Center, T-8, Room 045, Stony Brook University, Stony Brook, NY 11794-8081, USA

Dr. Fred Pluthero

Toronto, Canada

Dr. Priya Davidar

Sigur Nature Trust, Chadapatti, Mavinahalli PO, Nilgiris, Tamil Nadu 643223, India

Dr. Martin Fisher

Senior Associate Professor, Battcock Centre for Experimental Astrophysics, Cavendish Laboratory, JJ Thomson Avenue, Cambridge CB3 0HE, UK

Dr. John Fellowes

Honorary Assistant Professor, The Kadoorie Institute, 8/F, T.T. Tsui Building, The University of Hong Kong, Pokfulam Road, Hong Kong

Prof. Dr. Mirco Solé

Universidade Estadual de Santa Cruz, Departamento de Ciências Biológicas, Vice-coordenador do Programa de Pós-Graduação em Zoologia, Rodovia Ilhéus/Itabuna, Km 16 (45662-000) Salobrinho, Ilhéus - Bahia - Brasil

Dr. Rajeev Raghavan

Professor of Taxonomy, Kerala University of Fisheries & Ocean Studies, Kochi, Kerala, India

English Editors**Mrs. Mira Bhojwani**, Pune, India**Dr. Fred Pluthero**, Toronto, Canada**Mr. P. Ilangovan**, Chennai, India**Web Development****Mrs. Latha G. Ravikumar**, ZOO/WILD, Coimbatore, India**Typesetting****Mr. Arul Jagadish**, ZOO, Coimbatore, India**Mrs. Radhika**, ZOO, Coimbatore, India**Mrs. Geetha**, ZOO, Coimbatore India**Fundraising/Communications****Mrs. Payal B. Molur**, Coimbatore, India**Subject Editors 2019–2021****Fungi****Dr. B. Shivaraju**, Bengaluru, Karnataka, India**Dr. R.K. Verma**, Tropical Forest Research Institute, Jabalpur, India**Dr. Vatsavaya S. Raju**, Kakatiya University, Warangal, Andhra Pradesh, India**Dr. M. Krishnappa**, Jnana Sahyadri, Kuvenpu University, Shimoga, Karnataka, India**Dr. K.R. Sridhar**, Mangalore University, Mangalagangotri, Mangalore, Karnataka, India**Dr. Gunjan Biswas**, Vidyasagar University, Midnapore, West Bengal, India**Plants****Dr. G.P. Sinha**, Botanical Survey of India, Allahabad, India**Dr. N.P. Balakrishnan**, Ret. Joint Director, BSI, Coimbatore, India**Dr. Shonil Bhagwat**, Open University and University of Oxford, UK**Prof. D.J. Bhat**, Retd. Professor, Goa University, Goa, India**Dr. Ferdinando Boero**, Università del Salento, Lecce, Italy**Dr. Dale R. Calder**, Royal Ontario Museum, Toronto, Ontario, Canada**Dr. Cleofas Cervancia**, Univ. of Philippines Los Baños College Laguna, Philippines**Dr. F.B. Vincent Florens**, University of Mauritius, Mauritius**Dr. Merlin Franco**, Curtin University, Malaysia**Dr. V. Irudayaraj**, St. Xavier's College, Palayamkottai, Tamil Nadu, India**Dr. B.S. Kholia**, Botanical Survey of India, Gangtok, Sikkim, India**Dr. Pankaj Kumar**, Kadoorie Farm and Botanic Garden Corporation, Hong Kong S.A.R., China**Dr. V. Sampath Kumar**, Botanical Survey of India, Howrah, West Bengal, India**Dr. A.J. Solomon Raju**, Andhra University, Visakhapatnam, India**Dr. Vijayasankar Raman**, University of Mississippi, USA**Dr. B. Ravi Prasad Rao**, Sri Krishnadevaraya University, Anantapur, India**Dr. K. Ravikumar**, FRLHT, Bengaluru, Karnataka, India**Dr. Aparna Watve**, Pune, Maharashtra, India**Dr. Qiang Liu**, Xishuangbanna Tropical Botanical Garden, Yunnan, China**Dr. Noor Azhar Mohamed Shazili**, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia**Dr. M.K. Vasudeva Rao**, Shiv Ranjan Housing Society, Pune, Maharashtra, India**Prof. A.J. Solomon Raju**, Andhra University, Visakhapatnam, India**Dr. Manda Datar**, Agharkar Research Institute, Pune, Maharashtra, India**Dr. M.K. Janarthanam**, Goa University, Goa, India**Dr. K. Karthigeyan**, Botanical Survey of India, India**Dr. Errol Vela**, University of Montpellier, Montpellier, France**Dr. P. Lakshminarasimhan**, Botanical Survey of India, Howrah, India**Dr. Larry R. Nobile**, Montgomery Botanical Center, Miami, USA**Dr. K. Haridasan**, Pallavur, Palakkad District, Kerala, India**Dr. Analinda Manila-Fajard**, University of the Philippines Los Baños, Laguna, Philippines**Dr. P.A. Sinu**, Central University of Kerala, Kasaragod, Kerala, India**Dr. Afroz Alam**, Banasthali Vidyapith (accredited A grade by NAAC), Rajasthan, India**Dr. K.P. Rajesh**, Zamorin's Guruvayurappan College, GA College PO, Kozhikode, Kerala, India**Dr. David E. Boufford**, Harvard University Herbaria, Cambridge, MA 02138-2020, USA**Dr. Ritesh Kumar Choudhary**, Agharkar Research Institute, Pune, Maharashtra, India**Dr. Navendu Page**, Wildlife Institute of India, Chandrabani, Dehradun, Uttarakhand, India**Invertebrates****Dr. R.K. Avasthi**, Rohtak University, Haryana, India**Dr. D.B. Bastawade**, Maharashtra, India**Dr. Partha Pratim Bhattacharjee**, Tripura University, Suryamaninagar, India**Dr. Kailash Chandra**, Zoological Survey of India, Jabalpur, Madhya Pradesh, India**Dr. Ansie Dippenaar-Schoeman**, University of Pretoria, Queenswood, South Africa**Dr. Rory Dow**, National Museum of Natural History Naturals, The Netherlands**Dr. Brian Fisher**, California Academy of Sciences, USA**Dr. Richard Gallon**, Ilandudno, North Wales, LL30 1UP**Dr. Hemant V. Ghate**, Modern College, Pune, India**Dr. M. Monwar Hossain**, Jahangirnagar University, Dhaka, Bangladesh**Mr. Jatishwar Singh Irungbam**, Biology Centre CAS, Brno, Czech Republic.**Dr. Ian J. Kitching**, Natural History Museum, Cromwell Road, UK**Dr. George Mathew**, Kerala Forest Research Institute, Peechi, IndiaFor Focus, Scope, Aims, and Policies, visit https://threatenedtaxa.org/index.php/JoTT/aims_scopeFor Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions>For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/policies_various

continued on the back inside cover



A report on the butterfly (Lepidoptera: Rhopalocera) diversity of the Upper Ganga River Ramsar site in Uttar Pradesh, India

Kritish De¹ , Keshav Kumar² , Amar Paul Singh³ , Virendra Prasad Uniyal⁴  & Syed Ainul Hussain⁵ 

^{1–5} Wildlife Institute of India, Chandrabani, Dehradun, Uttarakhand 248001, India.

¹ kritish.de@gmail.com (corresponding author), ² keshavkumarju99@gmail.com, ³ amarpaulsingh4@gmail.com, ⁴ uniyalvp@wii.gov.in,

⁵ ainul.hussain@gmail.com

Abstract: This study provides a primary inventory of the butterfly diversity of the Upper Ganga River Ramsar site in Uttar Pradesh, India. The study was carried out in two phases, first in March 2019 and then in November 2019. A total of 44 species of butterflies belonging to 34 genera and five families were seen in the area. The species observed in the study site belonged to the families Hesperiidae (4 genera, 4 species), Lycaenidae (4 genera, 4 species), Nymphalidae (18 genera, 24 species), Papilionidae (2 genera, 4 species), and Pieridae (6 genera, 8 species). Three of these species are legally protected under various schedules of the Indian Wildlife Protection Act (1972).

Keywords: Hesperiidae, Lycaenidae, Nymphalidae, Papilionidae, Pieridae, scheduled species, wetland.

There are a total of 42 wetlands in India covering a total of 1,081,438 ha of the country's geographic surface area that have been recognised as Ramsar sites (Ramsar Sites Information Service 2021). Since the life cycle of a terrestrial pollinator insect is not dependent on the aquatic ecosystem in most cases, it is assumed that their diversity in wetlands and riparian areas will always be

low, but Begosh et al. (2020) observed that there was little difference in abundance and richness of pollinators between uplands and wetlands. However, there have been only a few studies on the butterfly diversity of Indian Ramsar sites. Trigunayat & Singh (1998) reported 35 butterfly species in Keoladeo National Park, Rajasthan and Palot & Soniya (2000; 2001) reported 40 species under seven families. Chowdhury & Soren (2011) reported the presence of 74 species of butterflies under six families from East Calcutta Wetlands, Kolkata. Thakur et al. (2010) reported the presence of 50 species of butterflies under eight families from the Ropar wetland, Punjab. Following that, Sharma et al. (2014) and Narender (2017) observed *Elymnias hypermnestra* and *Megisba malaya* in the Ropar wetland. Sarah et al. (2017) reported the presence of 50 species of butterflies under eight families from Kole Wetlands, Kerala. So far, no studies have been conducted to document the diversity of butterflies in the Upper Ganga River Ramsar

Editor: Monsoon J. Gogoi, Bombay Natural History Society, Mumbai, India.

Date of publication: 26 April 2022 (online & print)

Citation: De, K., K. Kumar, A.P. Singh, V.P. Uniyal & S.A. Hussain (2022). A report on the butterfly (Lepidoptera: Rhopalocera) diversity of the Upper Ganga River Ramsar site in Uttar Pradesh, India. *Journal of Threatened Taxa* 14(4): 20908–20914. <https://doi.org/10.11609/jott.7327.14.4.20908-20914>

Copyright: © De et al. 2022. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: This work is funded by the National Mission for Clean Ganga, Ministry of Jal Shakti, Department of Water Resources, River development and Ganga Rejuvenation, Government of India (Grant No. B-02/2015-16/1259/NMCG-WIIPROPOSAL).

Competing interests: The authors declare no competing interests.

Acknowledgements: Authors are thankful to the National Mission for Clean Ganga, Ministry of Jal Shakti, Department of Water Resources, River development and Ganga Rejuvenation, Government of India for sponsoring the work under the project "Biodiversity conservation and Ganga Rejuvenation". Authors express gratitude to the director and dean, Wildlife Institute of India for their administrative support for the study. Authors acknowledge the Environment, Forest and Climate Change Department, Government of Uttar Pradesh for necessary support during fieldwork.



भारतीय वन्यजीव संस्थान
Wildlife Institute of India




Figure 1. Location of Upper Ganga river Ramsar site (dark blue line) between Ganga bridge at Garmukteswar and Narora barrage. Red squares represent nearest major towns and yellow circles represent sampling locations.

site. The current study was carried out in order to create a primary inventory of butterflies of the Upper Ganga River Ramsar site.

MATERIALS AND METHODS

The study was carried out first in March 2019 and then again in November 2019 along an 85-km stretch of the Ganga River in Uttar Pradesh, from Brijghat to Narora (Figure 1). This section of the river was designated as a Ramsar site in 2005 (Ramsar site no. 1574). It is India's only Ramsar site in the lotic (river) wetland category (Murthy et al. 2013). This stretch is shallow with deep water pools that are home to many conservation-worthy species such as Gangetic River Dolphins, Gharials, crocodiles, six species of turtles, otters, 82 species of fish, and hundreds of bird species (Ramsar Sites Information Service 2021). Agriculture is the most important land use in this region (Prasad et al. 2021). A total of 14 study sites were selected at 5-km intervals along the left bank of the river. A 100-m stretch was chosen at each site to record butterfly species. Sampling was conducted at each study site between 0930 h and 1330 h.

The opportunistic sampling method was used to visually record the species with binoculars. Butterflies that could not be identified in flight were captured

with a butterfly net, identified, and safely released. The butterflies were identified in the field using field guides (Evans 1932; Wynter-Blyth, 1957; Kunte 2000; Kehimkar 2008). For further confirmation, a photograph of the documented species was taken during the survey using a DSLR camera. Scientific names of butterflies were followed as per Varshney & Smetacek (2015).

RESULTS

A total of 44 species of butterflies belonging to 34 genera and five families (Hesperiidae, Lycaenidae, Nymphalidae, Papilionidae, and Pieridae) were found in the study area (Table 1). The butterflies under the family Nymphalidae was most abundant with 24 species (54.545 % of total species) and 18 genera (52.941 % of total genera), followed by family Pieridae with eight species (18.182 % of total species) and six genera (17.647 % of total genera), family Lycaenidae with four species (9.091 % of total species) and four genera (11.765 % of total genera), family Hesperiidae with four species (9.091 % of total species) and four genera (11.765 % of total genera), and family Papilionidae with four species (9.091 % of total species) and two genera (5.882 % of total genera) (Figure 2).

Among these butterflies, three species are listed in

Table 1. List of butterflies reported from the Upper Ganga River Ramsar site.

Family	Scientific name	Authority	Common name	WPA status
Hesperiidae	<i>Matapa aria</i>	(Moore, [1866])	Common Branded Redeye	
Hesperiidae	<i>Parnara</i> sp.			
Hesperiidae	<i>Pelopidas</i> sp.			
Hesperiidae	<i>Udaspes folus</i>	(Cramer, [1775])	Grass Demon	
Lycaenidae	<i>Euchrysops cneus</i>	(Fabricius, 1798)	Gram Blue	Schedule II (Part II)
Lycaenidae	<i>Chilades lajus</i>	(Stoll, [1780])	Lime Blue	
Lycaenidae	<i>Tarucus balkanica nigra</i>	Bethune-Baker, [1918]	Black-spotted Pierrot	
Lycaenidae	<i>Zizeeria karsandra</i>	(Moore, 1865)	Dark Grass Blue	
Nymphalidae	<i>Acraea terpsicore</i>	(Linnaeus, 1758)	Tawny Coster	
Nymphalidae	<i>Ariadne merione</i>	(Cramer, [1777])	Common Castor	
Nymphalidae	<i>Cupha erymanthis</i>	(Drury, [1773])	Rustic	
Nymphalidae	<i>Cyrestis thyodamas</i>	Doyère, [1840]	Map Butterfly	
Nymphalidae	<i>Danaus chrysippus</i>	(Linnaeus, 1758)	Plain Tiger	
Nymphalidae	<i>Danaus genutia</i>	(Cramer, [1779])	Striped Tiger	
Nymphalidae	<i>Euploea mulciber</i>	(Cramer, [1777])	Striped Blue Crow	Schedule IV
Nymphalidae	<i>Hypolimnas bolina</i>	(Linnaeus, 1758)	Great Eggfly	
Nymphalidae	<i>Hypolimnas misippus</i>	(Linnaeus, 1764)	Danaid Eggfly	Schedule II (Part II)
Nymphalidae	<i>Junonia almana</i>	(Linnaeus, 1758)	Peacock Pansy	
Nymphalidae	<i>Junonia atlites</i>	(Linnaeus, 1763)	Grey Pansy	
Nymphalidae	<i>Junonia iphita</i>	(Cramer, [1779])	Chocolate Pansy	
Nymphalidae	<i>Junonia lemonias</i>	(Linnaeus, 1758)	Lemon Pansy	
Nymphalidae	<i>Junonia orithya</i>	(Linnaeus, 1758)	Blue Pansy	
Nymphalidae	<i>Kaniska canace</i>	(Linnaeus, 1763)	Blue Admiral	
Nymphalidae	<i>Libythea myrrha</i>	Godart, 1819	Club Beak	
Nymphalidae	<i>Melanitis leda</i>	(Linnaeus, 1758)	Common Evening Brown	
Nymphalidae	<i>Mycalesis</i> sp.			
Nymphalidae	<i>Neptis soma</i>	Moore, 1858	Creamy Sailer	
Nymphalidae	<i>Parantica aglea</i>	(Stoll, [1782])	Glassy Tiger	
Nymphalidae	<i>Phalanta phalantha</i>	(Drury, [1773])	Common Leopard	
Nymphalidae	<i>Symbrenthia lilaea</i>	(Hewitson, 1864)	Common Jester	
Nymphalidae	<i>Vanessa cardui</i>	(Linnaeus, 1758)	Painted Lady	
Nymphalidae	<i>Ypthima huebneri</i>	Kirby, 1871	Common Four-ring	
Papilionidae	<i>Pachliopta aristolochiae</i>	(Fabricius, 1775)	Common Rose	
Papilionidae	<i>Papilio demoleus</i>	(Linnaeus, 1758)	Lime Swallowtail	
Papilionidae	<i>Papilio polymnestor</i>	Cramer, 1775	Blue Mormon	
Papilionidae	<i>Papilio polytes</i>	Linnaeus, 1758	Common Mormon	
Pieridae	<i>Cepora nerissa</i>	(Fabricius, 1775)	Common Gull	
Pieridae	<i>Catopsilia pyranthe</i>	(Linnaeus, 1758)	Mottled Emigrant	
Pieridae	<i>Delias eucharis</i>	(Drury, 1773)	Common Jezebel	
Pieridae	<i>Ixias marianne</i>	(Cramer, [1779])	White Orange Tip	
Pieridae	<i>Ixias pyrene</i>	(Linnaeus, 1764)	Yellow Orange Tip	
Pieridae	<i>Pareronia hippia</i>	(Fabricius, 1787)	Indian Wanderer	
Pieridae	<i>Pieris brassicae</i>	(Linnaeus, 1758)	Large Cabbage White	
Pieridae	<i>Pieris canidia</i>	Sparrman, 1768	Asian Cabbage White	




Figure 2. Comparative account of numbers of genus and species of butterflies under five families found from the Upper Ganga River Ramsar site




Figure 3. Percentage of genus and species of butterflies under five families found from the Upper Ganga River Ramsar site.

the schedules of the Wildlife Protection Act (WPA), 1972. Among these three species one species: *Euchrysops cneus* (Fabricius, 1798) belongs to the family Lycaenidae and two species: *Euploea mulciber* (Cramer, [1777]) and *Hypolimnas misippus* (Linnaeus, 1764) belong to the family Nymphalidae.

DISCUSSION

In comparison to other ecological elements, the terrestrial arthropod fauna of wetlands has received little attention from researchers (Batzer & Wu 2020). Butterflies are a major herbivore group in terrestrial ecosystems but they are also common in riparian ecosystems because they actively use riparian habitats for nectar and larval food, and they can be used as an indicator group for riparian ecosystem assessment (An & Choi 2021).

Since butterflies are pollinators of their nectar plants as well as indicators of the health and quality of their host plants (Tiple et al. 2006) and the ecosystem as a whole, exploration of butterfly fauna is important in identifying and preserving potential habitats under threat. The presence of the Upper Ganga River Ramsar site, a wetland of international significance and India's only riverine Ramsar site, it is practically equivalent to

the presence of a 'spring in a desert'. The river Ganga experiences different anthropogenic dangers throughout its course causing habitat degradation, which makes the preservation of a Ramsar site even more critical for species survival that cause the natural habitat of several aquatic and riparian biota to decline, however this region secures them.

Despite its immense ecological importance, the entomofauna of the Upper Ganga River Ramsar site is poorly documented. From this area, De et al. (2021) reported presence of 29 species of aquatic insects, including three species of Coleoptera, four species of Hemiptera, and 22 species of Odonata. For the first time, this study found 44 species of butterflies from 34 genera and five families in this area. Because the butterfly fauna of Indian Ramsar wetlands is largely unknown, the findings of this study contribute to our understanding of butterfly biodiversity in them.

The current list of butterfly species is non-exhaustive, and further detailed studies encompassing all seasons, variety of host and nectar plants, and other influential factors is recommended for creating favourable environments to sustain butterfly diversity in this wetland ecosystems.

REFERENCES

- An, J.S. & S.W. Choi (2021). Butterflies as an indicator group of riparian ecosystem assessment. *Journal of Asia-Pacific Entomology* 24(1): 195–200. <https://doi.org/10.1016/j.aspen.2020.12.017>
- Batzer, D.P. & H. Wu (2020). Ecology of terrestrial arthropods in freshwater wetlands. *Annual Review of Entomology* 65: 101–119. <https://doi.org/10.1146/annurev-ento-011019-024902>
- Begosh, A., L.M. Smith, S.T. McMurry & J.P. Harris (2020). Influence of the Conservation Reserve Program (CRP) and playa wetlands on pollinator communities in the Southern High Plains, USA. *Journal of Environmental Management* 256: 109910. <https://doi.org/10.1016/j.jenvman.2019.109910>
- Chowdhury, S. & R. Soren (2011). Butterfly (Lepidoptera: Rhopalocera) Fauna of East Calcutta Wetlands, West Bengal, India. *Check List* 7(6): 700. <https://doi.org/10.15560/10960>
- De, K., A. Sarkar, K. Singh, V.P. Uniyal, J.A. Johnson & S.A. Hussain (2021). Diversity of aquatic insects and biomonitoring of water quality in the upper Ganga River, a Ramsar site: a preliminary assessment. *Journal of Threatened Taxa* 13(13): 20011–20018. <https://doi.org/10.11609/jott.5458.13.13.20011-20018>
- Evans, W.H. (1932). *The Identification of Indian Butterflies*. Bombay Natural History Society, Bombay, India, 302 pp.
- Kehimkar, I. (2008). *The Book of Indian Butterflies*. Bombay Natural History Society and Oxford University Press, New Delhi, 497 pp.
- Kunte, K. (2000). *India - A lifescape: Butterflies of peninsular India*. Universities Press (India) Privet Limited, Hyderabad, 254 pp.
- Murthy, T.V.R., J.G. Patel, S. Panigrahy & J.S. Parihar (Eds.) (2013). *National Wetland Atlas: Wetlands of International Importance under Ramsar Convention, SAC/EPSC/ABHG/NWIA/ATLAS/38/2013*. Space Applications Centre (ISRO), Ahmedabad, 230 pp.
- Narender, S. (2017). Sighting of Megisbamalaya (Horsfield) (Lepidoptera: Lycaenidae) at Ropar Wetland, Punjab, India. *Journal of Insect Science* 30(1): 84–86.
- Palot, M.J. & V.P. Soniya (2000). Preliminary report on the butterflies



Image 1. Butterfly reported from the Upper Ganga River Ramsar site: 1—*Matapa aria* (Moore, [1866]) | 2—*Parnara* sp. | 3—*Pelopidas* sp. | 4—*Udaspes folus* (Cramer, [1775]) | 5—*Euchrysops cneus* (Fabricius, 1798) | 6—*Chilades lajus* (Stoll, [1780]) | 7—*Tarucus balkanica nigra* Bethune-Baker, [1918] | 8—*Zizeeria karsandra* (Moore, 1865) | 9—*Acraea terpsicore* (Linnaeus, 1758).



Image 2. Butterfly reported from the Upper Ganga River Ramsar site: 10—*Ariadne merione* (Cramer, [1777]) | 11—*Cupha erymanthis* (Drury, [1773]) | 12—*Cyrestis thyodamas* Doyère, [1840] | 13—*Danaus chrysippus* (Linnaeus, 1758) | 14—*Danaus genutia* (Cramer, [1779]) | 15—*Euploea mulciber* (Cramer, [1777]) | 16—*Hypolimnas bolina* (Linnaeus, 1758) | 17—*Hypolimnas misippus* (Linnaeus, 1764) | 18—*Junonia almana* (Linnaeus, 1758).



Image 3. Butterfly reported from the Upper Ganga River Ramsar site: 19—*Junonia atlites* (Linnaeus, 1763) | 20—*Junonia iphita* (Cramer, [1779]) | 21—*Junonia lemonias* (Linnaeus, 1758) | 22—*Junonia orithya* (Linnaeus, 1758) | 23—*Kaniska canace* (Linnaeus, 1763) | 24—*Libythea myrrha* Godart, 1819 | 25—*Melanitis leda* (Linnaeus, 1758) | 26—*Mycalesis* sp. | 27—*Neptis soma* Moore, 1858.



Image 4. Butterfly reported from the Upper Ganga river Ramsar site: 28—*Parantica aglea* (Stoll, [1782]) | 29—*Phalanta phalantha* (Drury, [1773]) | 30—*Symbrenthia lilaea* (Hewitson, 1864) | 31—*Vanessa cardui* (Linnaeus, 1758) | 32—*Ypthima huebneri* Kirby, 1871 | 33—*Pachliopta aristolochiae* (Fabricius, 1775) | 34—*Papilio demoleus* (Linnaeus, 1758) | 35—*Papilio polymnestor* Cramer, 1775 | 36—*Papilio polytes* Linnaeus, 1758.




Image 5. Butterfly reported from the Upper Ganga river Ramsar site: 37—*Cepora nerissa* (Fabricius, 1775) | 38—*Catopsilia pyranthe* (Linnaeus, 1758) | 39—*Delias eucharis* (Drury, 1773) | 40—*Ixias marianne* (Cramer, [1779]) | 41—*Ixias pyrene* (Linnaeus, 1764) | 42—*Pareronia hippia* (Fabricius, 1787) | 43—*Pieris brassicae* (Linnaeus, 1758) | 44—*Pieris canidia* Sparrman, 1768.

- of Keoladeo National Park, Bharatpur, Rajasthan, India. *Zoos' Print Journal* 15(6): 287–288. <https://doi.org/10.11609/jott.zpj.15.6.287-8>
- Palot, M.J. & V.P. Soniya (2001).** Additions to the Butterflies of Keoladeo National Park, Bharatpur, Rajasthan, India. *Zoos' Print Journal* 16(5): 495–495. <https://doi.org/10.11609/jott.zpj.16.5.495>
- Prasad, S., R. Saluja, V. Joshi, & J.K. Garg (2021).** Riverine landscape dynamics of the Upper Ganga River (Haridwar-Narora), India. *Environmental Monitoring and Assessment* 193(2): 1–20. <https://doi.org/10.1007/s10661-021-08868-8>
- Ramsar Sites Information Service (2021).** Annotated List of Wetlands of International Importance: India. https://rsis.ramsar.org/sites/default/files/rsiswp_search/exports/Ramsar-Sites-annotated-summary-India.pdf?1617983966. Accessed 9 April 2021
- Sarath, S., E.R. Sreekumar & P.O. Nameer (2017).** Butterflies of the Kole Wetlands, a Ramsar Site in Kerala, India. *Journal of Threatened Taxa* 9(5): 10208–10215. <https://doi.org/10.11609/jott.3513.9.5.10208-10215>

- Sharma, N., P. Kumar & P.C. Tak (2014).** Occurrence of *Elymnias hypermnestra undularis* (Drury) (Lepidoptera: Satyridae) at Ropar wetland, Punjab, India. *Journal of Threatened Taxa* 6(2): 5499–5500. <https://doi.org/10.11609/jott.o3190.5499-500>
- Thakur, M.S., H.S. Mehta & V.K. Mattu (2010).** Check list of butterflies (Lepidoptera: Rhopalocera) of Ropar wetland and its environs, Punjab, India. *Journal of Entomological Research* 34(1): 85–94.
- Tiple, A.D., V.P. Deshmukh & R.L.H. Dennis (2006).** Factors influencing nectar plant resource visits by butterflies on a university campus: implications for conservation. *Nota Lepidopteralogica* 28: 213–224.
- Trigunayat, M.M. & N.P. Singh (1998).** Checklist of butterfly fauna of Keoladeo National Park, Bharatpur (Rajasthan). *Cheetal* 37(3–4): 48–51.
- Varshney, R.K. & P. Smetacek (2015).** *A Synoptic Catalogue of the Butterflies of India*. Butterfly Research Centre, Bhimtal and Indinov Publishing, New Delhi, 261 pp.
- Wynter-Blyth, M.A. (1957).** *Butterflies of the Indian Region*. Bombay Natural History Society, Bombay, 523 pp.

Dr. John Noyes, Natural History Museum, London, UK
Dr. Albert G. Orr, Griffith University, Nathan, Australia
Dr. Sameer Padhye, Katholieke Universiteit Leuven, Belgium
Dr. Nancy van der Poorten, Toronto, Canada
Dr. Karen Schnabel, NIWA, Wellington, New Zealand
Dr. R.M. Sharma, (Retd.) Scientist, Zoological Survey of India, Pune, India
Dr. Manju Siliwal, WILD, Coimbatore, Tamil Nadu, India
Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India
Dr. K.A. Subramanian, Zoological Survey of India, New Alipore, Kolkata, India
Dr. P.M. Sureshan, Zoological Survey of India, Kozhikode, Kerala, India
Dr. R. Varatharajan, Manipur University, Imphal, Manipur, India
Dr. Eduard Vives, Museu de Ciències Naturals de Barcelona, Terrassa, Spain
Dr. James Young, Hong Kong Lepidopterists' Society, Hong Kong
Dr. R. Sundararaj, Institute of Wood Science & Technology, Bengaluru, India
Dr. M. Nitithyanandan, Environmental Department, La Al Kuwait Real Estate. Co. K.S.C., Kuwait
Dr. Himender Bharti, Punjabi University, Punjab, India
Mr. Purnendu Roy, London, UK
Dr. Saito Motoki, The Butterfly Society of Japan, Tokyo, Japan
Dr. Sanjay Soni, TITLI TRUST, Kalpavriksh, Dehradun, India
Dr. Nguyen Thi Phuong Lien, Vietnam Academy of Science and Technology, Hanoi, Vietnam
Dr. Nitin Kulkarni, Tropical Research Institute, Jabalpur, India
Dr. Robin Wen Jiang Ngiam, National Parks Board, Singapore
Dr. Lionel Monod, Natural History Museum of Geneva, Genève, Switzerland.
Dr. Asheesh Shivam, Nehru Gram Bharti University, Allahabad, India
Dr. Rosana Moreira da Rocha, Universidade Federal do Paraná, Curitiba, Brasil
Dr. Kur R. Arnold, North Dakota State University, Saxony, Germany
Dr. James M. Carpenter, American Museum of Natural History, New York, USA
Dr. David M. Claborn, Missouri State University, Springfield, USA
Dr. Karenne Schnabel, Marine Biologist, Wellington, New Zealand
Dr. Amazonas Chagas Júnior, Universidade Federal de Mato Grosso, Cuiabá, Brasil
Mr. Monsoon Jyoti Gogoi, Assam University, Silchar, Assam, India
Dr. Heo Chong Chin, Universiti Teknologi MARA (UiTM), Selangor, Malaysia
Dr. R.J. Shiel, University of Adelaide, SA 5005, Australia
Dr. Siddharth Kulkarni, The George Washington University, Washington, USA
Dr. Priyadarshan Dharma Rajan, ATREE, Bengaluru, India
Dr. Phil Alderslade, CSIRO Marine And Atmospheric Research, Hobart, Australia
Dr. John E.N. Veron, Coral Reef Research, Townsville, Australia
Daniel Whitmore, State Museum of Natural History Stuttgart, Rosenstein, Germany.
Dr. Yu-Feng Hsu, National Taiwan Normal University, Taipei City, Taiwan
Dr. Keith W. Wolfe, Antioch, California, USA
Dr. Siddharth Kulkarni, The Hormiga Lab, The George Washington University, Washington, D.C., USA
Dr. Tomas Ditrich, Faculty of Education, University of South Bohemia in Ceske Budejovice, Czech Republic
Dr. Mihaly Foldvari, Natural History Museum, University of Oslo, Norway
Dr. V.P. Uniyal, Wildlife Institute of India, Dehradun, Uttarakhand 248001, India
Dr. John T.D. Caleb, Zoological Survey of India, Kolkata, West Bengal, India
Dr. Priyadarshan Dharma Rajan, Ashoka Trust for Research in Ecology and the Environment (ATREE), Royal Enclave, Bangalore, Karnataka, India

Fishes

Dr. Neelesh Dahanukar, IISER, Pune, Maharashtra, India
Dr. Topiltzin Contreras MacBeath, Universidad Autónoma del estado de Morelos, México
Dr. Heok Hee Ng, National University of Singapore, Science Drive, Singapore
Dr. Rajeev Raghavan, St. Albert's College, Kochi, Kerala, India
Dr. Robert D. Sluka, Chiltern Gateway Project, A Rocha UK, Southall, Middlesex, UK
Dr. E. Vivekanandan, Central Marine Fisheries Research Institute, Chennai, India
Dr. Davor Zanella, University of Zagreb, Zagreb, Croatia
Dr. A. Biju Kumar, University of Kerala, Thiruvananthapuram, Kerala, India
Dr. Akhilesh K.V., ICAR-Central Marine Fisheries Research Institute, Mumbai Research Centre, Mumbai, Maharashtra, India
Dr. J.A. Johnson, Wildlife Institute of India, Dehradun, Uttarakhand, India

Amphibians

Dr. Sushil K. Dutta, Indian Institute of Science, Bengaluru, Karnataka, India
Dr. Annemarie Ohler, Muséum national d'Histoire naturelle, Paris, France

Reptiles

Dr. Gernot Vogel, Heidelberg, Germany
Dr. Raju Vyas, Vadodara, Gujarat, India
Dr. Pritpal S. Soorae, Environment Agency, Abu Dhabi, UAE.
Prof. Dr. Wayne J. Fuller, Near East University, Mersin, Turkey
Prof. Chandrashekher U. Rironker, Goa University, Taleigao Plateau, Goa, India
Dr. S.R. Ganesh, Chennai Snake Park, Chennai, Tamil Nadu, India
Dr. Hiranshu Sekhar Das, Terrestrial & Marine Biodiversity, Abu Dhabi, UAE

Birds

Dr. Hem Sagar Baral, Charles Sturt University, NSW Australia
Mr. H. Biju, Coimbatore, Tamil Nadu, India
Dr. Chris Bowden, Royal Society for the Protection of Birds, Sandy, UK
Dr. Priya Davidar, Pondicherry University, Kalapet, Puducherry, India
Dr. J.W. Duckworth, IUCN SSC, Bath, UK
Dr. Rajah Jayopal, SACON, Coimbatore, Tamil Nadu, India
Dr. Rajiv S. Kalsi, M.L.N. College, Yamuna Nagar, Haryana, India
Dr. V. Santharam, Rishi Valley Education Centre, Chittoor Dt., Andhra Pradesh, India
Dr. S. Balachandran, Bombay Natural History Society, Mumbai, India
Mr. J. Praveen, Bengaluru, India
Dr. C. Srinivasulu, Osmania University, Hyderabad, India
Dr. K.S. Gopi Sundar, International Crane Foundation, Baraboo, USA
Dr. Gombobaatar Sundev, Professor of Ornithology, Ulaanbaatar, Mongolia
Prof. Reuven Yosef, International Birding & Research Centre, Eilat, Israel
Dr. Taej Mundkur, Wetlands International, Wageningen, The Netherlands
Dr. Carol Inskip, Bishop Auckland Co., Durham, UK
Dr. Tim Inskip, Bishop Auckland Co., Durham, UK
Dr. V. Gokula, National College, Tiruchirappalli, Tamil Nadu, India
Dr. Arkady Lelej, Russian Academy of Sciences, Vladivostok, Russia
Dr. Simon Dowell, Science Director, Chester Zoo, UK
Dr. Mário Gabriel Santiago dos Santos, Universidade de Trás-os-Montes e Alto Douro, Quinta de Prados, Vila Real, Portugal
Dr. Grant Connette, Smithsonian Institution, Royal, VA, USA
Dr. M. Zafar-ul Islam, Prince Saud Al Faisal Wildlife Research Center, Taif, Saudi Arabia

Mammals

Dr. Giovanni Amori, CNR - Institute of Ecosystem Studies, Rome, Italy
Dr. Anwaruddin Chowdhury, Guwahati, India
Dr. David Mallon, Zoological Society of London, UK
Dr. Shomita Mukherjee, SACON, Coimbatore, Tamil Nadu, India
Dr. Angie Appel, Wild Cat Network, Germany
Dr. P.O. Nameer, Kerala Agricultural University, Thrissur, Kerala, India
Dr. Ian Redmond, UNEP Convention on Migratory Species, Lansdown, UK
Dr. Heidi S. Riddle, Riddle's Elephant and Wildlife Sanctuary, Arkansas, USA
Dr. Karin Schwartz, George Mason University, Fairfax, Virginia.
Dr. Lala A.K. Singh, Bhubaneswar, Orissa, India
Dr. Mewa Singh, Mysore University, Mysore, India
Dr. Paul Racey, University of Exeter, Devon, UK
Dr. Honnavalli N. Kumara, SACON, Anaikatty P.O., Coimbatore, Tamil Nadu, India
Dr. Nishith Dharaiya, HNG University, Patan, Gujarat, India
Dr. Spartaco Gippoliti, Socio Onorario Società Italiana per la Storia della Fauna "Giuseppe Altobello", Rome, Italy
Dr. Justus Joshua, Green Future Foundation, Tiruchirappalli, Tamil Nadu, India
Dr. H. Raguram, The American College, Madurai, Tamil Nadu, India
Dr. Paul Bates, Harison Institute, Kent, UK
Dr. Jim Sanderson, Small Wild Cat Conservation Foundation, Hartford, USA
Dr. Dan Challender, University of Kent, Canterbury, UK
Dr. David Mallon, Manchester Metropolitan University, Derbyshire, UK
Dr. Brian L. Cypher, California State University-Stanislaus, Bakersfield, CA
Dr. S.S. Talmale, Zoological Survey of India, Pune, Maharashtra, India
Prof. Karan Bahadur Shah, Budhanilkantha Municipality, Kathmandu, Nepal
Dr. Susan Cheyne, Borneo Nature Foundation International, Palangkaraya, Indonesia
Dr. Hemanta Kafley, Wildlife Sciences, Tarleton State University, Texas, USA

Other Disciplines

Dr. Aniruddha Belsare, Columbia MO 65203, USA (Veterinary)
Dr. Mandar S. Paingankar, University of Pune, Pune, Maharashtra, India (Molecular)
Dr. Jack Tordoff, Critical Ecosystem Partnership Fund, Arlington, USA (Communities)
Dr. Ulrike Streicher, University of Oregon, Eugene, USA (Veterinary)
Dr. Hari Balasubramanian, EcoAdvisors, Nova Scotia, Canada (Communities)
Dr. Rayanna Helleni Santos Bezerra, Universidade Federal de Sergipe, São Cristóvão, Brazil
Dr. Jamie R. Wood, Landcare Research, Canterbury, New Zealand
Dr. Wendy Collinson-Jonker, Endangered Wildlife Trust, Gauteng, South Africa
Dr. Rajeshkumar G. Jani, Anand Agricultural University, Anand, Gujarat, India
Dr. O.N. Tiwari, Senior Scientist, ICAR-Indian Agricultural Research Institute (IARI), New Delhi, India
Dr. L.D. Singla, Guru Angad Dev Veterinary and Animal Sciences University, Ludhiana, India
Dr. Rupika S. Rajakaruna, University of Peradeniya, Peradeniya, Sri Lanka
Dr. Bharat Baviskar, Wild-CER, Nagpur, Maharashtra 440013, India

Reviewers 2019–2021

Due to paucity of space, the list of reviewers for 2018–2020 is available online.

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Print copies of the Journal are available at cost. Write to:
The Managing Editor, JoTT,
c/o Wildlife Information Liaison Development Society,
No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalappatti Road,
Saravanampatti, Coimbatore, Tamil Nadu 641035, India
ravi@threatenedtaxa.org

Journal of Threatened Taxa is indexed/abstracted in Bibliography of Systematic Mycology, Biological Abstracts, BIOSIS Previews, CAB Abstracts, EBSCO, Google Scholar, Index Copernicus, Index Fungorum, JournalSeek, National Academy of Agricultural Sciences, NewJour, OCLC WorldCat, SCOPUS, Stanford University Libraries, Virtual Library of Biology, Zoological Records.

NAAS rating (India) 5.64

Communications

Study on the diversity of birds in the new abode of wetlands created by the 2004 tsunami in South Andaman

– Neelam Purti, V. Shiva Shankar, G. Narshimulu, Satyajit Halder, C. Ramayya & Ravi Pratap Singh, Pp. 20811–20820

Population abundance of Greater Flamingo *Phoenicopterus roseus* (Aves: Phoenicopteridae) in district Gurugram of Haryana, India

– Amit Kumar & Sarita Rana, Pp. 20821–20827

Freshwater fish diversity in hill streams of Saberi River in Eastern Ghats of Odisha, India

– Supriya Surachita & Sharat Kumar Palita, Pp. 20828–20839

Hatching in Coromandel Marsh Dart Damselfly *Ceriagrion coromandelianum* (Fabricius) (Zygoptera: Coenagrionidae): process and influence of the oviposition substrate

– Payal Verma, Nilesh Thaokar & Raymond Andrew, Pp. 20840–20847

Distribution of the genus *Pinguicula* (L., 1753) (Lentibulariaceae) in Gunma Prefecture, Japan with new records

– Hiro Shimai & Takehiro Ohmori, Pp. 20848–20858

Reproductive biology of two threatened and highly traded medicinal plants, *Salacia gambleana* and *Salacia oblonga*, from the Western Ghats of India

– P.S. Krishnasree, P.A. Jose, K. Subin & T.V. Sarath, Pp. 20859–20865

Cytotaxonomy and palynology study of some weed species from the state of Punjab, India

– Rai Singh & M.C. Sidhu, Pp. 20866–20872

Philately of mangroves: local to global reflection

– Mahesh Shindikar, Yogesh Deshpande, Prasad Kulkarni, Anand Billade & Ajit Vartak, Pp. 20873–20889

Amanitaceous fungi of central Western Ghats: taxonomy, phylogeny, and six new reports to Indian mycobiota

– Rangappa Kantharaja & Maddappa Krishnappa, Pp. 20890–20902

Short Communications

Distribution records of Dormer's Bat *Scotozous dormeri* (Dobson, 1875) (Mammalia: Chiroptera: Vespertilionidae) in Nepal

– Dibya Raj Dahal, Sanjan Thapa, Delip Singh Chand & Nanda Bahadur Singh, Pp. 20903–20907

A report on the butterfly (Lepidoptera: Rhopalocera) diversity of the Upper Ganga River Ramsar site in Uttar Pradesh, India

– Kritish De, Keshav Kumar, Amar Paul Singh, Virendra Prasad Uniyal & Syed Ainul Hussain, Pp. 20908–20914

Case report of hook worm *Grammocephalus hybridatus* and stomach bot *Cobboldia elephantis* infections in a free-ranging Asian Elephant *Elephas maximus* in Tamil Nadu, India

– Kaveri Theerthagiri Kavitha, Chirukandoth Sreekumar & Bhaskaran Ravi Latha, Pp. 20915–20920

Management of traumatic ulcerative keratitis in a Red Serow

– Deepjyoti Deka, Panchami Sharma, Arup Das, Kongkon J. Dutta, Syed A. Arif & Tinku Das, Pp. 20921–20925

Notes

Group size pattern and distribution of threatened Sambar *Rusa unicolor* (Artiodactyla: Cervidae) in Moyar River Valley, India

– Vedagiri Thirumurugan, Chandravilasam Sreedharan Nair Vishnu, Nehru Prabakaran & Chinnasamy Ramesh, Pp. 20926–20929

First photographic record of the presence of Smooth-coated Otter *Lutrogale perspicillata* in Ghaghra River, India

– Saurav Gawan, Ashish K. Panda & Aakash Mohan Rawat, Pp. 20930–20934

Back after 40 years: a rare sighting of Eurasian Siskin *Spinus spinus* (Linnaeus, 1758) (Aves: Passeriformes: Fringillidae) in Himachal Pradesh, India

– Paul Pop, Kuldeep Singh Barwal, Puneet Pandey, Harminder Pal Singh & Randeep Singh, Pp. 20935–20938

First record of the jumping spider *Pancorius changicus* Žabka, 1990

from India (Araneae: Salticidae)

– Anushka Gurung, Aita Hang Subba Limboo, Bhoj Kumar Acharya & Dhruv A. Prajapati, Pp. 20939–20942

An abandoned nest of *Vespa affinis* (Hymenoptera: Vespidae)

– Shanjida Sultana & Sharmin Akter, Pp. 20943–20945

Endemic *Primula xanthopha* Balf.f. & R.E. Cooper: rediscovery after 88 years from Bumdeling Wildlife Sanctuary, Bhutan

– Namgay Shacha, Karma Sangay, Tshering Dendup & Tez Bdr Ghalley, Pp. 20946–20950

Publisher & Host

