st conservation globally Journal of Threatened Taxa



Open Access

10.11609/jott.2022.14.2.20539-20702 www.threatenedtaxa.org

26 February 2022 (Online & Print) 14(2): 20539-20702 ISSN 0974-7907 (Online) ISSN 0974-7893 (Print)



Publisher

Wildlife Information Liaison Development Society www.wild.zooreach.org Host Zoo Outreach Organization www.zooreach.org

No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalapatti Road, Saravanampatti, Coimbatore, Tamil Nadu 641035, India Ph: +91 9385339863 | www.threatenedtaxa.org

11. +91 9385339863 | www.threateneutaxa.or

Email: sanjay@threatenedtaxa.org

EDITORS

Founder & Chief Editor

Dr. Sanjay Molur

Wildlife Information Liaison Development (WILD) Society & Zoo Outreach Organization (ZOO), 12 Thiruvannamalai Nagar, Saravanampatti, Coimbatore, Tamil Nadu 641035, India

Deputy Chief Editor

Dr. Neelesh Dahanukar Noida, Uttar Pradesh, India

Managing Editor

Mr. B. Ravichandran, WILD/ZOO, Coimbatore, India

Associate Editors

Dr. Mandar Paingankar, Government Science College Gadchiroli, Maharashtra 442605, India Dr. Ulrike Streicher, Wildlife Veterinarian, Eugene, Oregon, USA Ms. Priyanka Iyer, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India Dr. B.A. Daniel, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India

Editorial Board

Dr. Russel Mittermeier

Executive Vice Chair, Conservation International, Arlington, Virginia 22202, USA

Prof. Mewa Singh Ph.D., FASc, FNA, FNASc, FNAPsy

Ramanna Fellow and Life-Long Distinguished Professor, Biopsychology Laboratory, and Institute of Excellence, University of Mysore, Mysuru, Karnataka 570006, India; Honorary Professor, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore; and Adjunct Professor, National Institute of Advanced Studies, Bangalore

Stephen D. Nash

Scientific Illustrator, Conservation International, Dept. of Anatomical Sciences, Health Sciences Center, T-8, Room 045, Stony Brook University, Stony Brook, NY 11794-8081, USA

Dr. Fred Pluthero

Toronto, Canada

Dr. Priya Davidar

Sigur Nature Trust, Chadapatti, Mavinhalla PO, Nilgiris, Tamil Nadu 643223, India

Dr. Martin Fisher

Senior Associate Professor, Battcock Centre for Experimental Astrophysics, Cavendish Laboratory, JJ Thomson Avenue, Cambridge CB3 0HE, UK

Dr. John Fellowes

Honorary Assistant Professor, The Kadoorie Institute, 8/F, T.T. Tsui Building, The University of Hong Kong, Pokfulam Road, Hong Kong

Prof. Dr. Mirco Solé

Universidade Estadual de Santa Cruz, Departamento de Ciências Biológicas, Vice-coordenador do Programa de Pós-Graduação em Zoologia, Rodovia Ilhéus/Itabuna, Km 16 (45662-000) Salobrinho. Ilhéus - Bahia - Brasil

Dr. Rajeev Raghavan

Professor of Taxonomy, Kerala University of Fisheries & Ocean Studies, Kochi, Kerala, India

English Editors Mrs. Mira Bhojwani, Pune, India Dr. Fred Pluthero, Toronto, Canada

Mr. P. Ilangovan, Chennai, India

Web Development

Mrs. Latha G. Ravikumar, ZOO/WILD, Coimbatore, India Typesetting

Mr. Arul Jagadish, ZOO, Coimbatore, India Mrs. Radhika, ZOO, Coimbatore, India Mrs. Geetha, ZOO, Coimbatore India Fundraising/Communications Mrs. Payal B. Molur, Coimbatore, India

Subject Editors 2019–2021

Fungi

- Dr. B. Shivaraju, Bengaluru, Karnataka, India
- Dr. R.K. Verma, Tropical Forest Research Institute, Jabalpur, India
- Dr. Vatsavaya S. Raju, Kakatiay University, Warangal, Andhra Pradesh, India
- Dr. M. Krishnappa, Jnana Sahyadri, Kuvempu University, Shimoga, Karnataka, India
- Dr. K.R. Sridhar, Mangalore University, Mangalagangotri, Mangalore, Karnataka, India Dr. Gunjan Biswas, Vidyasagar University, Midnapore, West Bengal, India

Plants

- Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India
- Dr. N.P. Balakrishnan, Ret. Joint Director, BSI, Coimbatore, India
- Dr. Shonil Bhagwat, Open University and University of Oxford, UK
- Prof. D.J. Bhat, Retd. Professor, Goa University, Goa, India
- Dr. Ferdinando Boero, Università del Salento, Lecce, Italy
- Dr. Dale R. Calder, Royal Ontaro Museum, Toronto, Ontario, Canada
- Dr. Cleofas Cervancia, Univ. of Philippines Los Baños College Laguna, Philippines
- Dr. F.B. Vincent Florens, University of Mauritius, Mauritius
- Dr. Merlin Franco, Curtin University, Malaysia
- Dr. V. Irudayaraj, St. Xavier's College, Palayamkottai, Tamil Nadu, India
- Dr. B.S. Kholia, Botanical Survey of India, Gangtok, Sikkim, India
- Dr. Pankaj Kumar, Kadoorie Farm and Botanic Garden Corporation, Hong Kong S.A.R., China Dr. V. Sampath Kumar, Botanical Survey of India, Howrah, West Bengal, India
- Dr. A.J. Solomon Raju, Andhra University, Visakhapatnam, India
- Dr. Vijayasankar Raman, University of Mississippi, USA
- Dr. B. Ravi Prasad Rao, Sri Krishnadevaraya University, Anantpur, India
- Dr. K. Ravikumar, FRLHT, Bengaluru, Karnataka, India
- Dr. Aparna Watve, Pune, Maharashtra, India
- Dr. Qiang Liu, Xishuangbanna Tropical Botanical Garden, Yunnan, China
- Dr. Noor Azhar Mohamed Shazili, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia
- Dr. M.K. Vasudeva Rao, Shiv Ranjani Housing Society, Pune, Maharashtra, India
- Prof. A.J. Solomon Raju, Andhra University, Visakhapatnam, India
- Dr. Mandar Datar, Agharkar Research Institute, Pune, Maharashtra, India
- Dr. M.K. Janarthanam, Goa University, Goa, India
- Dr. K. Karthigeyan, Botanical Survey of India, India
- Dr. Errol Vela, University of Montpellier, Montpellier, France
- Dr. P. Lakshminarasimhan, Botanical Survey of India, Howrah, India
- Dr. Larry R. Noblick, Montgomery Botanical Center, Miami, USA
- Dr. K. Haridasan, Pallavur, Palakkad District, Kerala, India
- Dr. Analinda Manila-Fajard, University of the Philippines Los Banos, Laguna, Philippines
- Dr. P.A. Sinu, Central University of Kerala, Kasaragod, Kerala, India
- Dr. Afroz Alam, Banasthali Vidyapith (accredited A grade by NAAC), Rajasthan, India
- Dr. K.P. Rajesh, Zamorin's Guruvayurappan College, GA College PO, Kozhikode, Kerala, India
- Dr. David E. Boufford, Harvard University Herbaria, Cambridge, MA 02138-2020, USA
- Dr. Ritesh Kumar Choudhary, Agharkar Research Institute, Pune, Maharashtra, India Dr. Navendu Page, Wildlife Institute of India, Chandrabani, Dehradun, Uttarakhand, India

Invertebrates

- Dr. R.K. Avasthi, Rohtak University, Haryana, India
- Dr. D.B. Bastawade, Maharashtra, India
- Dr. Partha Pratim Bhattacharjee, Tripura University, Suryamaninagar, India
- Dr. Kailash Chandra, Zoological Survey of India, Jabalpur, Madhya Pradesh, India
- Dr. Ansie Dippenaar-Schoeman, University of Pretoria, Queenswood, South Africa
- Dr. Rory Dow, National Museum of natural History Naturalis, The Netherlands
- Dr. Brian Fisher, California Academy of Sciences, USA Dr. Richard Gallon, Ilandudno, North Wales, LL30 1UP
- Dr. Hemant V. Ghate, Modern College, Pune, India
- Dr. M. Monwar Hossain, Jahangirnagar University, Dhaka, Bangladesh
- Mr. Jatishwor Singh Irungbam, Biology Centre CAS, Branišovská, Czech Republic.
- Dr. Ian J. Kitching, Natural History Museum, Cromwell Road, UK
- Dr. George Mathew, Kerala Forest Research Institute, Peechi, India

For Focus, Scope, Aims, and Policies, visit https://threatenedtaxa.org/index.php/JoTT/aims_scope For Article Submission Guidelines, visit https://threatenedtaxa.org/index.php/JoTT/about/submissions For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/policies_various continued on the back inside cover

Cover: Geodorum laxiflorum Griff.—inflorescence (Orchidaceae) © Ashish Ravindra Bhoyar.

Journal of Threatened Taxa | www.threatenedtaxa.org | 26 February 2022 | 14(2): 20631-20636

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

https://doi.org/10.11609/jott.7765.14.2.20631-20636

(cc)#7765 | Received 29 November 2021 | Final received 10 February 2022 | Finally accepted 15 February 2022

Rediscovery of *Platerus pilcheri* Distant (Hemiptera: Reduviidae), a forgotten assassin bug from India, with comments on its range extension

H. Sankararaman 1 🗊 , Anubhav Agarwal 2 💿 , Valérie A. Lemaître 3 💿 & Hemant V. Ghate 4 💿

¹ Parasitoid Taxonomy and Biocontrol laboratory, Department of Entomology, Faculty of Agriculture, Annamalai University, Chidambaram, Tamil Nadu 608002, India.

² 12 Z Rutland Gate, 4th street, Aroshree Kailash, Chennai, Tamil Nadu 600006, India.

³ Department of Life Sciences (Insects), The Natural History Museum, Cromwell Road, London, SW7 5BD, United Kingdom. ⁴ Post-Graduate Research Centre, Department of Zoology, Modern College of Arts, Science and Commerce (Autonomous), Shivajinagar,

Pune, Maharashtra 411005, India.

¹ sankararaman05@gmail.com (corresponding author), ² anubhavpost@gmail.com, ³ v.lemaitre@nhm.ac.uk, ⁴ hemantghate@gmail.com

Abstract: Platerus pilcheri Distant, 1903, a harpactorine reduviid, is rediscovered from India after more than a century since its original description. A brief diagnosis of this species, a note on its range extension, a distributional map, and images of live habitus are provided along with the images of a syntype preserved in the Natural History Museum, London (BMNH). We also present a comparison with the other Indian congeneric species, Platerus bhavanii Livingstone & Ravichandran, 1991, and show that this latter species does not belong in the genus Platerus and is to be treated as species inquirenda. The issue of the subsequent documentation of Platerus bhavanii from Karnataka is also discussed.

Keywords: Harpactorinae, Nagusta, Nagustoides, Oriental region, China

A single male harpactorine assassin bug was carefully studied and photographed in the Talle Valley Wildlife Sanctuary (Ziro, Arunachal Pradesh), in September 2019. It showed the main diagnostic characters of the genus Platerus Distant, 1903, viz., the head about as long as the pronotum; a long oblique suberect spine at the base of the antenna; a posterior pronotal lobe with two long, discal, tuberculous, erect, acute spines and lateral pronotal angles spinously produced (Distant 1903, 1904; Zhao et al. 2006b). It was subsequently identified as P. pilcheri Distant, 1903 based on the original description and an illustration provided by Distant (1903, 1904), as well as the redescription, illustrations and key provided by Zhao et al. (2006b). A further comparison with images of a male syntype of Platerus pilcheri, preserved in the BMNH, confirmed the identity of the bug photographed in Arunachal Pradesh.

OPEN

ACCESS

 $(\mathbf{\hat{P}})$

Platerus Distant, 1903 is a small genus in Reduviidae (Hemiptera), with only three species, all described from the Oriental region (Zhao et al. 2006b). Distant (1903) established Platerus with P. pilcheri as the only species, based on an unspecified number of male specimens, collected by J.G. Pilcher in Sikhim [= Sikkim], India; later Distant (1904) included this genus in Harpactorinae, division Euagorasaria and also provided a figure of the dorsal habitus of this species. While Distant's 'divisions' of Harpactorinae are no longer used, Distant (1904) still proves useful for the identification of the Indian

Editor: Anonymity requested.

Date of publication: 26 February 2022 (online & print)

Citation: Sankararaman, H., A. Agarwal, V.A. Lemaître & H.V. Ghate (2022). Rediscovery of Platerus pilcheri Distant (Hemiptera: Reduviidae), a forgotten assassin bug from India, with comments on its range extension. Journal of Threatened Taxa 14(2): 20631–20636. https://doi.org/10.11609/jott.7765.14.2.20631-20636

Copyright: © Sankararaman et al. 2022. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: HS obtained travel funds through DST PURSE phase II of Annamalai University.

Competing interests: The authors declare no competing interests.

Acknowledgements: We thank Mick Webb (BMNH, UK), Tadashi Ishikawa (Tokyo University of Agriculture, Japan) and H.M. Yeshwanth (University of Agricultural Sciences, GKVK, Bengaluru, India) for kindly providing images of (type) specimens. We also extend our thanks to Kolla Sreedevi (National Bureau of Agricultural Insect Resources, Bengaluru) for providing relevant literature on P. bhavanii. HS is grateful to S. Manickavasagam. HVG is indebted to the authorities of Modern College for providing facilities and encouragement.



hemipteran fauna. The division Euagorasaria has been merged in the tribe Harpactorini, which includes species with a curved labium. The subfamily Harpactorinae is the largest reduviid subfamily, with over 300 genera and more than 2,800 species (Schuh & Weirauch 2020).

The other two species of the genus Platerus, viz., P. bhavanii Livingstone & Ravichandran, 1991 and P. tenuicorpus Zhao, Yang & Cai, 2006 are known from India and China (Tibet), respectively. Platerus pilcheri has never been documented in detail from any part of India since its original description, although it has been collected, as can be vouched by specimens in the collections of the BMNH (see 'Material studied') and the Zoological Survey of India (ZSI, see Biswas et al. (1994)). More recently, one female specimen was reported from Xizang (Tibet), China, by Zhao et al. (2006b), who described the female of the species for the first time. Agarwal (2019) made images of a specimen available on the iNaturalist website; this was recently identified as P. pilcheri. The present report is based on this sighting made on 7 September 2019 at the Talle Valley Wildlife Sanctuary, Arunachal Pradesh (27.545614N & 93.830229E). The specimen was studied in detail and released back into nature; no collections were permitted in that area during the study.

Since the genus and the species have been originally, and subsequently, described in detail, we are here only presenting recent images of this species with brief comments on the other Indian congeneric species, *P. bhavanii.* We are also providing images of a syntype of *P. pilcheri* and documenting other specimens deposited in the BMNH.

TAXONOMY

Reduviidae Latreille, 1807 Harpactorinae Amyot & Serville, 1843 *Platerus* Distant, 1903

Platerus Distant, 1903: 247 (type species *Platerus pilcheri*, by monotypy); Maldonado Capriles 1990: 258; Ambrose 2006: 2399; Zhao et al. 2006b: 25; Biswas et al. 1994: 398; Biswas & Mitra 2014: 14; Bhagyasree 2017: 67.

Diagnosis

Division Euagorasaria, sensu Distant (1904), which includes the genus *Platerus*, is characterized by an elongate body, the head with a distinct tubercle or spine behind the base of each antenna and lateral pronotal angles spinous or at least prominent. Within Euagorasaria the genus *Platerus* is diagnosed by the following characters: anterior tibia not curved at the tip and without a spine, anterior lobe of pronotum without any prominent tubercles at the sides, the posterior lobe of pronotum with discal spines and the head about as long as the pronotum.

Diagnostic characters of the genus

The genus *Platerus* has been described thoroughly by Distant (1903) and some more details were added by Zhao et al. (2006b); for this reason, we do not reiterate those characters. Only some characters that are relevant for the subsequent discussion are given below:

Head long, about or almost as long as the pronotum, postocular portion a little longer and slenderer than the anteocular portion; pronotum subtriangular, the anterior lobe obsoletely tuberculate, its anterior angles moderately prominent, its posterior area profoundly and broadly sulcate; abdomen long, scarcely wider than the hemelytra, the fifth [visible] segment a little dilated on each side.

Platerus pilcheri Distant, 1903 (Image 1 & 2)

Platerus pilcheri Distant, 1903: 248, 1904: 375; Maldonado Capriles 1990: 258 (catalogued); Ambrose 2006: 2399 (in checklist); Zhao et al. 2006b: 25 (redescription, key, description of female); Biswas et al. 1994: 398 (listed); Biswas & Mitra 2014: 14 (checklist, misspelling: *P. pilchen*); Bhagyasree 2017: 67 (as type species of *Platerus*, similar misspelling).

Material studied

1 male, India, Arunachal Pradesh, Ziro (Image 1); specimen not collected.

Other material for which images are provided:

Type material. Syntype, male, India, Sikkim, with the following labels: red-bordered "Type" disc; " σ "; "Platerus pilcheri Dist."[Distant's handwriting]; "Sikkim/ 7000 [ft]/ June 1895/ J.G. Pilcher // 97/ 120"; "BMNH(E) 1255121"; "NHMUK 013588826" (BMNH) (Image 2).

Additional material: (known from the literature / examined in the BMNH)

1 male, India, West Bengal, Jalpaiguri, with the following labels: "\$\vec{a}", "Gopaldhara, Bw./ Darjeeling./ 4,720 ft. 29.ix.14./ H. Stevens.", "At light.", "NHMUK 013588827" (BMNH); "1 ex., Darjiling, Brich hills.,? coll. M. Banerjee; 2 exs., Darjiling, vii.1912, coll.?" (ZSI, fide Biswas et al., 1994, not seen); 1 female, China, Yunnan: Dulong Valley, with the following labels: "\$\vec{a}", "Upper Burma:/ Taron Valley./ 16.x.1938./ R. Kaulback./ B.M.1938-741.", "Alt.5,000 ft./ lat.N.28° 08'/ Long. E 98° 20'.", "NHMUK 013588828" (BMNH) (Although one label reads 'Upper Burma', i.e., northern Myanmar, the

Sankararaman et al.



Image 1. *Platerus pilcheri* Distant, 1903 from Talle valley, Arunachal Pradesh: A-dorsal view | b-lateral view. © H. Sankararaman.

coordinates on another label indicate a locality in China; this may be explained by the instability of the Burma-Yunnan frontier (see McGrath 2003). Ronald Kaulback trekked in Tibet (see Kaulback 1934) and "Tibet" is what was recorded in the BMNH accession register under entry 1938-741, when he presented the specimen to the BMNH in December 1938); 1 female, China, Xizang (Tibet), "Motuo; 29-viii-2003, collector unknown; kept in CAU [China Agricultural University, Beijing]" (fide Zhao et al. 2006b, not seen); A further two males, without any data, are deposited in the BMNH.

Brief description

Coloration: Body dorsally mostly black with symmetrical pattern of white markings on pronotum and corium. Antennae and legs with alternate black and yellow annulations. Anterior pronotal lobe, discal



Image 2. *P. pilcheri* Distant, 1903 (syntype & labels): a—dorsal view | b—lateral view. © The Trustees of the Natural History Museum, London. Imaged by T. Ishikawa.

and lateral spines of posterior lobe black; a white fine marking on lateral margins of anterior lobe of pronotum continued as a wavy 'W'-like transverse fascia on posterior lobe, just in front of discal spines. Three broad black annulations on all femora are also clearly visible; clavus entirely black, membrane fuliginous with basal half partly brownish-black, apical half pale hyaline; conspicuous white reticulate markings on corium (Image 1a). Apical segment of labium, fine tibial annulations and connexival coloration black, showing a well-defined black anterior part of each abdominal segment (Image 1b)

Structure: Head about as long as pronotum, with long, anterolaterally directed spine at base of antenna. First visible labial segment longer, slightly passing posterior border of eye and longer than second. Pronotum with the anterior lobe short, posterior lobe more than twice as long as anterior lobe; lateral pronotal angles spinously produced, their posterior margin distinctly notched near base; posterior pronotal lobe with discal, long erect, tuberculous spines; fore femur slightly incrassate; abdomen with sixth connexival segment dilated laterally (Image 1a,b).



Image 3. *P. bhavanii* sensu Bhagyasree (2017): a-dorsal view | b-lateral view | c-head & pronotum magnified, lateral view | d-same, dorsal view. © University of Agricultural Sciences, GKVK, Bengaluru, India. Imaged by H.M. Yeshwanth.

Remarks

Validity of our identification: The single male from Ziro, Arunachal Pradesh, exactly matches the original description and the subsequent habitus figure given by Distant (1903, 1904), as well as the syntype of *P. pilcheri* preserved in the BMNH, as can be seen from the images provided (Image 2). This species can also be identified, according to the recent key in Zhao et al. (2006b).

Platerus bhavanii does not belong in Platerus: *P. pilcheri* was the only species known under this genus until Livingstone & Ravichandran (1991) described a new species *Platerus bhavanii* Livingstone & Ravichandran, 1991, collected from the Botanical Garden near Bhavani Dam, Periyar, Tamil Nadu, southern India. The specimens examined by them included one female (holotype), one male and another female (paratypes); our attempts at locating these types and obtaining images remained unsuccessful. The authors gave a brief description and only a dorsal habitus line drawing, without any information on male / female genitalia. Considering the description and illustration given by Livingstone & Ravichandran (1991), it is important to point out here

that P. bhavanii has some characters that are distinctly different from the original diagnostic characters of the genus Platerus given above. For example: (i) the pronotum is of a very different shape in P. bhavanii, (ii) the broadly sulcate area in the posterior part of the anterior lobe described in the genus Platerus is neither mentioned in the original description of P. bhavanii nor visible on the line drawing provided and (iii) in Platerus, only abdominal segment V is dilated on either side, as per Distant (1903), while in P. bhavanii segments V to VII are dilated (Distant (1903) had stated: 'the fifth segment a little dilated on each side'; this must refer to a visible segment V, i.e., segment VI, as Zhao et al. (2006b) have described the sixth connexival segment as expanded in the female and our specimens show expansion on the sixth connexival segment). Finally, Livingstone & Ravichandran (1991), while describing P. bhavanii, had stated: "...anteocular area with a median 'Y'-shaped, smooth brown streak, posteriorly confluent with the transverse fissure connecting the eyes"; this character is not found in the genus *Platerus*.

Because of these differences alone we strongly reckon that *P. bhavanii* does not belong in the genus *Platerus* and that the type material must be re-examined to settle its identity. We therefore suggest that until the types are located, the species *P. bhavanii* should be treated as species inquirenda, i.e., a species of doubtful identity.

Specimens identified as P. bhavanii may not be this species and do not belong in Platerus: Bhagyasree (2017) examined seven females collected from various parts of Karnataka, identified those as Platerus bhavanii and photographically illustrated one of them. Looking at the original line drawing in Livingstone & Ravichandran (1991) and the photo provided by Bhagyasree (2017), it seems that the specimens in Karnataka are again different and a detailed re-examination of these specimens is essential. It is certain that Bhagyasree's specimen, photographed anew for this study (Image 3), does not belong in Platerus either as it also lacks the diagnostic characters of the genus Platerus; in addition, a lateral view of the head of this specimen shows the first visible segment of the labium to be passing much beyond the posterior border of the eye (Image 3b,c), a feature not seen in the similar view of the live specimen (Image 1b) or of the syntype (Image 2b) of P. pilcheri. In the absence of the type material of P. bhavanii, it is also difficult to tell with certainty if Bhagyasree's specimens are conspecific with what was originally described as P. bhavanii.

Rediscovery of *Platerus pilcheri* from India



Image 4. Map showing the distribution of P. pilcheri Distant.

P. bhavanii and specimens identified as such could belong to either Nagustoides or Nagusta: Some of the aforementioned characters that preclude P. bhavanii and specimens identified as such by Bhagyasree (2017) to be placed in Platerus are, however, seen in the genera Nagustoides and Nagusta: (i) the 'Y'-shaped smooth brown streak and more than one expanded abdominal segments are seen in the genus Nagustoides Miller, 1954 (Miller 1954 (Fig. 43 A); Zhao et al. 2006a (Fig. 1); Ishikawa & Naka 2016 (Fig. 3)) although, in Nagustoides, only abdominal segments (connexivum) V and VI are laterally expanded (and the external apical angle of segment V is spinous) and the 7th abdominal sternite has only a small median spine on the posterior border. In some species of Nagusta Stål, 1859, one or more abdominal segments are expanded or dilated as well (Villiers 1967). (ii) the first visible segment of the labium is passing much beyond the posterior margin of the eye in Bhagyasree's P. bhavanii (Image 3b,c), which is another character seen in the genera Nagusta and Nagustoides (as a matter of fact, in Nagustoides, the first visible labial segment is longer than the second and third combined; this is one of the characters that separates it from the genus Nagusta Miller, 1954). For these reasons, we suspect that the originally described P. bhavanii and the specimens identified as P. bhavanii by Bhagyasree (2017) possibly belong in either Nagusta or Nagustoides

and certainly not in *Platerus*.

Miller (1954: 52) separated *Nagustoides* from *Nagusta* thus: "Allied to *Nagusta* Stål, [...] but it differs in having the basal segment of the rostrum longer than the remaining segments together, the anterior pronotal lobe tuberculate, the posterior lobe without subdorsal spines or gibbosities and the expanded 5th connexival segment spinous". Despite this, subsequent papers have illustrated *Nagustoides* with discal tubercles on the posterior lobe of pronotum (Zhao et al. 2006a; Ishikawa & Naka 2016), a character seen in Bhagyasree's specimens, and, even described in *P. bhavanii*. To better define *Nagusta* and *Nagustoides* a detailed study of their types species need to be carried out.

Thus, we firmly state that our discovery of *P. pilcheri* in Arunachal Pradesh becomes the first authentic record of this genus and species from India, after a gap of over 100 years. This discovery also indicates that this handsome predatory bug is still inhabiting northeastern India. Besides this, we also maintain that *Platerus pilcheri* is the only species under the genus *Platerus* in India; the other described species from India is of doubtful identity.

Distribution: China (Xizang, Yunnan), India (Sikkim, West Bengal, Arunachal Pradesh).

Distant's historical record of *P. pilcheri* was from Sikkim, Zhao et al. (2006b) reported it from Xizang (Tibet), China, the present record is from Ziro, Arunachal Pradesh, while specimens found in the collections of ZSI and BMNH allow us to add to the distribution West Bengal and the Yunnan province of China (Image 4), altogether showing the northward and eastward extension of the range of this species. No specimens were collected during the present study. The species was diagnosed based on the original description and subsequent illustrations.

REFERENCES

- Agarwal, A. (2019). *Platerus pilcheri*. Photographs found on iNaturalist (Online database). Last accessed 10.vi.2021. https://www. inaturalist.org/observations/36775123
- Ambrose, D.P. (2006). A Checklist of Indian assassin bugs (Insects: Heteroptera: Reduviidae) with taxonomic status, distribution and diagnostic morphological characteristics. *Zoos' Print Journal* 21(9): 2388–2406. https://doi.org/10.11609/JoTT.ZPJ.871.2388-406
- Bhagyasree, S.N. (2017). Taxonomic studies on assassin bugs (Hemiptera: Reduviidae) of South India. PhD Thesis (Unpublished). Department of Agricultural Entomology, University of Agricultural Sciences G.K.V.K, Bengaluru, 334pp. Last accessed 10.ii.2022. http:// krishikosh.egranth.ac.in/handle/1/5810042458
- Biswas, B., G.C. Sen & L.K. Ghosh (1994). Insecta: Hemiptera: Reduviidae, pp. 369–411. In: Ghosh, A.K. (Ed.). Fauna of West Bengal. Part 5. Insecta: Hemiptera. State Fauna Series 3. Zoological Survey of India, Kolkata.
- Biswas, B. & B. Mitra (2014). Checklist of Indian assassin bugs (Insecta: Hemiptera: Reduviidae). (Online Document) Last accessed 20.ii.2022. http://indiabiodiversity.org/document/show/302?pos=
- Distant, W.L. (1903). Rhynchotal Notes. XVI. Heteroptera: Family

Reduviidae (continued), Apiomerinae, Harpactorinae and Nabinae. *The Annals and Magazine of Natural History* 11(63): 245–258. https://doi.org/10.1080/00222930308678761

- Distant, W.L. (1903–1904). *The Fauna of British India, including Ceylon and Burma. Rhynchota, 2 (Heteroptera)*. Taylor and Francis, London, UK, 503 pp (pp. i-xvii + 1–242, 1903; pp. 243–503, 1904).
- Ishikawa, T & T. Naka (2016). The assassin bug genera Nagustoides and Stenolemus (Hemiptera: Heteroptera: Reduviidae) newly recorded from Japan. Zootaxa 4161(4): 593–600. https://doi.org/10.11646/ zootaxa.4161.4.12
- Kaulback, R (1934) Tibetan Trek. Hodder & Stoughton Limited, London, 300 pp.
- Livingstone, D. & G. Ravichandran (1991). A new species of *Platerus* Distant (Heteroptera: Reduviidae: Harpactorinae) from southern India. *Journal of Entomological Research* 15: 274–276.
- McGrath, T.E. (2003) A Warlord Frontier: The Yunnan-Burma Border Dispute, 1910–1937. Ohio Academy of History Proceedings 2003, 7–29..
- Miller, N.C.E. (1954). New genera and species of Reduviidae (Hemiptera-Heteroptera). *Commentationes Biologicae* 13(17): 1–69.
- Schuh, R.T. & C. Weirauch (2020). True bugs of the world (Hemiptera: Heteroptera), classification and natural history (II Edition). Siri Scientific Press, Monograph Series Vol. 8. Manchester, UK, 767 pp. (with 32 color plates).
- Stål, C. (1859). Nya slägten och arter bland Reduvini. Öfversigt Af Kongl. Vetenskaps- Akademiens Förhandlingar 16(8): 374–378.
- Zhao, P., W. Cai & D. Ren (2006a). The reduviid genus Nagustoides Miller (Heteroptera: Reduviidae: Harpactorinae) found in China, with description of a new species. Zootaxa 1176: 17–25. https://doi. org/10.11646/zootaxa.1176.1.2
- Zhao, P., C. Yang & W. Cai (2006b). First record of the genus *Platerus* Distant (Heteroptera: Reduviidae: Harpactorinae) from China, with the description of a third species of the genus. *Zootaxa* 1286: 23–31. https://doi.org/10.11646/zootaxa.1286.1.3



Dr. John Noyes, Natural History Museum, London, UK

- Dr. Albert G. Orr, Griffith University, Nathan, Australia
- Dr. Sameer Padhye, Katholieke Universiteit Leuven, Belgium
- Dr. Nancy van der Poorten, Toronto, Canada Dr. Kareen Schnabel, NIWA, Wellington, New Zealand
- Dr. R.M. Sharma, (Retd.) Scientist, Zoological Survey of India, Pune, India
- Dr. Manju Siliwal, WILD, Coimbatore, Tamil Nadu, India
- Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India
- Dr. K.A. Subramanian, Zoological Survey of India, New Alipore, Kolkata, India
- Dr. P.M. Sureshan, Zoological Survey of India, Kozhikode, Kerala, India
- Dr. R. Varatharajan, Manipur University, Imphal, Manipur, India Dr. Eduard Vives, Museu de Ciències Naturals de Barcelona, Terrassa, Spain
- Dr. James Young, Hong Kong Lepidopterists' Society, Hong Kong
- Dr. R. Sundararaj, Institute of Wood Science & Technology, Bengaluru, India

Dr. M. Nithyanandan, Environmental Department, La Ala Al Kuwait Real Estate. Co. K.S.C., Kuwait

- Dr. Himender Bharti, Punjabi University, Punjab, India
- Mr. Purnendu Roy, London, UK
- Dr. Saito Motoki, The Butterfly Society of Japan, Tokyo, Japan Dr. Sanjay Sondhi, TITLI TRUST, Kalpavriksh, Dehradun, India
- Dr. Nguyen Thi Phuong Lien, Vietnam Academy of Science and Technology, Hanoi, Vietnam
- Dr. Nitin Kulkarni, Tropical Research Institute, Jabalpur, India
- Dr. Robin Wen Jiang Ngiam, National Parks Board, Singapore
- Dr. Lional Monod, Natural History Museum of Geneva, Genève, Switzerland.
- Dr. Asheesh Shivam, Nehru Gram Bharti University, Allahabad, India
- Dr. Rosana Moreira da Rocha, Universidade Federal do Paraná, Curitiba, Brasil Dr. Kurt R. Arnold, North Dakota State University, Saxony, Germany
- Dr. James M. Carpenter, American Museum of Natural History, New York, USA
- Dr. David M. Claborn, Missouri State University, Springfield, USA
- Dr. Kareen Schnabel, Marine Biologist, Wellington, New Zealand
- Dr. Amazonas Chagas Júnior, Universidade Federal de Mato Grosso, Cuiabá, Brasil
- Mr. Monsoon Jyoti Gogoi, Assam University, Silchar, Assam, India Dr. Heo Chong Chin, Universiti Teknologi MARA (UITM), Selangor, Malaysia
- Dr. R.J. Shiel, University of Adelaide, SA 5005, Australia
- Dr. Siddharth Kulkarni, The George Washington University, Washington, USA
- Dr. Priyadarsanan Dharma Rajan, ATREE, Bengaluru, India
- Dr. Phil Alderslade, CSIRO Marine And Atmospheric Research, Hobart, Australia
- Dr. John E.N. Veron, Coral Reef Research, Townsville, Australia
- Dr. Daniel Whitmore, State Museum of Natural History Stuttgart, Rosenstein, Germany.
- Dr. Yu-Feng Hsu, National Taiwan Normal University, Taipei City, Taiwan
- Dr. Keith V. Wolfe, Antioch, California, USA
- Dr. Siddharth Kulkarni, The Hormiga Lab, The George Washington University, Washington, D.C., USA
- Dr. Tomas Ditrich, Faculty of Education, University of South Bohemia in Ceske Budejovice, Czech Republic
- Dr. Mihaly Foldvari, Natural History Museum, University of Oslo, Norway
- Dr. V.P. Unival, Wildlife Institute of India, Dehradun, Uttarakhand 248001, India
- Dr. John T.D. Caleb, Zoological Survey of India, Kolkata, West Bengal, India
- Dr. Priyadarsanan Dharma Rajan, Ashoka Trust for Research in Ecology and the Environment (ATREE), Royal Enclave, Bangalore, Karnataka, India

Fishes

- Dr. Neelesh Dahanukar, IISER, Pune, Maharashtra, India
- Dr. Topiltzin Contreras MacBeath, Universidad Autónoma del estado de Morelos, México
- Dr. Heok Hee Ng, National University of Singapore, Science Drive, Singapore
- Dr. Rajeev Raghavan, St. Albert's College, Kochi, Kerala, India
- Dr. Robert D. Sluka, Chiltern Gateway Project, A Rocha UK, Southall, Middlesex, UK Dr. E. Vivekanandan, Central Marine Fisheries Research Institute, Chennai, India
- Dr. Davor Zanella, University of Zagreb, Zagreb, Croatia Dr. A. Biju Kumar, University of Kerala, Thiruvananthapuram, Kerala, India
- Dr. Akhilesh K.V., ICAR-Central Marine Fisheries Research Institute, Mumbai Research
- Centre, Mumbai, Maharashtra, India
- Dr. J.A. Johnson, Wildlife Institute of India, Dehradun, Uttarakhand, India

Amphibians

- Dr. Sushil K. Dutta, Indian Institute of Science, Bengaluru, Karnataka, India
- Dr. Annemarie Ohler, Muséum national d'Histoire naturelle, Paris, France

Reptiles

cal Records.

NAAS rating (India) 5.64

- Dr. Gernot Vogel, Heidelberg, Germany
- Dr. Raju Vyas, Vadodara, Gujarat, India
- Dr. Pritpal S. Soorae, Environment Agency, Abu Dubai, UAE.
- Prof. Dr. Wayne J. Fuller, Near East University, Mersin, Turkey
- Prof. Chandrashekher U. Rivonker, Goa University, Taleigao Plateau, Goa. India

Journal of Threatened Taxa is indexed/abstracted in Bibliography of Systematic Mycology, Biological Abstracts, BIOSIS Previews, CAB Abstracts, EBSCO, Google Scholar, Index Copernicus, Index Fungorum, JournalSeek,

National Academy of Agricultural Sciences, NewJour, OCLC WorldCat,

SCOPUS, Stanford University Libraries, Virtual Library of Biology, Zoologi-

- Dr. S.R. Ganesh, Chennai Snake Park, Chennai, Tamil Nadu, India
- Dr. Himansu Sekhar Das, Terrestrial & Marine Biodiversity, Abu Dhabi, UAE

- Birds
- Dr. Hem Sagar Baral, Charles Sturt University, NSW Australia
- Dr. Chris Bowden, Royal Society for the Protection of Birds, Sandy, UK
- Dr. Priya Davidar, Pondicherry University, Kalapet, Puducherry, India
- Dr. J.W. Duckworth, IUCN SSC, Bath, UK
- Dr. Rajah Jayapal, SACON, Coimbatore, Tamil Nadu, India
- Dr. Rajiv S. Kalsi, M.L.N. College, Yamuna Nagar, Haryana, India
- Dr. V. Santharam, Rishi Valley Education Centre, Chittoor Dt., Andhra Pradesh, India
- Dr. S. Balachandran, Bombay Natural History Society, Mumbai, India
- Mr. J. Praveen, Bengaluru, India Dr. C. Srinivasulu, Osmania University, Hyderabad, India
- Dr. K.S. Gopi Sundar, International Crane Foundation, Baraboo, USA
- Dr. Gombobaatar Sundev, Professor of Ornithology, Ulaanbaatar, Mongolia
- Prof. Reuven Yosef, International Birding & Research Centre, Eilat, Israel
- Dr. Taej Mundkur, Wetlands International, Wageningen, The Netherlands
- Dr. Carol Inskipp, Bishop Auckland Co., Durham, UK
- Dr. Tim Inskipp, Bishop Auckland Co., Durham, UK
- Dr. V. Gokula, National College, Tiruchirappalli, Tamil Nadu, India Dr. Arkady Lelej, Russian Academy of Sciences, Vladivostok, Russia
- Dr. Simon Dowell, Science Director, Chester Zoo, UK
- Dr. Mário Gabriel Santiago dos Santos, Universidade de Trás-os-Montes e Alto Douro,
- Quinta de Prados, Vila Real, Portugal
- Dr. Grant Connette, Smithsonian Institution, Royal, VA, USA
- Dr. M. Zafar-ul Islam, Prince Saud Al Faisal Wildlife Research Center, Taif, Saudi Arabia

Mammals

- Dr. Giovanni Amori, CNR Institute of Ecosystem Studies, Rome, Italy
- Dr. Anwaruddin Chowdhury, Guwahati, India
- Dr. David Mallon, Zoological Society of London, UK
- Dr. Shomita Mukherjee, SACON, Coimbatore, Tamil Nadu, India Dr. Angie Appel, Wild Cat Network, Germany
- Dr. P.O. Nameer, Kerala Agricultural University, Thrissur, Kerala, India Dr. Ian Redmond, UNEP Convention on Migratory Species, Lansdown, UK
- Dr. Heidi S. Riddle, Riddle's Elephant and Wildlife Sanctuary, Arkansas, USA
- Dr. Karin Schwartz, George Mason University, Fairfax, Virginia.

Dr. Nishith Dharaiya, HNG University, Patan, Gujarat, India

Dr. Dan Challender, University of Kent, Canterbury, UK

- Dr. Lala A.K. Singh, Bhubaneswar, Orissa, India
- Dr. Mewa Singh, Mysore University, Mysore, India Dr. Paul Racey, University of Exeter, Devon, UK

Dr. Paul Bates, Harison Institute, Kent, UK

Altobello", Rome, Italy

Other Disciplines

Delhi, India

Reviewers 2019-2021

The Managing Editor, JoTT,

ravi@threatenedtaxa.org

Dr. Honnavalli N. Kumara, SACON, Anaikatty P.O., Coimbatore, Tamil Nadu, India

Dr. Justus Joshua, Green Future Foundation, Tiruchirapalli, Tamil Nadu, India

Dr. Jim Sanderson, Small Wild Cat Conservation Foundation, Hartford, USA

Dr. Hemanta Kafley, Wildlife Sciences, Tarleton State University, Texas, USA

Prof. Karan Bahadur Shah, Budhanilakantha Municipality, Kathmandu, Nepal Dr. Susan Cheyne, Borneo Nature Foundation International, Palangkaraja, Indonesia

Dr. Mandar S. Paingankar, University of Pune, Pune, Maharashtra, India (Molecular) Dr. Jack Tordoff, Critical Ecosystem Partnership Fund, Arlington, USA (Communities)

Dr. Rayanna Hellem Santos Bezerra, Universidade Federal de Sergipe, São Cristóvão, Brazil

Dr. O.N. Tiwari, Senior Scientist, ICAR-Indian Agricultural Research Institute (IARI), New

Dr. L.D. Singla, Guru Angad Dev Veterinary and Animal Sciences University, Ludhiana, India

Dr. David Mallon, Manchester Metropolitan University, Derbyshire, UK Dr. Brian L. Cypher, California State University-Stanislaus, Bakersfield, CA

Dr. S.S. Talmale, Zoological Survey of India, Pune, Maharashtra, India

Dr. Aniruddha Belsare, Columbia MO 65203, USA (Veterinary)

Dr. Ulrike Streicher, University of Oregon, Eugene, USA (Veterinary)

Dr. Jamie R. Wood, Landcare Research, Canterbury, New Zealand

Dr. Hari Balasubramanian, EcoAdvisors, Nova Scotia, Canada (Communities)

Dr. Wendy Collinson-Jonker, Endangered Wildlife Trust, Gauteng, South Africa Dr. Rajeshkumar G. Jani, Anand Agricultural University, Anand, Gujarat, India

Dr. Rupika S. Rajakaruna, University of Peradeniya, Peradeniya, Sri Lanka Dr. Bahar Baviskar, Wild-CER, Nagpur, Maharashtra 440013, India

Due to pausity of space, the list of reviewers for 2018–2020 is available online.

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political

boundaries shown in the maps by the authors.

Print copies of the Journal are available at cost. Write to:

c/o Wildlife Information Liaison Development Society, No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalapatti Road,

Saravanampatti, Coimbatore, Tamil Nadu 641035, India

Dr. H. Raghuram, The American College, Madurai, Tamil Nadu, India

Dr. Spartaco Gippoliti, Socio Onorario Società Italiana per la Storia della Fauna "Giuseppe





The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under Creative Commons Attribution 4.0 International License unless otherwise mentioned. JoTT allows allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

February 2022 | Vol. 14 | No. 2 | Pages: 20539–20702 Date of Publication: 26 February 2022 (Online & Print) DOI: 10.11609/jott.2022.14.2.20539-20702

www.threatenedtaxa.org

Article

Distribution, diet, and trophic level of *Arvicanthis abyssinicus* and *Tachyoryctes splendens* around the area of recently extinct Ethiopian Wolf *Canis simiensis* on Mount Guna, northwestern Ethiopia

Hirpasa Teressa, Wondimu Ersino & Tadele Alemayo, Pp. 20539–20549

Communications

Seasonal composition of avian communities in different habitats of Harike Wetland, a Ramsar site in Punjab, India

– Jagdeep Singh & Onkar Singh Brraich, Pp. 20550–20565

Temporal changes in species richness of waterfowl (Anseriformes) community in D'Ering Memorial Wildlife Sanctuary, Arunachal Pradesh, India – Tapak Tamir & Daniel Mize, Pp. 20566–20575

Reptilian assemblages in the wetlands of Amboli hill complex, northern Western Ghats, Maharashtra, India during the monsoon season – Sachinkumar R. Patil & Kiran Choudaj, Pp. 20576–20583

Butterfly diversity and composition at Chemerong Amenity Forest, Terengganu, Malaysia

– Muhammad Hafiz Sulaiman, Abdul Munir Mohd Zaki, Geok Chin Yap, Nur Atiqa Aniruddin & Ju Lian Chong, Pp. 20584–20596

Ecological niche modeling for reintroduction and conservation of Aristolochia cathcartii Hook.f. & Thomson (Aristolochiaceae), a threatened endemic plant in Assam, India

– Bhaskar Sarma & Bhaben Tanti, Pp. 20597–20605

New host plant records of Fig Wax Scale *Ceroplastes rusci* (Linnaeus, 1758 (Hemiptera: Coccomorpha: Coccidae) from India – Arvind Kumar & Renu Pandey, Pp. 20606–20614

Seasonal variations influencing the abundance and diversity of plankton in the Swarnamukhi River Estuary, Nellore, India – Krupa Ratnam, V.P. Limna Mol, S. Venkatnarayanan, Dilip Kumar Jha, G. Dharani &

M. Prashanthi Devi, Pp. 20615–20624

Short Communications

First record of *Prosoponoides* Millidge & Russell-Smith, 1992 (Araneae: Linyphiidae) from India, with the description of a new species – Anusmitha Domichan & K. Sunil Jose, Pp. 20625–20630

Rediscovery of *Platerus pilcheri* Distant (Hemiptera: Reduviidae), a forgotten assassin bug from India, with comments on its range extension

 – H. Sankararaman, Anubhav Agarwal, Valérie A. Lemaître & Hemant V. Ghate, Pp. 20631–20636

First Indian DNA barcode record for the moth species *Pygospila tyres* (Cramer, 1780) (Lepidoptera: Crambidae: Spilomelinae) distributed in Asia and Australia – Aparna S. Kalawate, A. Shabnam & K.P. Dinesh, Pp. 20637–20642

First record and description of female Onomarchus leuconotus (Serville, 1838) (Insect: Orthoptera: Tettigoniidae) from peninsular India – Sunil M. Gaikwad, Yogesh J. Koli & Gopal A. Raut, Pp. 20643–20647

New records of odonates (Insecta: Odonata), Archibasis oscillans Selys, 1877 and Merogomphus tamaracherriensis Fraser, 1931 from Maharashtra, India – Akshay Dalvi & Yogesh Koli, Pp. 20648–20653

A checklist of dragonflies & damselflies (Insecta: Odonata) of Kerala, India – Sujith V. Gopalan, Muhamed Sherif & A. Vivek Chandran, Pp. 20654–20665

Aldama macbridei (Heliantheae: Compositae): notes on its distribution and vulnerable habitats in central Peru

Daniel B. Montesinos-Tubée & Federico García-Yanes, Pp. 20666–20671

Lichens and animal camouflage: some observations from central Asian ecoregions – Mahmood Soofi, Sandeep Sharma, Barbod Safaei-Mahroo, Mohammad Sohrabi, Moosa Ghorbani Organli & Matthias Waltert, Pp. 20672–20676

Notes

First photographic evidence of Asiatic Black Bear Ursus thibetanus in Kaziranga Tiger Reserve, India

 Priyanka Borah, Jyotish Ranjan Deka, Mujahid Ahamad, Rabindra Sharma, Ruchi Badola & Syed Ainul Hussain, Pp. 20677–20679

First record of Small Minivet *Pericrocotus cinnamomeus* (Aves: Passeriformes: Campephagidae) from Kashmir, India

– Zakir Hussain Najar, Bilal A. Bhat & Riyaz Ahmad, Pp. 20680–20682

Cotesia anthelae (Wilkinson, 1928) (Hymenoptera: Braconidae) a natural parasitoid of *Cirrochroa thais* (Fabricius, 1787) (Lepidoptera: Nymphalidae), first report from the Oriental region

- Ankita Gupta & P. Manoj, Pp. 20683-20685

Melastoma imbricatum Wall. ex Triana (Melastomataceae): a new addition to the flora of Manipur, India

 Rajkumari Jashmi Devi, Deepashree Khuraijam, Peimichon Langkan & Biseshwori Thongam, Pp. 20686–20688

Geodorum laxiflorum Griff. (Orchidaceae), a new distribution record for Maharashtra state of India

 Ashish Ravindra Bhoyar, Swapnil Nandgawe, Syed Abrar Ahmed & Saduram Madavi, Pp. 20689–20691

Photographic record of Armillaria mellea a bioluminescent fungi from Lonavala in Western Ghats, India

- Swanand R. Patil & Shubham V. Yadav, Pp. 20692-20694

Response & Reply

Correction to Catalogue of herpetological specimens from Meghalaya, India at the Sálim Ali Centre for Ornithology and Natural History (SACON) – Pandi Karthik, Pp. 20695–20697

Reply to the "Correction to Catalogue of herpetological specimens from Meghalaya, India at the Sálim Ali Centre for Ornithology and Natural History (SACON)" by P. Karthik

– S.R. Chandramouli, R.S. Naveen, S. Sureshmarimuthu, S. Babu, P.V. Karunakaran & Honnavalli N. Kumara, Pp. 20698–20700

Book Review

Conservation Kaleidoscope: People, Protected Areas and Wildlife in Contemporary India

– L.A.K. Singh, Pp. 20701–20702



