

Building evidence for conservation globally

Journal of Threatened Taxa



Open Access

10.11609/jott.2025.17.10.27551-27786

www.threatenedtaxa.org

26 October 2025 (Online & Print)

17(10): 27551-27786

ISSN 0974-7907 (Online)

ISSN 0974-7893 (Print)





ISSN 0974-7907 (Online); ISSN 0974-7893 (Print)

Publisher
Wildlife Information Liaison Development Society
www.wild.zooreach.org

Host
Zoo Outreach Organization
www.zooreach.org

Srivari Illam, No. 61, Karthik Nagar, 10th Street, Saravanampatti, Coimbatore, Tamil Nadu 641035, India
Registered Office: 3A2 Varadarajulu Nagar, FCI Road, Ganapathy, Coimbatore, Tamil Nadu 641006, India
Ph: +91 9385339863 | www.threatenedtaxa.org
Email: sanjay@threatenedtaxa.org

EDITORS

Founder & Chief Editor

Dr. Sanjay Molur

Wildlife Information Liaison Development (WILD) Society & Zoo Outreach Organization (ZOO),
Coimbatore, Tamil Nadu 641006, India

Assistant Editor

Dr. Chaithra Shree J., WILD/ZOO, Coimbatore, Tamil Nadu 641006, India

Managing Editor

Mr. B. Ravichandran, WILD/ZOO, Coimbatore, Tamil Nadu 641006, India

Associate Editors

Dr. Mandar Paingankar, Government Science College Gadchiroli, Maharashtra 442605, India

Dr. Ulrike Streicher, Wildlife Veterinarian, Eugene, Oregon, USA

Ms. Priyanka Iyer, ZOO/WILD, Coimbatore, Tamil Nadu 641006, India

Board of Editors

Dr. Russel Mittermeier

Executive Vice Chair, Conservation International, Arlington, Virginia 22202, USA

Prof. Mewa Singh Ph.D., FASc, FNA, FNAsc, FNAPsy

Ramanna Fellow and Life-Long Distinguished Professor, Biopsychology Laboratory, and
Institute of Excellence, University of Mysore, Mysuru, Karnataka 570006, India; Honorary
Professor, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore; and Adjunct
Professor, National Institute of Advanced Studies, Bangalore

Stephen D. Nash

Scientific Illustrator, Conservation International, Dept. of Anatomical Sciences, Health Sciences
Center, T-8, Room 045, Stony Brook University, Stony Brook, NY 11794-8081, USA

Dr. Fred Pluthero

Toronto, Canada

Dr. Priya Davidar

Sigur Nature Trust, Chadapatti, Mavinahalla PO, Nilgiris, Tamil Nadu 643223, India

Dr. John Fellowes

Honorary Assistant Professor, The Kadoorie Institute, 8/F, T.T. Tsui Building, The University of
Hong Kong, Pokfulam Road, Hong Kong

Prof. Dr. Mirco Solé

Universidade Estadual de Santa Cruz, Departamento de Ciências Biológicas, Vice-coordenador
do Programa de Pós-Graduação em Zoologia, Rodovia Ilhéus/Itabuna, Km 16 (45662-000)
Salobrinho, Ilhéus - Bahia - Brasil

Dr. Rajeev Raghavan

Professor of Taxonomy, Kerala University of Fisheries & Ocean Studies, Kochi, Kerala, India

English Editors

Mrs. Mira Bhojwani, Pune, India

Dr. Fred Pluthero, Toronto, Canada

Copy Editors

Ms. Usha Madgunaki, Zooreach, Coimbatore, India

Ms. Trisa Bhattacharjee, Zooreach, Coimbatore, India

Ms. Paloma Noronha, Daman & Diu, India

Web Development

Mrs. Latha G. Ravikumar, ZOO/WILD, Coimbatore, India

Typesetting

Mrs. Radhika, Zooreach, Coimbatore, India

Mrs. Geetha, Zooreach, Coimbatore India

Fundraising/Communications

Mrs. Payal B. Molur, Coimbatore, India

Subject Editors 2021–2023

Fungi

Dr. B. Shivaraju, Bengaluru, Karnataka, India

Dr. R.K. Verma, Tropical Forest Research Institute, Jabalpur, India

Dr. Vatsavaya S. Raju, Kakatiya University, Warangal, Andhra Pradesh, India

Dr. M. Krishnappa, Jnana Sahyadri, Kuvempu University, Shimoga, Karnataka, India

Dr. K.R. Sridhar, Mangalore University, Mangalagangothri, Mangalore, Karnataka, India

Dr. Gunjan Biswas, Vidyasagar University, Midnapore, West Bengal, India

Dr. Kiran Ramchandra Ranadive, Annasaheb Magar Mahavidyalaya, Maharashtra, India

Plants

Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India

Dr. N.P. Balakrishnan, Ret. Joint Director, BSI, Coimbatore, India

Dr. Shonil Bhagwat, Open University and University of Oxford, UK

Prof. D.J. Bhat, Retd. Professor, Goa University, Goa, India

Dr. Ferdinando Boero, Università del Salento, Lecce, Italy

Dr. Dale R. Calder, Royal Ontario Museum, Toronto, Ontario, Canada

Dr. Cleofas Cervancia, Univ. of Philippines Los Baños College Laguna, Philippines

Dr. F.B. Vincent Florens, University of Mauritius, Mauritius

Dr. Merlin Franco, Curtin University, Malaysia

Dr. V. Irudayaraj, St. Xavier's College, Palayamkottai, Tamil Nadu, India

Dr. B.S. Kholia, Botanical Survey of India, Gangtok, Sikkim, India

Dr. Pankaj Kumar, Department of Plant and Soil Science, Texas Tech University, Lubbock, Texas, USA.

Dr. V. Sampath Kumar, Botanical Survey of India, Howrah, West Bengal, India

Dr. A.J. Solomon Raju, Andhra University, Visakhapatnam, India

Dr. Vijayasankar Raman, University of Mississippi, USA

Dr. B. Ravi Prasad Rao, Sri Krishnadevaraya University, Anantpur, India

Dr. K. Ravikumar, FRLHT, Bengaluru, Karnataka, India

Dr. Aparna Watve, Pune, Maharashtra, India

Dr. Qiang Liu, Xishuangbanna Tropical Botanical Garden, Yunnan, China

Dr. Noor Azhar Mohamed Shazili, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia

Dr. M.K. Vasudeva Rao, Shiv Ranjani Housing Society, Pune, Maharashtra, India

Prof. A.J. Solomon Raju, Andhra University, Visakhapatnam, India

Dr. Mandar Datar, Agharkar Research Institute, Pune, Maharashtra, India

Dr. M.K. Janarthanam, Goa University, Goa, India

Dr. K. Karthikeyan, Botanical Survey of India, India

Dr. Errol Vela, University of Montpellier, Montpellier, France

Dr. P. Lakshminarasimhan, Botanical Survey of India, Howrah, India

Dr. Larry R. Noblick, Montgomery Botanical Center, Miami, USA

Dr. K. Haridasan, Pallavur, Palakkad District, Kerala, India

Dr. Analinda Manila-Fajard, University of the Philippines Los Banos, Laguna, Philippines

Dr. P.A. Sinu, Central University of Kerala, Kasaragod, Kerala, India

Dr. Afroz Alam, Banasthali Vidyapith (accredited A grade by NAAC), Rajasthan, India

Dr. K.P. Rajesh, Zamorin's Guruvayurappan College, GA College PO, Kozhikode, Kerala, India

Dr. David E. Boufford, Harvard University Herbaria, Cambridge, MA 02138-2020, USA

Dr. Ritesh Kumar Choudhary, Agharkar Research Institute, Pune, Maharashtra, India

Dr. A.G. Pandurangan, Thiruvananthapuram, Kerala, India

Dr. Navendu Page, Wildlife Institute of India, Chandrabani, Dehradun, Uttarakhand, India

Dr. Kannan C.S. Warriar, Institute of Forest Genetics and Tree Breeding, Tamil Nadu, India

Invertebrates

Dr. R.K. Avasthi, Rohtak University, Haryana, India

Dr. D.B. Bastawade, Maharashtra, India

Dr. Partha Pratim Bhattacharjee, Tripura University, Suryamaninagar, India

Dr. Kailash Chandra, Zoological Survey of India, Jabalpur, Madhya Pradesh, India

Dr. Ansie Dippenaar-Schoeman, University of Pretoria, Queenswood, South Africa

Dr. Rory Dow, National Museum of Natural History Naturalis, The Netherlands

Dr. Brian Fisher, California Academy of Sciences, USA

Dr. Richard Gallon, Llandudno, North Wales, LL30 1UP

Dr. Hemant V. Ghate, Modern College, Pune, India

Dr. M. Monwar Hossain, Jahangirnagar University, Dhaka, Bangladesh

For Focus, Scope, Aims, and Policies, visit https://threatenedtaxa.org/index.php/JoTT/aims_scope

For Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions>

For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/policies_various

continued on the back inside cover

Cover: A Warty Hammer Orchid *Drakaea livida* gets pollinated by a male thynnine wasp through 'sexual deception' — a colour pencil reproduction of photos by ron_n_beths (flickr.com) and Rod Peakall; Water colour reproduction of Flame Lily *Gloriosa superba* — photo by Passakoran_14; and a bag worm and its architectural genius (source unknown). Art work by Pannagasri G.



A review of 21st century studies on lizards (Reptilia: Squamata: Sauria) in northeastern India with an updated regional checklist

Manmath Bharali¹ , Manab Jyoti Kalita² , Narayan Sharma³ & Ananda Ram Boro⁴

¹Department of Zoology, Cotton University, Panbazar, Guwahati, Assam, 781001, India.

²Department of Zoology, Madhab Choudhury College, Barpeta, Assam, 781301, India.

³Department of Environmental Biology and Wildlife Sciences, Cotton University, Panbazar, Guwahati, Assam 781001, India.

⁴Department of Zoology, Pandu College, Pandu, Guwahati, Assam 781012, India.

¹manmathbharali9@gmail.com, ²kalitamanabzoo@gmail.com (corresponding author), ³narayan.sharma@cottonuniversity.ac.in,

⁴boroanand7@gmail.com

Abstract: The current study reviews saurian research undertaken in the 21st century in northeastern India. The scope of this review encompasses new species descriptions, range extensions, diversity assessments, systematic revisions, and species rediscoveries. In addition, it incorporates miscellaneous contributions, particularly those addressing myths, ecological aspects, conservation threats, and human-wildlife interactions documented from different states of the region. Based on published works from northeastern India, an updated checklist of the region's lizard fauna is presented. The checklist comprises 84 species representing six families and 19 genera, with their conservation status assessed according to the International Union for Conservation of Nature (IUCN) Red List of Threatened Species.

Keywords: Diversity, ecology, myths, range extension, rediscovery, saurian research, species description, systematics.

Editor: S.R. Ganesh, Kalinga Foundation, Agumbe, India.

Date of publication: 26 October 2025 (online & print)

Citation: Bharali, M., M.J. Kalita, N. Sharma & A.R. Boro (2025). A review of 21st century studies on lizards (Reptilia: Squamata: Sauria) in northeastern India with an updated regional checklist. *Journal of Threatened Taxa* 17(10): 27720–27733. <https://doi.org/10.11609/jott.8746.17.10.27720-27733>

Copyright: © Bharali et al. 2025. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: None.

Competing interests: The author declares no competing interests.

Author details: MANMATH BHARALI is a PhD scholar at Cotton University, India, with a primary research focus on herpetology. MANAB JYOTI KALITA is an assistant professor at Madhab Choudhury College, Barpeta, and a PhD scholar at Gauhati University, India. His primary research interest lies in butterflies. NARAYAN SHARMA serves as an assistant professor at Cotton University. His research encompasses various fields, including ecology, conservation biology, primatology, human-wildlife interaction, human ecology, urban ecology, and citizen science. ANANDA RAM BORO has been working as an assistant professor at Pandu College, India, since 2008. His research primarily focuses on wildlife conservation, particularly on bat taxonomy.

Author contributions: MB drafted the manuscript, compiled data from various sources, and prepared the checklist of lizards with their regional distribution, accompanied by a map illustrating the study localities. MJ conceptualized the manuscript and contributed to the study's design. NS enhanced the manuscript's fluency and supervised its preparation. ARB assisted in designing the study.

Acknowledgments: The authors are grateful to the Department of Zoology, Pandu College; Department of Zoology, Gauhati University; and the Department of Zoology as well as the Department of Environmental Biology and Wildlife Sciences, Cotton University, for their constant support and encouragement. The authors are also thankful to their friends, families, and colleagues for their encouragement and assistance throughout the course of this study. Lastly, Manmath Bharali extends his sincere thanks to herpetologists Jayaditya Purkayastha and Sanath Chandra Bohra for their valuable insights that contributed to this study. He also gratefully acknowledges his fellow researchers Bijay Basfore and Pooja Das for their continued assistance and encouragement throughout the course of this work.

INTRODUCTION

Lizards are a diverse group of ectothermic reptiles belonging to the order Squamata and are primarily confined to tropical regions. Globally, around 12,500 reptile species have been described, of which 929 occur in India (Uetz et al. 2025). Despite lizards contributing a considerable number to these figures (nearly 446 from India; Uetz et al. 2025), they have received comparatively less attention, as snakes represent a more prominent and culturally familiar group, whereas lizards remain relatively less recognized among the general public.

Foundational contributions towards establishing baseline data on Indian lizards were made by several authors, including Günther (1864), Boulenger (1885, 1890), and Smith (1935), which laid the groundwork for future studies in the country. Eight states of India, namely, Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram, Nagaland, Tripura, and Sikkim, collectively form northeastern India, a region that lies within the Himalaya and Indo-Burma biodiversity hotspots and harbours exceptionally high levels of species richness and endemism.

During the British colonial period, significant contributions from northeastern India included several new species descriptions of the order Sauria, notably by Gray (1845, 1846, 1853), Blyth (1854), Jerdon (1870), and Daudin (1802), and later by Annandale (1905, 1908, 1912, 1913) and Boulenger (1885, 1887, 1917).

The recent integration of molecular techniques in lizard taxonomy has greatly aided in identifying and resolving cryptic species complexes that were once considered conspecific. Studies in the 21st century have primarily focused on describing new species from various complex groups, as well as taxonomic revalidations, and revisions of earlier-described species using molecular phylogenetics. This surge in new species descriptions underscores the region's historical underestimation in terms of saurian diversity, largely due to limited sampling efforts (Purkayastha et al. 2020c).

With respect to genetic markers, most studies have relied exclusively on mitochondrial genes, while relatively few have employed both mitochondrial, and nuclear markers (Giri et al. 2019; Gowande et al. 2021; Mirza et al. 2022a), which are considered more robust for species delimitation. In the past eight years (2018–2025), 34 new species of lizards were described from northeastern India. The majority of these belong to the genus *Cyrtodactylus* Gray, 1827, which is recognized as the third largest vertebrate genus in the world (Agarwal et al. 2018a,b; Giri et al. 2019; Purkayastha et al. 2020a,

2021, 2022; Kamei & Mahony 2021; Mirza et al. 2021, 2022a,b; Bohra et al. 2022; Lalremsanga et al. 2022b, 2023a; Mahony & Kamei 2022; Boruah et al. 2024; Bharali et al. in press; Sayyed et al. 2025).

The current study reviews saurian research undertaken in northeastern India during the 21st century and presents an updated checklist of the region's lizard fauna.

MATERIALS AND METHODS

Relevant literature was obtained from the Reptile Database, Web of Science, and Google Scholar with additional references sourced by cross-checking citations within reviewed articles. The study was conducted between May 2023 and September 2025. The checklist was compiled from all peer-reviewed publications on lizards from northeastern India available up to September 2025, supplemented with data from Uetz et al. (2025). The conservation status of each species was verified using the International Union for Conservation of Nature (IUCN) Red List of Threatened Species. In total, 73 publications were reviewed, and classified into six subcategories: new species discoveries, range extensions, diversity assessments, systematic revisions, rediscoveries, and miscellaneous contributions.

RESULTS

New species discovery

In recent years, northeastern India has witnessed a surge in new species discoveries and descriptions. Since the beginning of the 21st century, there has been a marked increase in taxonomic efforts employing integrative approaches that combine morphological assessments with molecular phylogenetic analyses, mostly involving mitochondrial genes, particularly in geckos.

Following the restriction of *Cyrtodactylus khasiensis* Jerdon, 1870, to the Khasi Hills of Meghalaya by Agarwal et al. (2018a), at least 27 new species of the genus have since been described from northeastern India, including records from Tripura (Agarwal et al. 2018a), Assam (Agarwal et al. 2018b; Purkayastha et al. 2020a; Bharali et al. in press), Meghalaya (Agarwal et al. 2018b; Purkayastha et al. 2021, 2022; Kamei & Mahony 2021), Mizoram (Purkayastha et al. 2021, 2022; Lalremsanga et al. 2022b, 2023a; Bohra et al. 2022; Boruah et al. 2024), Nagaland (Agarwal et al. 2018b; Boruah et al. 2024), Manipur (Mahony & Kamei 2022; Boruah et al. 2024), and




Figure 1. Map of northeastern India showing the patterns of saurian research conducted in 21st century (inset: map of India showing the area of interest).

Arunachal Pradesh (Mirza et al. 2022b; Boruah et al. 2024). Outside of *Cyrtodactylus*, several additional discoveries have contributed to the region's saurian diversity. Mahony (2009) described *Cristidorsa otai* (formerly *Japalura otai*) solely based on external morphology from Mizoram and simultaneously designated a lectotype for *Japalura sagittifera* from Upper Burma (present-day Myanmar) to stabilize its taxonomy. Datta-Roy et al. (2013) described *Sphenomorphus apalpebratus*, a spectacled lygosomatine skink from the sacred forests of Mawphlang, Meghalaya, which is distinguished from congeners by the presence of a permanent spectacle (brille) covering the eyes permanently. Giri et al. (2019) revised the genus *Oriocalotes* using morphological evidence in conjunction with nuclear and mitochondrial genomic data, placing it as a junior synonym of *Calotes*, thereby reassigning *O. paulus* to *Calotes paulus*, and also described *Calotes zolaiking* from Aizawl District,

Mizoram, supported by morphological, phylogenetic, and osteological analyses. Wagner et al. (2021) revised the *Calotes mystaceus* complex using mitochondrial genes (12S rRNA and COI) and described *Calotes geissleri*, which had long been misidentified as *C. mystaceus* in northeastern India, while restricting *C. mystaceus* sensu stricto to the Irrawaddy Delta of southern Myanmar. Mirza et al. (2022a) established the genus *Problepharus* through the revision of *Ablepharus*, *Asymblepharus*, and *Himalblepharus*, and described *Problepharus apatani* from Talle Valley, Arunachal Pradesh, based on morphology, molecular data, and micro-CT scans of the skull. Lalremsanga et al. (2023b) described *Gekko mizoramensis*, a parachute gecko from Mizoram formerly considered conspecific with *Gekko lionotum* Annandale, 1905. Based on morphology and mitochondrial ND2 data, the species was recovered as a sister taxon to *G. popaense* within the *lionotum* group. Mirza et al.

Table 1. Distribution of lizards across northeastern India.

State abbreviations: AS—Assam | AR—Arunachal Pradesh | MI—Mizoram | ML—Meghalaya | TR—Tripura | SI—Sikkim | MA—Manipur | NA—Nagaland. IUCN Red List categories: EN—Endangered | VU—Vulnerable | NT—Near Threatened | LC—Least Concern | DD—Data Deficient | NE—Not Evaluated.

	Family	Scientific name	Common name	IUCN Red List status	Distribution in northeastern India	Citations
1	Varanidae	<i>Varanus bengalensis</i> (Daudin, 1802)	Bengal Monitor	NT	AR, AS, MI, SI, TR	Sinha et al. (2021), Das et al. (2009), Purkayastha et al. (2020c), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Purkayastha et al. (2020b), Ahmed et al. (2009), Choudhary & Choudhary (2019), Purkayastha (2013)
2	Varanidae	<i>Varanus flavescens</i> (Hardwicke & Gray, 1827)	Yellow Monitor	EN	AS	Purkayastha et al. (2020c), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Ahmed et al. (2009), Purkayastha (2013)
3	Varanidae	<i>Varanus salvator</i> (Laurenti, 1768)	Asian Water Monitor	LC	AS, MI, NA, TR	Islam & Saikia (2013), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Majumder et al. (2012), Ahmed et al. (2009), Choudhary & Choudhary (2019), Purkayastha (2013)
4	Gekkonidae	<i>Cnemaspis assamensis</i> Das & Sengupta, 2000	Assam Day Gecko	VU	AS	Purkayastha et al. (2020c), Purkayastha et al. (2011), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Ahmed et al. (2009), Das & Ahmed (2007), Sengupta et al. (2021), Purkayastha (2013)
5	Gekkonidae	<i>Cnemaspis brahmaputra</i> Sayyed, Das, Amarasinghe, Bhattacharjee & Purkayastha, 2025	Brahmaputra Day Gecko	NE	AS	Sayyed et al. (2025)
6	Gekkonidae	<i>Cyrtodactylus aaronbaueri</i> Purkayastha, Lalremsanga, Bohra, Biakzuala, Decemson, Muansanga, Vabeiryureilai & Rathee, 2021	Aaron Bauer's Bent-toed Gecko	NE	MI	Purkayastha et al. (2021)
7	Gekkonidae	<i>Cyrtodactylus agarwali</i> Purkayastha, Lalremsanga, Bohra, Biakzuala, Decemson, Muansanga, Vabeiryureilai & Rathee, 2021	Agarwal's Bent-toed Gecko	NE	ML	Purkayastha et al. (2021), Chandramouli et al. (2021)
8	Gekkonidae	<i>Cyrtodactylus bapme</i> Kamei & Mahony, 2021	Garo Hills Bent-toed Gecko	NE	ML	Kamei & Mahony (2021)
9	Gekkonidae	<i>Cyrtodactylus barailensis</i> Boruah, Narayanan, Deepak & Das, 2024	Barail Hills Bent-toed Gecko	NE	NA	Boruah et al. (2024)
10	Gekkonidae	<i>Cyrtodactylus bengkhuaiai</i> Purkayastha, Lalremsanga, Bohra, Biakzuala, Decemson, Muansanga, Vabeiryureilai & Rathee, 2021	Bengkhuaiai's Bent-toed Gecko	NE	MI	Purkayastha et al. (2021)
11	Gekkonidae	<i>Cyrtodactylus cayuensis</i> Li, 2007	Cayu Bent-toed Gecko	LC	AR	Boruah et al. (2024)
12	Gekkonidae	<i>Cyrtodactylus exercitus</i> Purkayastha, Lalremsanga, Litho, Rathee, Bohra, Mathipi, Biakzuala & Muansanga, 2022	Indian Army's Bent-toed Gecko	NE	ML	Purkayastha et al. (2022)
13	Gekkonidae	<i>Cyrtodactylus gubernatoris</i> (Annandale, 1913)	Sikkimese Bent-toed Gecko	DD	SI	Agarwal et al. (2018a)
14	Gekkonidae	<i>Cyrtodactylus guwahatiensis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Guwahati Hill's Bent-toed Gecko	DD	AS	Mahananda et al. (2023), Agarwal et al. (2018b)
15	Gekkonidae	<i>Cyrtodactylus jaintiaensis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Jaintia Hills Bent-toed Gecko	DD	ML	Agarwal et al. (2018b)
16	Gekkonidae	<i>Cyrtodactylus kamengensis</i> Mirza, Bhosale, Thackeray, Phansalkar, Sawant, Gowande & Patel, 2022	Kameng Hills Bent-toed Gecko	NE	AR	Mirza et al. (2022b)

	Family	Scientific name	Common name	IUCN Red List status	Distribution in northeastern India	Citations
17	Gekkonidae	<i>Cyrtodactylus karsticola</i> Purkayastha, Lalremsanga, Bohra, Biakzuala, Decemson, Muansanga, Vabeiryureilai & Rathee, 2021	Karst Dwelling Bent-toed Gecko	NE	ML	Purkayastha et al. (2021)
18	Gekkonidae	<i>Cyrtodactylus kazirangaensis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Kaziranga Bent-toed Gecko	DD	AS	Agarwal et al. (2018b)
19	Gekkonidae	<i>Cyrtodactylus khasiensis</i> (Jerdon, 1870)	Khasi Hills Bent-toed Gecko	DD	ML	Ahmed et al. (2009), Agarwal et al. (2018a)
20	Gekkonidae	<i>Cyrtodactylus kiphire</i> Boruah, Narayanan, Deepak & Das, 2024	Kiphire Bent-toed Gecko	NE	NA	Boruah et al. (2024)
21	Gekkonidae	<i>Cyrtodactylus lungleiensis</i> Lalremsanga, Chinliansiam, Chandra Bohra, Biakzuala, Vabeiryureilai, Muansanga, Malsawmdawngliana, Hmar, Decemson, Siammawii, Das, & Purkayastha, 2022	Lunglei Bent-toed Gecko	NE	MI	Lalremsanga et al. (2022b)
22	Gekkonidae	<i>Cyrtodactylus manipurensis</i> Boruah, Narayanan, Deepak & Das, 2024	Manipur Bent-toed Gecko	NE	MA	Boruah et al. (2024)
23	Gekkonidae	<i>Cyrtodactylus montanus</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Montane Bent-toed Gecko	CR	TR, MI	Agarwal et al. (2018b), Muansanga et al. (2020), Malsawmdawngliana et al. (2022)
24	Gekkonidae	<i>Cyrtodactylus nagalandensis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Nagaland Bent-toed Gecko	DD	NA	Agarwal et al. (2018b)
25	Gekkonidae	<i>Cyrtodactylus namdaphaensis</i> Boruah, Narayanan, Deepak & Das, 2024	Namdapha Bent-toed Gecko	NE	AR	Boruah et al. (2024)
26	Gekkonidae	<i>Cyrtodactylus namtiram</i> Mahony & Kamei, 2022	Namtiram Bent-toed Gecko	NE	MA	Mahony & Kamei (2022)
27	Gekkonidae	<i>Cyrtodactylus ngengpuiensis</i> Boruah, Narayanan, Lalronunga, Deepak & Das, 2024	Ngengpui Bent-toed Gecko	NE	MI	Boruah et al. (2024)
28	Gekkonidae	<i>Cyrtodactylus ngopenensis</i> Bohra, Zonunsanga, Das, Purkayastha, Biakzuala & Lalremsanga, 2022	Ngopa Hills Bent-toed Gecko	NE	MI	Bohra et al. (2022)
29	Gekkonidae	<i>Cyrtodactylus septentrionalis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Northern Bent-toed Gecko	DD	AS	Agarwal et al. (2018b)
30	Gekkonidae	<i>Cyrtodactylus siahaensis</i> Purkayastha, Lalremsanga, Litho, Rathee, Bohra, Mathipi, Biakzuala & Muansanga, 2022	Siaha Bent-toed Gecko	NE	MI	Purkayastha et al. (2022)
31	Gekkonidae	<i>Cyrtodactylus siangensis</i> Boruah, Narayanan, Aravind, Deepak & Das, 2024	Siang Valley Bent-toed Gecko	NE	AR	Boruah et al. (2024)
32	Gekkonidae	<i>Cyrtodactylus tripuraensis</i> Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018	Tripura Bent-toed Gecko	LC	TR	Agarwal et al. (2018a), Purkayastha et al. (2020b)
33	Gekkonidae	<i>Cyrtodactylus urbanus</i> Purkayastha, Das, Bohra, Bauer & Agarwal, 2020	Urban Bent-toed Gecko	NE	AS, ML	Purkayastha et al. (2020a), Mahananda et al. (2023), Purkayastha et al. (2020d)
34	Gekkonidae	<i>Cyrtodactylus vairengtensis</i> Lalremsanga, Colney, Vabeiryureilai, Malsawmdawngliana, Bohra, Biakzuala, Muansanga, Das & Purkayastha, 2023	Vairengte Bent-toed Gecko	NE	MI	Lalremsanga et al. (2023a)
35	Gekkonidae	<i>Cyrtodactylus vanarakshaka</i> Bharali, Thaosen, Vabeiryureilai, Lalremsanga, Purkayastha, Bhattacharjee, Das, Bohra & Hazarika (in press)	Vanarakshaka Bent-toed Gecko	NE	AS	Bharali et al. in press

	Family	Scientific name	Common name	IUCN Red List status	Distribution in northeastern India	Citations
36	Gekkonidae	<i>Gekko gecko</i> (Linnaeus, 1758)	Tokay Gecko	LC	AR, AS, ML, MI, TR	Sinha et al. (2021), Das et al. (2009), Purkayastha et al. (2020c), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Majumder et al. (2012), Ahmed et al. (2009), Das et al. (2007), Ulman & Singh (2021), Purkayastha (2013)
37	Gekkonidae	<i>Gekko mizoramensis</i> Lalremsanga, Muansanga, Vabeiryureilai & Mirza, 2023	Mizoram Gliding Gecko	NE	MI	Ahmed et al. (2009), Lalremsanga et al. (2023b)
38	Gekkonidae	<i>Hemidactylus aquilonius</i> McMahan & Zug, 2007	Northern Smooth Scaled Gecko	LC	AS, SI, TR	Purkayastha et al. (2020c), Purkayastha et al. (2011), Purkayastha (2018), Mahananda et al. (2023), Jha & Thapa (2002), Chettri et al. (2009), Purkayastha et al. (2020b), Ahmed et al. (2009), Purkayastha et al. (2010), Ranade & Purkayastha (2020), Das et al. (2011b), Purkayastha (2013)
39	Gekkonidae	<i>Hemidactylus</i> cf. <i>malcolmsmithi</i> (Constable, 1949)	Malcolm's Bow-fingered gecko	DD	AR, AS, MI, TR	Sinha et al. (2021), Purkayastha et al. (2020c), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Ahmed et al. (2009), Purkayastha (2013), Manmath Bharali pers. obs. unpublished data.
40	Gekkonidae	<i>Hemidactylus flaviviridis</i> Rüppell, 1835	Northern House Gecko	LC	AS, SI	Purkayastha et al. (2011), Sengupta et al. (2019), Purkayastha (2018), Jha & Thapa (2002), Ahmed et al. (2009), Purkayastha (2013)
41	Gekkonidae	<i>Hemidactylus frenatus</i> Duméril & Bibron, 1836	Common House Gecko	LC	AR, AS, ML, MI, SI, TR	Agarwal et al. (2010), Sinha et al. (2021), Das et al. (2009), Purkayastha et al. (2020c), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Chettri et al. (2009), Purkayastha et al. (2020b), Ahmed et al. (2009), Das et al. (2011b), Purkayastha (2013)
42	Gekkonidae	<i>Hemidactylus garnotii</i> Duméril & Bibron, 1836	Garnot's House Gecko	LC	AS, MI, NA, SI	Purkayastha et al. (2011), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009), Purkayastha (2013)
43	Gekkonidae	<i>Hemidactylus platyurus</i> (Schneider, 1797)	Flat-tailed House Gecko	LC	AR, AS, ML, MI, SI, TR	Agarwal et al. (2010), Das et al. (2009), Purkayastha et al. (2020c), Purkayastha et al. (2011), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Purkayastha et al. (2020b), Ahmed et al. (2009), Das et al. (2007)
44	Gekkonidae	<i>Hemiphyllodactylus</i> sp.	Slender Gecko	NE	AR	Deepak et al. (2022)
45	Agamidae	<i>Calotes</i> cf. <i>vultuosus</i> (Harlan, 1829)	Oriental Garden Lizard	LC	AR, AS, MI, NA, SI, TR	Agarwal et al. (2010), Sinha et al. (2021), Das et al. (2009), Purkayastha et al. (2020c), Purkayastha (2013), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Purkayastha et al. (2020b), Majumder et al. (2012), Ahmed et al. (2009), Das et al. (2007), Harit (2018)

	Family	Scientific name	Common name	IUCN Red List status	Distribution in northeastern India	Citations
46	Agamidae	<i>Calotes emma</i> Gray, 1845	Emma Grey's Forest Lizard	LC	AS, ML, MI, NA, TR	Das et al. (2009), Purkayastha (2013), Chandramouli et al. (2021), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Ahmed et al. (2009), Majumder & Agarwala (2015)
47	Agamidae	<i>Calotes geissleri</i> Wagner, Ihlow, Hartmann, Flecks, Schmitz & Böhme, 2021	Geissler's Forest Lizard	NE	NA, MI, MA	Ahmed et al. (2009), Lalremsanga et al. (2010), Wagner et al. (2021), Decemson et al. (2021)
48	Agamidae	<i>Calotes irawadi</i> Zug, Brown, Schulte & Vindum, 2006	Irawaddy Crested Lizard	LC	AS, ML, MI, MA	Das et al. (2009), Chandramouli et al. (2021), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Tariang et al. (2022), Decemson et al. (2023)
49	Agamidae	<i>Calotes jerdoni</i> Günther, 1870	Jerdon's Forest Lizard	LC	AR, AS, NA, SI, MI	Sinha et al. (2021), Purkayastha (2013), Das et al. (2009), Sengupta et al. (2019), Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009), Harit (2018)
50	Agamidae	<i>Calotes maria</i> Gray, 1845	Khasi Hills Forest Lizard	LC	ML, AS, NA, MI	Chandramouli et al. (2021), Mahananda et al. (2023), Ahmed et al. (2009), Lalremsanga et al. (2010), Purkayastha (2013)
51	Agamidae	<i>Calotes medogensis</i> Zhao & Li, 1984	Medog Bloodsucker	LC	AR	Boruah et al. (2022)
52	Agamidae	<i>Calotes paulus</i> Smith, 1935	Small Forest Lizard	EN	ML	Ahmed et al. (2009), Giri et al. (2019),
53	Agamidae	<i>Calotes sinyik</i> Patel, Thackerey, Sheth, Khandekar & Agarwal, 2024	Subansiri Dragon Lizard	NE	AR	Patel et al. (2024)
54	Agamidae	<i>Calotes zolaiking</i> Giri, Chaitanya, Mahony, Lalronunga, Lalrinchhana, Das, Sarkar, Karanth & Deepak, 2019	Mizoram Montane Forest Lizard	DD	MI, ML	Giri et al. (2019), Bohra et al. (2025)
55	Agamidae	<i>Cristidorsa otaï</i> (Mahony, 2009)	Ota's Mountain Lizard	DD	MI	Mahony (2009)
56	Agamidae	<i>Cristidorsa planidorsata</i> (Jerdon, 1870)	Smooth Scaled Mountain Lizard	LC	AS, ML, MI, TR	Das et al. (2009), Sengupta et al. (2019), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Ahmed et al. (2009), Purkayastha (2013)
57	Agamidae	<i>Draco blanfordii</i> Boulenger, 1885	Blanford's Flying Lizard	LC	MI	Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Ahmed et al. (2009)
58	Agamidae	<i>Draco maculatus</i> (Gray, 1845)	Spotted Flying Dragon	LC	AS	Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Ahmed et al. (2009), Purkayastha (2013)
59	Agamidae	<i>Draco norvillii</i> Alcock, 1895	Norvill's Flying Lizard	NT	AS	Islam & Saikia (2013), Purkayastha (2013)
60	Agamidae	<i>Japalura andersoniana</i> Annandale, 1905	Anderson's Mountain Lizard	LC	AR	Agarwal et al. (2010), Ahmed et al. (2009)
61	Agamidae	<i>Japalura austeniana</i> (Annandale, 1908)	Abor Hills Agama	LC	AR	Agarwal et al. (2010), Ahmed et al. (2009), Mirza et al. (2024), Gowande et al. (2021), Das & Das (2007)
62	Agamidae	<i>Japalura mictophola</i> Mirza, Gowande, Thackeray, Bhosale, Sawant, Phansalkar & Patel, 2024	Mix-scaled Mountain Lizard	NE	AR	Mirza et al. (2024)
63	Agamidae	<i>Japalura sagittifera</i> Smith, 1940	Burmese Japalura	DD	AR	Kunte & Manthey (2009)
64	Agamidae	<i>Japalura tricarinata</i> (Blyth, 1853)	Three-keeled Mountain Lizard	LC	SI	Jha & Thapa (2002), Chettri et al. (2009)
65	Agamidae	<i>Japalura variegata</i> Gray, 1853	Variegated Mountain Lizard	LC	AR	Agarwal et al. (2010), Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009)
66	Agamidae	<i>Ptyctolaemus gularis</i> Peters, 1864	Green Fan-throated Lizard	LC	AS, ML, MI, NA, TR	Purkayastha et al. (2020b), Purkayastha et al. (2011), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Ahmed et al. (2009), Harit (2018), Purkayastha (2013)

	Family	Scientific name	Common name	IUCN Red List status	Distribution in northeastern India	Citations
67	Lacertidae	<i>Takydromus haughtonianus</i> Jerdon, 1870	Goalpara Grass Lizard	DD	AS	Ahmed et al. (2009), Purkayastha (2013)
68	Lacertidae	<i>Takydromus khasiensis</i> Boulenger, 1917	Java Grass Lizard	LC	AS, ML	Das et al. (2009), Islam & Saikia (2013), Chandramouli et al. (2021), Mahananda et al. (2023), Ahmed et al. (2009), Purkayastha (2013)
69	Lacertidae	<i>Takydromus sexlineatus</i> Daudin, 1802	Asian Grass Lizard	LC	MI, SI	Lalrinchhana & Solanki (2015), Chettri et al. (2009), Ahmed et al. (2009)
70	Lacertidae	<i>Takydromus sikkimensis</i> Günther, 1888	Sikkim Grass Lizard	EN	SI	Bhupathy et al. (2009)
71	Scincidae	<i>Ablepharus sikkimensis</i> (Blyth, 1854)	Sikkim Ground Skink	LC	AR, SI	Agarwal et al. (2010), Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009)
72	Scincidae	<i>Eutropis carinata</i> (Schneider, 1801)	Keeled Indian Mabuaya	LC	SI, AS	Jha & Thapa (2002), Ahmed et al. (2009), Purkayastha (2013)
73	Scincidae	<i>Eutropis cf. trivitta</i> (Hardwicke & Gray, 1827)	Striped Grass Skink	LC	AR	Agarwal et al. (2010), Ahmed et al. (2009)
74	Scincidae	<i>Eutropis macularia</i> (Blyth, 1853)	Bronze Grass Skink	LC	AS, ML, MI, NA, TR	Das et al. (2009), Purkayastha et al. (2020c), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Majumder et al. (2012), Ahmed et al. (2009), Purkayastha (2013)
75	Scincidae	<i>Eutropis multifasciata</i> (Kuhl, 1820)	Many-lined Sun Skink	LC	AR, AS, ML, MI, TR	Sinha et al. (2021), Das et al. (2009), Purkayastha et al. (2020b), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Lalrinchhana & Solanki (2015), Purkayastha et al. (2020b), Majumder et al. (2012), Ahmed et al. (2009), Das et al. (2007), Purkayastha (2013)
76	Scincidae	<i>Eutropis quadricarinata</i> (Boulenger, 1887)	Beautiful Mabuaya	LC	AS	Das et al. (2009), Ahmed et al. (2009), Purkayastha (2013)
77	Scincidae	<i>Problepharus apatani</i> Mirza, Bragin, Bhosale, Gowande, Patel & Poyarkov, 2022	East-Himalayan Skink	NE	AR	Mirza et al. (2022a)
78	Scincidae	<i>Riopa albopunctata</i> Gray, 1846	White-spotted Supple Skink	LC	AS, TR	Purkayastha et al. (2020c), Purkayastha et al. (2011), Islam & Saikia (2013), Purkayastha (2018), Mahananda et al. (2023), Purkayastha et al. (2020b), Ahmed et al. (2009), Purkayastha (2013)
79	Scincidae	<i>Sphenomorphus apalpebratus</i> Datta-Roy, Das, Bauer, Lyngdoh-Tron & Karanth, 2013	Spectacled Forest Skink	NT	ML	Datta-Roy et al. (2013)
80	Scincidae	<i>Sphenomorphus courcyanus</i> (Annandale, 1912)	Medog Skink	LC	AR	Ahmed et al. (2009), Uetz et al. 2025
81	Scincidae	<i>Sphenomorphus indicus</i> (Gray, 1853)	Indian Forest Skink	LC	AR, ML, SI, MI, AS	Agarwal et al. (2010), Islam & Saikia (2013), Chandramouli et al. (2021), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009), Harit (2018), Purkayastha (2013)
82	Scincidae	<i>Sphenomorphus maculatus</i> (Blyth, 1853)	Spotted Forest Skink	LC	AR, ML, MI, SI, TR, AS	Das et al. (2009), Purkayastha et al. (2011), Sengupta et al. (2019), Islam & Saikia (2013), Purkayastha (2018), Chandramouli et al. (2021), Mahananda et al. (2023), Malsawmdawngliana et al. (2022), Lalrinchhana & Solanki (2015), Jha & Thapa (2002), Chettri et al. (2009), Purkayastha et al. (2020b), Majumder et al. (2012), Ahmed et al. (2009), Harit (2018), Purkayastha (2013)
83	Scincidae	<i>Tropidophorus assamensis</i> Annandale, 1912	Northeastern Water Skink	VU	AS, MI	Das et al. (2009), Lalrinchhana & Solanki (2015), Ahmed et al. (2009), Lalremsanga et al. (2022a), Purkayastha (2013)
84	Anguidae	<i>Dopasia gracilis</i> (Gray, 1845)	Assam Glass Lizard	LC	NA, SI, MI	Jha & Thapa (2002), Ahmed et al. (2009), Lalremsanga et al. (2010), Purkayastha (2013)

(2024) described *Japalura mictophola*, a montane-dwelling agamid from Arunachal Pradesh. Patel et al. (2024) described *Calotes sinyik* from the Subansiri River basin of Arunachal Pradesh, based on morphology and mitochondrial ND2 gene. Sayyed et al. (2025) described *Cnemaspis brahmaputra* from the northern bank of the Brahmaputra River, based on morphology and ND2 gene analysis. The species was recovered as the sister taxon to *C. assamensis* and together they were designated as the *C. assamensis* group within the *podihuna* clade.

Range extensions

Most studies on range extensions were based solely on classical taxonomy. Das & Ahmed (2007) reported *Cnemaspis assamensis* from the Ghorakhati Range of Kaziranga National Park, Assam thereby extending its known distribution about 200 km east of the type locality in Mayeng Reserve Forest, Kamrup District, Assam. As new state records, Das et al. (2009) documented *Tropidophorus assamensis* from the Barail Wildlife Sanctuary, Assam. Lalremsanga et al. (2010) recorded three species of lizards from Mizoram, namely, *Calotes maria* from Lengtung Wildlife Sanctuary, Champhai District; *Calotes mystaceus* (now regarded as a misidentification of *Calotes geissleri*) from Zotlang, Lunglei District; and *Ophisaurus gracilis* (now *Dopasia gracilis*) from Aizawl city. Das et al. (2011a) reported the occurrence of an invasive species of gecko, namely *Hemidactylus flaviviridis*, from Guwahati City of Assam, with remarks on its urbanized distribution. Majumder & Agarwala (2015) reported the agamid lizard *Calotes emma* from Tripura. Deepak et al. (2022) documented a specimen of *Hemiphyllodactylus* (Bleeker, 1860) from Namdapha Tiger Reserve, Changlang District, Arunachal Pradesh, representing the first record of the genus from eastern Himalaya and the Indian Himalayan region, but refrained from designating any species-specific identity to the specimen. Mirza et al. (2021) described *Cyrtodactylus arunachalensis* from Arunachal Pradesh, which was later synonymized with *C. cayuensis* by Boruah et al. (2024), thereby extending the species' range, previously known only from Xizang, China.

Only a limited number of studies have integrated molecular approaches with classical taxonomy to assess lizard distributions. Muansanga et al. (2020) recorded *Cyrtodactylus montanus* from Dampa Tiger Reserve, Mizoram. Purkayastha et al. (2020d) confirmed the occurrence of *Cyrtodactylus urbanus* from Meghalaya. Decemson et al. (2021) reported *Calotes geissleri* from the Chandel District, Manipur, which was formerly regarded as *Calotes mystaceus* but has since been

restricted to Myanmar (Wagner et al. 2021). Tariang et al. (2022) confirmed the presence of *Calotes irawadi* in Mizoram, which had earlier been misidentified as *Calotes versicolor*. Boruah et al. (2022) documented *Calotes medogensis* from Arunachal Pradesh, a species long confused with *Calotes jerdoni* due to the absence of clear morphological and molecular diagnostic data. Decemson et al. (2023) confirmed the occurrence of *Calotes irawadi* from Churachandpur District, Manipur, using both morphological and molecular evidence. More recently, Bohra et al. (2025) reported *Calotes zolaiking* from Cherrapunji, Meghalaya, marking the first record of this species outside its type locality at Durtlang, Aizawl District, Mizoram.

Diversity studies

Several studies on lizard diversity have been carried out in northeastern India over the past two decades. Books such as Jha & Thapa (2002), Ahmed et al. (2009), and Purkayastha (2013) provided comprehensive accounts of the saurian fauna of Sikkim, northeastern India, and Assam respectively. Additional diversity assessments have been conducted across different states of the region, including Assam (Das et al. 2009; Purkayastha et al. 2011; Islam & Saikia 2013; Purkayastha 2018, 2020c; Sengupta et al. 2019; Mahananda et al. 2023), Sikkim (Chettri et al. 2009), Arunachal Pradesh (Agarwal et al. 2010; Sinha et al. 2021), Tripura (Majumder et al. 2012; Purkayastha et al. 2020b), Mizoram (Lalrinchhana & Solanki 2015; Malsawmdawngliana et al. 2022; Gouda et al. 2024; Solanki & Parida 2024), and Meghalaya (Chandramouli et al. 2021).

Revisions

Several important taxonomic revisions have been conducted across different states of northeastern India. Purkayastha et al. (2010) reported *Hemidactylus aquilonius* from Assam, a member of the *H. bowringii* complex, and recommended replacing *H. bowringii* sensu stricto with *H. aquilonius* for the Indian subcontinent. They also restricted the distribution of *H. bowringii* sensu stricto to southern China and its adjacent regions. From Arunachal Pradesh, Gowande et al. (2021) conducted a detailed revision of *Pseudocalotes austeniana*, using molecular phylogenetic data derived from mitochondrial and nuclear genes. Their analysis revealed that the genus *Pseudocalotes* is polyphyletic and comprises two distinct clades. *Pseudocalotes austeniana* was not nested within either clade but instead formed a sister lineage to the genus *Japalura* sensu stricto. Accordingly, the species was transferred to *Japalura austeniana*.

Sengupta et al. (2021) re-diagnosed *Cnemaspis assamensis* based on the original type series and newly collected specimens from Guwahati, Assam. They also provided the first molecular data for the species and confirmed the presence of precloaco-femoral pores, which had been reported as absent in the original description. Boruah et al. (2022) designated a lectotype for *Calotes jerdoni* to ensure taxonomic stability and presented an expanded morphological description of the species. Lalremsanga et al. (2022a) published a comprehensive study on *Tropidophorus assamensis* from Mizoram, updating its morphological data, adding distributional notes, and providing molecular data for the first time, thereby clarifying the phylogenetic position of *T. assamensis* among its congeners.

Rediscoveries

Several notable rediscoveries have been made in northeastern India in recent decades. Das & Das (2007) reported *Japalura austeniana* from West Kameng District, Arunachal Pradesh, nearly a century after its original description by Annandale (1908) from the type locality. Bhupathy et al. (2009) rediscovered *Takydromus sikkimensis* from the lower Teesta Valley, Sikkim, and designated a neotype to resolve uncertainties regarding the identity and existence of the species. Kunte & Manthey (2009) reported *Japalura sagittifera* from the tropical forests of Mehao Wildlife Sanctuary, Arunachal Pradesh, nearly 68 years after its last documented record. Originally described from northern Myanmar, this finding confirmed a significant range extension for the species into India. Islam & Saikia (2013) rediscovered *Draco norvillii* in Jeypore Reserve Forest, Assam, more than a century after its last known record from the state.

Miscellaneous

Das et al. (2007) reported reptilian mortality along the highway bordering the southern boundary of Kaziranga National Park, Assam. Das et al. (2011b) investigated the oral microflora of *Hemidactylus frenatus* and *H. aquilonius* from Guwahati, Assam, and documented the presence of Gram-positive *Staphylococcus* strains known to cause skin infections in mammals, although not fatal. Harit (2018) provided a preliminary report on reptile road mortality in Champhai District, Mizoram, and along the Indo-Myanmar border caused by vehicular traffic. Choudhary & Choudhary (2019) documented the persecution of monitor lizards in Barak Valley, Assam. Ranade & Purkayastha (2020) reported cannibalistic behaviour in *Hemidactylus aquilonius* based on observations from Rani, Assam. Ulman & Singh (2021)

surveyed the population density, habitat preferences, and public perception of *Gekko gecko* in Nameri Tiger Reserve, Assam. Rai et al. (2023) provided insights into the sexual dimorphism and reproductive biology of *Takydromus sikkimensis*, highlighting female-biased size differences, seasonal male coloration, and a single annual breeding cycle with small clutch sizes. Thaosen et al. (2024) reported functional males in *Hemidactylus garnotii* from Mizoram, based on histological, and gonadal examinations, in a species previously considered to be entirely parthenogenetic.

DISCUSSION

Although northeastern India has witnessed a recent surge in saurian studies, research efforts remain unevenly distributed across the states. In contrast to states like Assam and Mizoram, where substantial work has been undertaken, states such as Nagaland and Manipur remain largely unexplored. These regions likely harbour undocumented taxa that may be revealed through systematic field surveys, thereby contributing to improved taxonomy, and conservation of regional herpetofauna.

Instances of misidentification were also noted among the reviewed literature. A prominent example concerns *Cyrtodactylus khasiensis*, the distribution of which was restricted to the Khasi Hills of Meghalaya by Agarwal et al. (2018a). This necessitates taxonomic revalidation of *C. khasiensis* records from Arunachal Pradesh (Agarwal et al. 2010), Nagaland (Bhupathy et al. 2013), Sikkim (Chettri et al. 2009), Tripura (Majumder et al. 2012), and Assam (Das et al. 2009; Agarwal et al. 2010; Purkayastha et al. 2011, 2020c; Islam & Saikia 2013). Similarly, Lalrinchhana & Solanki (2015) reported *Hemidactylus brookii* and *Sphenomorphus maculatus* from Dampa Tiger Reserve, Mizoram (see Figures 12 & 17 in Lalrinchhana & Solanki 2015), which appear to be conspecific with *Hemidactylus frenatus* and *Eutropis* sp., respectively. Furthermore, several checklists of saurian diversity from northeastern India such as Jha & Thapa (2002), Chettri et al. (2009), Ahmed et al. (2009), Agarwal et al. (2010), Majumder et al. (2012), and Purkayastha (2013), require updating as a number of the saurian species listed therein have since undergone taxonomic revisions. To address this, the present study provides an updated checklist of lizards from northeastern India (Table 1).

In conclusion, northeastern India holds immense potential for the discovery of many new cryptic lizard

species that remain undocumented. This potential can be realized through extensive field surveys across poorly explored regions, supported by advanced statistical approaches for ecological, and morphological analyses. Furthermore, the integration of both mitochondrial, and nuclear markers in phylogenetic frameworks will be essential for resolving species complexes, and accurately documenting the region's true saurian diversity.

REFERENCES

- Agarwal, I., S. Biswas, A.M. Bauer, E. Greenbaum, T.R. Jackman, A.D. Silva & S. Batuwita (2017). Cryptic species, taxonomic inflation, or a bit of both? New species phenomenon in Sri Lanka as suggested by a phylogeny of dwarf geckos (Reptilia, Squamata, Gekkonidae, *Cnemaspis*). *Systematics and Biodiversity* 15(5): 427–439. <https://doi.org/10.1080/14772000.2017.1282553>
- Agarwal, I., S. Mahony, V.B. Giri, R. Chaitanya & A.M. Bauer (2018a). Two new species of bent-toed geckos, *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from northeastern India with comments on name-bearing types from the region. *Zootaxa* 4420(3): 334–356. <https://doi.org/10.11646/zootaxa.4420.3.2>
- Agarwal, I., S. Mahony, V.B. Giri, R. Chaitanya & A.M. Bauer (2018b). Six new *Cyrtodactylus* (Squamata: Gekkonidae) from northeastern India. *Zootaxa* 4524(5): 501–535. <https://doi.org/10.11646/zootaxa.4524.5.1>
- Agarwal, I., V.K. Mistry & R. Athreya (2010). A preliminary checklist of the reptiles of Eaglenest Wildlife Sanctuary, West Kameng District, Arunachal Pradesh, India. *Russian Journal of Herpetology* 17(2): 81–93.
- Ahmed, M.F., A. Das & S.K. Dutta (2009). *Amphibians and Reptiles of Northeastern India: A Photographic Guide*. Aaranyak, Guwahati, Assam, India, 169 pp.
- Alcock, A. (1895). On a new species of flying lizard from Assam. *The Journal of the Asiatic Society of Bengal* 64(1): 14–15.
- Annandale, N. (1905). Notes on some Oriental geckos in the Indian Museum, Calcutta, with descriptions of new forms. *The Annals and Magazine of Natural History, including Zoology, Botany and Geology* 7(15): 26–32.
- Annandale, N. (1908). Description of a new species of lizard of the genus *Salea* from Assam. *Records of the Zoological Survey of India* 2(1): 37–38. <https://doi.org/10.26515/rzsi/v2/i1/1908/163304>
- Annandale, N. (1912). Zoological results of the Abor Expedition, 1911–1912. *Records of the Indian Museum* 8(1): 7–59 [Reptilia: 37–59]. Supplement: *Records of the Indian Museum* 8(4): 357–358 (1914).
- Annandale, N. (1913). The Indian geckos of the genus *Gymnodactylus*. *Records of the Zoological Survey of India* 9(4): 99–109. <https://doi.org/10.26515/rzsi/v9/i4/1913/163665>
- Bharali, M., K. Thaoson, M. Vabeiryureilai, H.T. Lalremsanga, J. Purkayastha, R. Bhattacharjee, M. Das, S.C. Bohra, A.K. Hazarika (in press). A new species of *Cyrtodactylus* Gray, 1827 (Reptilia: Squamata: Gekkonidae) from the montane forests of Dima Hasao District, Assam, India. *Journal of Asia-Pacific Biodiversity*. Available online 18 July 2025. <https://doi.org/10.1016/j.japb.2025.06.008>
- Bhupathy, S., B. Chettri & A.M. Bauer (2009). Rediscovery and revalidation of *Takydromus sikkimensis* (Günther, 1888) (Squamata: Lacertidae) from Sikkim, India. *Journal of Herpetology* 43(2): 267–274. <https://doi.org/10.1670/08-136R1.1>
- Bleeker, P. (1860). Reptilien van Agam. *Natuurkundig Tijdschrift voor Nederlandsch Indie* 20: 325–329.
- Blyth, E. (1854). Notices and descriptions of various reptiles, new or little known. *The Journal of the Asiatic Society of Bengal* 22: 639–655.
- Bohra, S.C., H.T. Zonunsanga, M. Das, J. Purkayastha, L. Biakzuala & H.T. Lalremsanga (2022). Morphological and molecular phylogenetic data reveal another new species of bent-toed gecko (*Cyrtodactylus* Gray: Squamata: Gekkonidae) from Mizoram, India. *Journal of Natural History* 56(41–44): 1585–1608. <https://doi.org/10.1080/00222933.2022.2119178>
- Bohra, S.C., C. Ranglong, G. Thongni, B. Wankhar, C.M. Umlong, M. Das, H. Warjri & J. Purkayastha (2025). Leaping from Mizoram to Meghalaya: first documentation of *Calotes zolaiking* Giri, Chaitanya, Mahony, Lalronunga, Lalrinchhana, Das, Sarkar, Karanth & Deepak, 2019 (Sauria: Agamidae) outside its type locality in Mizoram, India. *Zootaxa* 5642(4): 395–400. <https://doi.org/10.11646/zootaxa.5642.4.7>
- Boruah, B., S. Narayanan, N.A. Aravind, S. Lalronunga, V. Deepak & A. Das (2024). Description of six new species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from northeastern India. *Vertebrate Zoology* 74: 453–486. <https://doi.org/10.3897/vz.74.e124752>
- Boruah, B., S. Narayanan, V. Deepak & A. Das (2022). Morphological and molecular differences in two closely related *Calotes* Cuvier, 1817 (Squamata: Agamidae: Draconinae) with the first record of *Calotes medogensis* Zhao & Li, 1984 from India. *Zootaxa* 5219(5): 433–455. <https://doi.org/10.11646/zootaxa.5219.5.3>
- Boulenger, G.A. (1885). *Catalogue of the Lizards in the British Museum (Natural History)*. Printed by order of the Trustees, London, 428 pp.
- Boulenger, G.A. (1887). An account of the scincoid lizards collected in Burma, for the Genoa Civic Museum, by Messrs. G.B. Comotto & L. Fea. *Annali del Museo Civico di Storia Naturale di Genova* 4(2): 618–624.
- Boulenger, G.A. (1890). *The Fauna of British India, Including Ceylon and Burma. Reptilia and Batrachia*. Taylor & Francis, London, 541 pp.
- Boulenger, G.A. (1903). Descriptions of new lizards in the collection of the British Museum. *Annals and Magazine of Natural History* 12(7): 429–435.
- Boulenger, G.A. (1917). A revision of the lizards of the genus *Tachydromus*. *Journal of the Asiatic Society of Bengal* 13(4): 207–235.
- Chandramouli, S.R., R.S. Naveen, S. Sureshmarimuthu, S. Babu, P.V. Karunakaran & H.N. Kumara (2021). Catalogue of herpetological specimens from Meghalaya, India at the Sálím Ali Centre for Ornithology and Natural History. *Journal of Threatened Taxa* 13(11): 19603–19610. <https://doi.org/10.11609/jott.7318.13.11.19603-19610>
- Che, J., K. Jiang, F. Yan & Y. Zhang (2020). *Amphibians and Reptiles in Tibet—Diversity and Evolution*. Chinese Academy of Sciences, Beijing, 803 pp.
- Chettri, B., S. Bhupathy & B.K. Acharya (2009). Distribution pattern of reptiles along an eastern Himalayan elevation gradient, India. *Acta Oecologica* 36(1): 16–22. <https://doi.org/10.1016/j.actao.2009.09.004>
- Choudhury, A.S. & P. Choudhury (2019). Cruelty to *Varanus* species of the Barak Valley, Assam, India. *Biawak* 13(1): 50–53.
- Das, A. & I. Das (2007). Rediscovery of *Mictopholis austeniana* (Annandale, 1908) (Squamata: Agamidae). *Current Herpetology* 26(1): 45–47.
- Das, A. & M.F. Ahmed (2007). Range extension of Assamese Day Gecko *Cnemaspis assamensis* Das and Sengupta (Sauria: Gekkonidae). *Zoos' Print Journal* 22(6): 2720. <https://doi.org/10.11609/JoTT.ZPJ.1513a.2720>
- Das, A., M.F. Ahmed, B.P. Lahkar & P. Sharma (2007). A preliminary report of reptilian mortality on road due to vehicular movement near Kaziranga National Park, Assam, India. *Zoos' Print Journal* 22(7): 2742–2744. <https://doi.org/10.11609/JoTT.ZPJ.1541.2742-4>
- Das, A., U. Saikia, B.H.C.K. Murthy, S. Dey & S.K. Dutta (2009). A herpetofaunal inventory of Barail Wildlife Sanctuary and adjacent regions, Assam, north-eastern India. *Hamadryad* 34(1): 117–134.
- Das, I. & S. Sengupta (2000). A new species of *Cnemaspis* (Sauria: Gekkonidae) from Assam, northeastern India. *Journal of South Asian Natural History* 5(1): 17–24.
- Das, M., J. Purkayastha, A.M. Bauer & S. Sengupta (2011a).

- Hemidactylus flaviviridis* Rüppell, 1835 (Sauria: Gekkonidae), an invasive gecko in Assam. *North-Western Journal of Zoology* 7(1): 98–104.
- Das, M., R.K. Brahma & J. Purkayastha (2011b). More in our mind than in their mouth? A preliminary inspection inside the oral cavity of two house geckos: *Hemidactylus frenatus* Schlegel, 1836 and *Hemidactylus aquilonius* McMahan & Zug, 2007. *Herpetology Notes* 4: 303–306.
- Datta-Roy, A., I. Das, A.M. Bauer, R.K.L. Tron & P. Karanth (2013). Lizard wears shades. A spectacled *Sphenomorphus* (Squamata: Scincidae) from the sacred forests of Mawphlang, Meghalaya, northeastern India. *Zootaxa* 3701(2): 257–276. <https://doi.org/10.11646/zootaxa.3701.2.7>
- Daudin, F.M. (1802). *Histoire naturelle, générale et particulière des reptiles, ouvrage faisant suite à l'histoire naturelle, générale et particulière composée par Leclerc de Buffon, et rédigée par C.S. Sonnini*, Vol. 1. F. Dufart, Paris, 452 pp.
- Decemson, H., R.R. Sinate, L. Biakzuala, V. Mathipi, P. Lalnuntluanga, J. Malsawma & H.T. Lalremsanga (2023). Confirmation of Irawadi Forest Lizard, *Calotes irawadi* Zug, Brown, Schulte and Vindum 2006 (Squamata: Agamidae), from Manipur, northeastern India. *Reptiles & Amphibians* 30(1): e17043. <https://doi.org/10.17161/randa.v30i1.17043>
- Decemson, H.T., M. Vabeiryureilai, L. Lalbiakzuala & H.T. Lalremsanga (2021). Confirmation on the occurrence of *Calotes geissleri* Wagner, Ihlw, Hartman, Flecks, Schmitz and Böhme, 2021 (Sauria: Agamidae) in Chandel, Manipur, India with comments on its phylogenetic position. *Journal of Animal Diversity* 3(4): 14–19. <http://doi.org/10.52547/JAD.2021.3.4.2>
- Deepak, C.K., D. Kaushik & C. Kailash (2022). First record of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Sauria: Gekkonidae) from the Eastern Himalayas. *Russian Journal of Herpetology* 29(6): 367–372. <https://doi.org/10.30906/1026-2296-2022-29-6-367-372>
- Duméril, A.M.C. & G. Bibron (1836). *Erpétologie Générale ou Histoire Naturelle Complète des Reptiles*. Vol. 3. Librairie Encyclopédique Roret, Paris, 528 pp.
- Duméril, A.M.C. & G. Bibron (1837). *Erpétologie Générale ou Histoire Naturelle Complète des Reptiles*. Vol. 4. Librairie Encyclopédique Roret, Paris, 570 pp.
- Giri, V.B., R. Chaitanya, S. Mahony, S. Lalrounga, C. Lalrinchhana, A. Das, V. Sarkar, P. Karanth & V. Deepak (2019). On the systematic status of the genus *Oriocalotes* Günther, 1864 (Squamata: Agamidae: Draconinae) with the description of a new species from Mizoram State, northeastern India. *Zootaxa* 4638(4): 451–484. <https://doi.org/10.11646/zootaxa.4638.4.1>
- Gouda, S., H. Decemson, F. Malsawmdawngliana, L. Biakzuala & H.T. Lalremsanga (2023). Threat assessment and conservation challenges for the herpetofaunal diversity of Dampa Tiger Reserve, Mizoram, India. *Journal of Threatened Taxa* 15(10): 24016–24031. <https://doi.org/10.11609/jott.8590.15.10.24016-24031>
- Gowande, G.G., H.S. Bhosale, P.U. Phansalkar, M. Sawant & Z.A. Mirza (2021). On the systematics and the phylogenetic position of the poorly known, montane dragon-lizard species *Pseudocalotes austeniana* (Annandale, 1908) (Squamata: Agamidae: Draconinae). *Evolutionary Systematics* 5(1): 141–150. <https://doi.org/10.3897/evolsyst.5.67137>
- Gray, J.E. (1827). A synopsis of the genera of saurian reptiles in which some new genera are indicated, and the others reviewed by actual examination. *Philosophical Magazine*, London 2(2): 54–58.
- Gray, J.E. (1845). *Catalogue of the specimens of lizards in the collection of the British Museum*. Trustees of the British Museum/Edward Newman, London, xxvii + 289 pp.
- Gray, J.E. (1846). Descriptions of some new species of Indian Lizards. *Annals and Magazine of Natural History* 18(1): 429–430.
- Gray, J.E. (1853). Descriptions of some undescribed species of reptiles collected by Dr. Joseph Hooker in the Khassia Mountains, east Bengal, and Sikkim Himalaya. *Annals and Magazine of Natural History* 12(2): 386–392.
- Grismer, L.L., P.L. Wood Jr., N.A. Poyarkov, M.D. Le, F. Kraus, I. Agarwal, P.M. Oliver, S.N. Nguyen, T.Q. Nguyen, S. Karunarathna, L.J. Welton, B.L. Stuart, V.Q. Luu, A.M. Bauer, K.A. O'Connell, E.S.H. Quah, K.O. Chan, T. Ziegler, H. Ngo, R.A. Nazarov, A. Aowphol, S. Chomdej, C. Suwannapoom, C.D. Siler, S. Anuar, N.V. Tri & J.L. Grismer (2021). Phylogenetic partitioning of the third-largest vertebrate genus in the world, *Cyrtodactylus* Gray, 1827 (Reptilia: Squamata: Gekkonidae) and its relevance to taxonomy and conservation. *Vertebrate Zoology* 71: 101–154. <https://doi.org/10.3897/vz.71.e59307>
- Grismer, L.L., M.K. Thura, M.S. Grismer, R.M. Brown & B.L. Stuart (2018). Geographically structured genetic variation in *Ptychozoon lionotum* (Squamata: Gekkonidae) and a new species from an isolated volcano in Myanmar. *Zootaxa* 4514(2): 202–214. <https://doi.org/10.11646/zootaxa.4514.2.4>
- Günther, A. (1864). *The Reptiles of British India*. Ray Society, London, xxvii + 452 pp.
- Günther, A. (1870). Descriptions of a new Indian lizard of the genus *Calotes*. *Proceedings of the Zoological Society of London* 1870: 778–779.
- Günther, A. (1888). On a collection of reptiles from China. *Journal of Natural History* 1(3): 165–172.
- Harit, D.N. (2018). Report on reptile mortality due to vehicular traffic on Indo-Myanmar border at Champhai District of Mizoram, north east India. *Environment Conservation Journal* 19(3): 133–138.
- Islam, M. & P.K. Saikia (2013). Inventory and natural history of lizards in Jeyapore Reserve Forest, Assam. *Reptile Rap* 16(1): 17–26.
- Jerdon, T.C. (1870). Notes on Indian herpetology. *Proceedings of the Asiatic Society of Bengal* 1870: 66–85.
- Jha, A. & K. Thapa (2002). *Reptiles and Amphibians of Sikkim*. Mrs. Shila Jha, Chhattisgarh, 100 pp.
- Kamei, R.G. & S. Mahony (2021). A new species of Bent-toed Gecko (Squamata: Gekkonidae: *Cyrtodactylus* Gray, 1827) from the Garo Hills, Meghalaya State, north-east India, and discussion of morphological variation for *C. urbanus*. *Herpetological Journal* 31(3): 177–196. <https://doi.org/10.33256/31.3.177196>
- Kunte, K. & U. Manthey (2009). Wiederentdeckung von *Japalura sagittifera* (Sauria: Agamidae) in Arunachal Pradesh, Ost-Himalaya: Ein Erstnachweis für die indische Herpetofauna. *Sauria* 31: 49–55.
- Lalremsanga, H.T., Z. Colney, M. Vabeiryureilai, F. Malsawmdawngliana, S.C. Bohra, L. Biakzuala, L. Muansanga, M. Das & J. Purkayastha (2023a). It's all in the name: Another new *Cyrtodactylus* Gray (Squamata: Gekkonidae) from northern Mizoram, north-east India. *Zootaxa* 5369(4): 553–575. <https://doi.org/10.11646/zootaxa.5369.4.5>
- Lalremsanga, H.T., H. Chinliansiam, S.C. Bohra, L. Biakzuala, M. Vabeiryureilai, L. Muansanga, F. Malsawmdawngliana, G.Z. Hmar, H.T. Decemson, V. Siammawii, M. Das & J. Purkayastha (2022b). A new bent-toed gecko (*Cyrtodactylus* Gray: Squamata: Gekkonidae) from the state of Mizoram, India. *Zootaxa* 5093(4): 465–482. <https://doi.org/10.11646/zootaxa.5093.4.5>
- Lalremsanga, H.T., H. Decemson, M. Vabeiryureilai, F. Malsawmdawngliana, V. Lalhlipui, L. Muansanga & L. Biakzuala (2022a). Phylogenetic position of *Tropidophorus assamensis* Annandale, 1912 with updated morphological data and distributional records. *Herpetological Journal* 32(1): 1–4. <https://doi.org/10.33256/32.1.14>
- Lalremsanga, H.T., L. Khawlhing & Lalrotluanga (2010). Three additional lizard (Squamata: Sauria) records for Mizoram, India. *Journal of Threatened Taxa* 2(2): 718–720. <https://doi.org/10.11609/JoTT.o2246.718-20>
- Lalremsanga, H.T., L. Muansanga, M. Vabeiryureilai & Z.A. Mirza (2023b). A new species of Parachute Gecko of the subgenus *Ptychozoon* (Sauria: Gekkonidae: Gekko) from the Indo-Burma region. *Salamandra* 59(2): 125–135.
- Lalrinchhana, C. & G.S. Solanki (2015). Lizard (Reptilia: Sauria) diversity of Dampa Tiger Reserve, Mizoram, India. *Science Vision* 15(1): 19–28.
- Laurenti, J.N. (1768). *Specimen medicum, exhibens synopsis reptilium emendatam cum experimentis circa venena et antidota reptilium austracorum, quod auctoritate et consensus*. Joan. Thomae, Vienna,

- 217 pp.
- Linnaeus, C. (1758). *Systema naturae, per regna tria naturae: secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata*. Laurentii Salvii, Holmiae, 824 pp.
- Mahananda, P., S.N. Jelil, S.C. Bohra, N. Mahanta, R.B. Saikia & J. Purkayastha (2023). Terrestrial vertebrate and butterfly diversity of Garbhanga Landscape, Assam, India. *Journal of Threatened Taxa* 15(4): 23029–23046. <https://doi.org/10.11609/jott.8334.15.4.23029-23046>
- Mahony, S. & R.G. Kamei (2022). A new species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Manipur State, northeastern India, with a critical review highlighting extensive errors in literature covering bent-toed geckos of the Indo-Burma region. *Journal of Natural History* 55(39–40): 2445–2480. <https://doi.org/10.1080/00222933.2021.1994667>
- Mahony, S. (2009). A new species of *Japalura* (Reptilia: Agamidae) from northeastern India with a discussion of the similar species *Japalura sagittifera* Smith, 1940 and *Japalura planidorsata* Jerdon, 1870. *Zootaxa* 2212(1): 41–61. <https://doi.org/10.11646/zootaxa.2212.1.2>
- Majumder, J. & B.K. Agarwala (2015). *Calotes emma* Gray, 1845 (Squamata: Agamidae): range extension and new addition to the reptilian fauna of Tripura, northeastern India. *Check List* 11(2): 1562. <https://doi.org/10.15560/11.2.1562>
- Majumder, J., P.P. Bhattacharjee, K. Majumdar, C. Debnath & B.K. Agarwala (2012). Documentation of herpetofaunal species richness in Tripura, northeastern India. *NeBio: An International Journal of Environment and Biodiversity* 3(1): 60–70.
- Malsawmdawngliana, B. Boruah, N.G. Patel, S. Lalronunga, I. Zosangliana, K. Lalhmangaiha & A. Das (2022). An updated checklist of reptiles from Dampa Tiger Reserve, Mizoram, India, with sixteen new distribution records. *Journal of Threatened Taxa* 14(10): 21946–21960. <https://doi.org/10.11609/jott.8004.14.10.21946-21960>
- Mathew, R. (1995). State Fauna Series 4: *Fauna of Meghalaya*, Part 1. *Zoological Survey of India*, Kolkata: 379–454.
- McMahan, C.D. & G.R. Zug (2007). Burmese *Hemidactylus* (Reptilia: Squamata: Gekkonidae): geographic variation in the morphology of *Hemidactylus bowringii* in Myanmar and Yunnan. *Proceedings of the California Academy of Sciences* 58(23–30): 485–509.
- Mirza, Z.A., A.M. Bragin, H. Bhosale, G.G. Gowande, H. Patel & N.A. Poyarkov (2022a). A new ancient lineage of ablepharine skinks (Sauria: Scincidae) from eastern Himalayas with notes on origin and systematics of the group. *PeerJ* 10(1): e12800. <https://doi.org/10.7717/peerj.12800>
- Mirza, Z.A., H. Bhosale, F. Ansari, P. Phansalkar, M. Sawant, G. Gowande & H. Patel (2021). A new species of geckos of the genus *Cyrtodactylus* Gray, 1827 from Arunachal Pradesh, India. *Evolutionary Systematics* 5(1): 13–23. <https://doi.org/10.3897/evolsyst.5.61667>
- Mirza, Z.A., H.S. Bhosale, T. Thackeray, P. Phansalkar, M. Sawant, G.G. Gowande & H. Patel (2022b). A new species of bent-toed geckos of the genus *Cyrtodactylus* Gray, 1827 from western Arunachal Pradesh, India. *Herpetozoa* 35(1): 65–76. <https://doi.org/10.3897/herpetozoa.35.e80610>
- Mirza, Z.A., G. Gowande, T. Thackeray, H. Bhosale, M. Sawant, P. Phansalkar & H. Patel (2024). A new montane-dwelling species of *Japalura* Gray, 1853 (Squamata: Agamidae) from Arunachal Pradesh, India. *Taprobanica* 13(1): 1–8. <https://doi.org/10.47605/tapro.v13i1.317>
- Muansanga, L., H. Decemson, L. Biakzuala, G.Z. Hmar, H.T. Lalremsanga, M. Das & J. Purkayastha (2020). First record of the Jampui Bent-toed Gecko, *Cyrtodactylus montanus* Agarwal, Mahony, Giri, Chaitanya & Bauer, 2018 (Squamata: Gekkonidae), from Mizoram, India. *Reptiles & Amphibians* 27(2): 267–268. <https://doi.org/10.17161/randa.v27i2.14325>
- Patel, H., T. Thackeray, C. Sheth, A. Khandekar & I. Agarwal (2024). A new small-sized *Calotes* Cuvier (Squamata: Agamidae: Draconinae) from the Subansiri River Basin, Arunachal Pradesh, India. *Zootaxa* 5523(2): 151–170. <https://doi.org/10.11646/zootaxa.5523.2.1>
- Pawar, S.S., G.S. Rawat & B.C. Choudhury (2004). Recovery of frog and lizard communities following primary habitat alteration in Mizoram, northeastern India. *BMC Ecology* 4(1): 1–18. <https://doi.org/10.1186/1472-6785-4-10>
- Purkayastha, J. (2013). *An Amateur's Guide to Reptiles of Assam*. Eastern Book House Publishers (India), Guwahati, 144 pp.
- Purkayastha, J. (2018). Urban biodiversity: an insight into the terrestrial vertebrate diversity of Guwahati, India. *Journal of Threatened Taxa* 10(10): 12299–12316. <https://doi.org/10.11609/jott.3721.10.10.12299-12316>
- Purkayastha, J., S.C. Bohra & M. Das (2020d). First record of the Urban Bent-toed Gecko, *Cyrtodactylus urbanus* Purkayastha, Das, Bohra, Bauer, and Agarwal, 2018 (Squamata: Gekkonidae), from Meghalaya, India. *Reptiles & Amphibians* 27(3): 512–513. <https://doi.org/10.17161/randa.v27i3.14901>
- Purkayastha, J., H.T. Lalremsanga, B. Litho, Y.S. Rathee, S.C. Bohra, M. Vabeiryureilai, L. Biakzuala & L. Muansanga (2022). Two new *Cyrtodactylus* (Squamata: Gekkonidae) from northeastern India. *European Journal of Taxonomy* 794: 111–139. <https://doi.org/10.5852/ejt.2022.794.1659>
- Purkayastha, J., H.T. Lalremsanga, S.C. Bohra, L. Biakzuala, H.T. Decemson, L. Muansanga, M. Vabeiryureilai, S. Chauhan & Y.S. Rathee (2021). Four new Bent-toed Geckos *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from northeastern India. *Zootaxa* 4980(3): 451–489. <https://doi.org/10.11646/zootaxa.4980.3.2>
- Purkayastha, J., M. Das & S. Sengupta (2011). Urban herpetofauna: a case study in Guwahati City of Assam, India. *Herpetology Notes* 4(1): 195–202.
- Purkayastha, J., M. Das, A.M. Bauer, S. Sengupta & S.K. Dutta (2010). Notes on the *Hemidactylus bowringii* complex (Reptilia: Gekkonidae) in India, and a change to the national herpetofaunal list. *Hamadryad* 35(1): 20–27.
- Purkayastha, J., M. Das, S.C. Bohra, A.M. Bauer & I. Agarwal (2020a). Another new *Cyrtodactylus* (Squamata: Gekkonidae) from Guwahati, Assam, India. *Zootaxa* 4732(3): 375–392. <https://doi.org/10.11646/zootaxa.4732.3.2>
- Purkayastha, J., N. Khan & S. Roychoudhury (2020b). A preliminary checklist of herpetofauna occurring in Rowa Wildlife Sanctuary, Tripura, India, pp. 225–233. In: Förstner, U. & W.H. Rulkens (eds.). *Environmental Science and Engineering*. Springer International Publishing. https://doi.org/10.1007/978-3-030-32463-6_10
- Purkayastha, J., S. Roychoudhury, B.B. Biswa, M. Das & S. Sengupta (2020c). Herpetofaunal Diversity and conservation status in Amchang Wildlife Sanctuary of Assam, India, pp. 217–223. In: Roy, N., S. Roychoudhury, S. Nautiyal, S. Agarwal & S. Baksi (eds.). *Socio-economic and Ecobiological Dimensions in Resource Use and Conservation: Strategies for Sustainability*. Springer, Cham.
- Rai, A., R. Mothey & B. Chettri (2023). Sexual dimorphism and reproductive biology of a Sikkim Endemic Grass Lizard *Takydromus sikkimensis* (Squamata: Lacertidae) in the eastern Himalaya, India. *Herpetological Conservation and Biology* 18: 508–519.
- Ranade, S. & J. Purkayastha (2020). Cannibalism in the Kachin Smooth Gecko, *Hemidactylus aquilonius* Zug & McMahan, 2007 (Squamata: Gekkonidae), from Assam, India. *Reptiles & Amphibians* 27(3): 514. <https://doi.org/10.17161/randa.v27i3.14902>
- Rüppell, E. (1835). *Neue Wirbelthiere zu der Fauna von Abyssinien gehörig, entdeckt und beschrieben. Amphibien*. S. Schmerber, Frankfurt am Main, 18 pp.
- Sauvage, H.E. (1879). Notice sur quelques reptiles nouveaux ou peu connus de la Nouvelle-Guinée. *Bulletin des Sciences par la Société Philomatique de Paris*, Série 7(3): 47–61.
- Sayyed, A., M. Das, A.A.T. Amarasinghe, R. Bhattacharjee & J. Purkayastha (2025). A new day gecko of the *Cnemaspis podihuna* (Reptilia: Gekkonidae) clade from northeastern India. *Taprobanica* 14(2): 107–120. <https://doi.org/10.47605/tapro.v14i2.363>
- Schneider, J.G. (1797). *Amphibiorum Physiologiae Specimen Alterum Historiam et Species Generis Stellionum seu Geckonum Sistens*.

- Frankfurt (Oder): C.L.F. Aitz, 54 pp.
- Sengupta, D., C.G. Borah & J. Phukon (2019).** Assessment of the reptilian fauna in the Brahmaputra Plains of two districts in Assam, India. *Reptiles & Amphibians* 26(1): 65–67. <https://doi.org/10.17161/randa.v26i1.14346>
- Sengupta, S., J. Purakayasta, N. Anandan, M. Das, K.O. Chan & C. Murthy (2021).** The odd one in: re-diagnosis and phylogenetic placement of the Assam Day Gecko, *Cnemaspis assamensis* Das & Sengupta, 2000 (Squamata: Gekkonidae). *Zootaxa* 5048(4): 581–593. <https://doi.org/10.11646/zootaxa.5048.4.7>
- Sinha, B., K.P. Nath & S.D. Gurumayum (2021).** Herpetofaunal diversity of Zoological Survey of India campus, Itanagar, Arunachal Pradesh, India. *Records of the Zoological Survey of India* 121(3): 411–418. <https://doi.org/10.26515/rzsi/v121/i3/2021/156654>
- Smith, M.A. (1935).** *The Fauna of British India, including Ceylon and Burma. Reptilia and Amphibia. Volume II. Sauria.* Taylor and Francis, London, 185 pp.
- Solanki, G.S. & A. Parida (2024).** Study on re-establishment of herpetofauna in jhum fallow areas in Mizoram. In: *Proceedings of the Zoological Society*, Springer India, New Delhi: 1–9. <https://doi.org/10.1007/s12595-024-00551-3>
- Tariang, A.D., F. Malsawmdawngliana, L. Biakzuala, H. Decemson, L. Muansanga, L. Rinsanga, M. Vabeiryureilai & H.T. Lalremsanga (2022).** Confirmation on the occurrence of *Calotes irawadi* Zug, Brown, Schulte & Vindum, 2006 (Squamata: Agamidae) in Mizoram, northeastern India. *Hamadryad* 39(1 & 2): 88–94.
- Thaoson, K., J. Purkayastha, M. Vabeiryureilai & H.T. Lalremsanga (2024).** Sexual males in the parthenogenetic *Hemidactylus cf. garnotii* (Squamata: Gekkonidae) in Mizoram, India. *Taprobanica* 13: 124–131. <https://doi.org/10.47605/tapro.v13i2.337>
- Uetz, P., P. Freed, R. Aguilar, F. Reyes & J. Hošek (eds.) (2025).** The Reptile Database. <http://www.reptile-database.org>. Accessed on 20.vii.2025.
- Wagner, P., F. Ihlow, T. Hartmann, M. Flecks, A. Schmitz & W. Böhme (2021).** Integrative approach to resolve the *Calotes mystaceus* Duméril & Bibron, 1837 species complex (Squamata: Agamidae). *Bonn Zoological Bulletin* 70(1): 141–171. <https://doi.org/10.20363/BZB-2021.70.1.141>
- Wall, F. (1908).** Remarks on Agamid lizard (*Ptyctolaemus gularis*). *Journal of the Bombay Natural History Society* 18: 505.
- Web of Science (2025).** <https://www.webofscience.com>. Accessed on 20.vii.2025.
- Ulman, Y. & M. Singh (2021).** Density, habitat associations and conservation status of *Gekko gecko* (Tokay gecko) in human-dominated landscapes around Nameri Tiger Reserve, Assam, India. *Acta Ecologica Sinica* 42(3): 188–197. <https://doi.org/10.1016/j.chnaes.2021.03.004>
- Zhao, E. & S. Li (1984).** A new species of *Calotes* (Lacertilia: Agamidae) from Xizang (Tibet) [in Chinese]. *Acta Herpetologica Sinica* 3(4): 77–78.
- Zug, G.R., H.H.K. Brown, J.A. Schulte II & J.V. Vindum (2006).** Systematics of the Garden Lizards, *Calotes versicolor* Group (Reptilia: Squamata: Agamidae), in Myanmar: central dry zone populations. *Proceedings of the California Academy of Sciences* 57(2): 35–68.



Mr. Jatishwor Singh Irungbam, Biology Centre CAS, Branišovská, Czech Republic.
Dr. Ian J. Kitching, Natural History Museum, Cromwell Road, UK
Dr. George Mathew, Kerala Forest Research Institute, Peechi, India
Dr. John Noyes, Natural History Museum, London, UK
Dr. Albert G. Orr, Griffith University, Nathan, Australia
Dr. Sameer Padhye, Katholieke Universiteit Leuven, Belgium
Dr. Nancy van der Poorten, Toronto, Canada
Dr. Kareen Schnabel, NIWA, Wellington, New Zealand
Dr. R.M. Sharma, (Retd.) Scientist, Zoological Survey of India, Pune, India
Dr. Manju Siliwal, WILD, Coimbatore, Tamil Nadu, India
Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India
Dr. K.A. Subramanian, Zoological Survey of India, New Alipore, Kolkata, India
Dr. P.M. Sureshan, Zoological Survey of India, Kozhikode, Kerala, India
Dr. R. Varatharajan, Manipur University, Imphal, Manipur, India
Dr. Eduard Vives, Museu de Ciències Naturals de Barcelona, Terrassa, Spain
Dr. James Young, Hong Kong Lepidopterists' Society, Hong Kong
Dr. R. Sundararaj, Institute of Wood Science & Technology, Bengaluru, India
Dr. M. Nithyanandan, Environmental Department, La Ala Al Kuwait Real Estate. Co. K.S.C., Kuwait
Dr. Himender Bharti, Punjabi University, Punjab, India
Mr. Purnendu Roy, London, UK
Mr. Saito Motoki, The Butterfly Society of Japan, Tokyo, Japan
Dr. Sanjay Sondhi, TITLI TRUST, Kalpavriksh, Dehradun, India
Dr. Nguyen Thi Phuong Lien, Vietnam Academy of Science and Technology, Hanoi, Vietnam
Dr. Nitin Kulkarni, Tropical Research Institute, Jabalpur, India
Dr. Robin Wen Jiang Ngiam, National Parks Board, Singapore
Dr. Lionel Monod, Natural History Museum of Geneva, Genève, Switzerland.
Dr. Asheesh Shivam, Nehru Gram Bharti University, Allahabad, India
Dr. Rosana Moreira da Rocha, Universidade Federal do Paraná, Curitiba, Brasil
Dr. Kurt R. Arnold, North Dakota State University, Saxony, Germany
Dr. James M. Carpenter, American Museum of Natural History, New York, USA
Dr. David M. Claborn, Missouri State University, Springfield, USA
Dr. Kareen Schnabel, Marine Biologist, Wellington, New Zealand
Dr. Amazonas Chagas Júnior, Universidade Federal de Mato Grosso, Cuiabá, Brasil
Mr. Monsoon Jyoti Gogoi, Assam University, Silchar, Assam, India
Dr. Heo Chong Chin, Universiti Teknologi MARA (UiTM), Selangor, Malaysia
Dr. R.J. Shiel, University of Adelaide, SA 5005, Australia
Dr. Siddharth Kulkarni, The George Washington University, Washington, USA
Dr. Priyadarsanan Dharma Rajan, ATREE, Bengaluru, India
Dr. Phil Alderslade, CSIRO Marine And Atmospheric Research, Hobart, Australia
Dr. John E.N. Veron, Coral Reef Research, Townsville, Australia
Dr. Daniel Whitmore, State Museum of Natural History Stuttgart, Rosenstein, Germany.
Dr. Yu-Feng Hsu, National Taiwan Normal University, Taipei City, Taiwan
Dr. Keith V. Wolfe, Antioch, California, USA
Dr. Siddharth Kulkarni, The Hormiga Lab, The George Washington University, Washington, D.C., USA
Dr. Tomas Ditrich, Faculty of Education, University of South Bohemia in Ceske Budejovice, Czech Republic
Dr. Mihaly Foldvari, Natural History Museum, University of Oslo, Norway
Dr. V.P. Uniyal, Wildlife Institute of India, Dehradun, Uttarakhand 248001, India
Dr. John D.D. Caleb, Zoological Survey of India, Kolkata, West Bengal, India
Dr. Priyadarsanan Dharma Rajan, Ashoka Trust for Research in Ecology and the Environment (ATREE), Royal Enclave, Bangalore, Karnataka, India

Fishes

Dr. Topiltzin Contreras MacBeath, Universidad Autónoma del estado de Morelos, México
Dr. Heok Hee Ng, National University of Singapore, Science Drive, Singapore
Dr. Rajeev Raghavan, St. Albert's College, Kochi, Kerala, India
Dr. Robert D. Sluka, Chiltern Gateway Project, A Rocha UK, Southall, Middlesex, UK
Dr. E. Vivekanandan, Central Marine Fisheries Research Institute, Chennai, India
Dr. Davor Zanella, University of Zagreb, Zagreb, Croatia
Dr. A. Biju Kumar, University of Kerala, Thiruvananthapuram, Kerala, India
Dr. Akhilesh K.V., ICAR-Central Marine Fisheries Research Institute, Mumbai Research Centre, Mumbai, Maharashtra, India
Dr. J.A. Johnson, Wildlife Institute of India, Dehradun, Uttarakhand, India
Dr. R. Ravinesh, Gujarat Institute of Desert Ecology, Gujarat, India

Amphibians

Dr. Sushil K. Dutta, Indian Institute of Science, Bengaluru, Karnataka, India
Dr. Annemarie Ohler, Muséum national d'Histoire naturelle, Paris, France

Reptiles

Dr. Gernot Vogel, Heidelberg, Germany
Dr. Raju Vyas, Vadodara, Gujarat, India
Dr. Pritpal S. Soorae, Environment Agency, Abu Dhabi, UAE.
Prof. Dr. Wayne J. Fuller, Near East University, Mersin, Turkey
Prof. Chandrashekhar U. Rivonker, Goa University, Taleigao Plateau, Goa. India
Dr. S.R. Ganesh, Chennai Snake Park, Chennai, Tamil Nadu, India
Dr. Himansu Sekhar Das, Terrestrial & Marine Biodiversity, Abu Dhabi, UAE

Birds

Dr. Hem Sagar Baral, Charles Sturt University, NSW Australia
Mr. H. Byju, Coimbatore, Tamil Nadu, India
Dr. Chris Bowden, Royal Society for the Protection of Birds, Sandy, UK
Dr. Priya Davidar, Pondicherry University, Kalapet, Puducherry, India
Dr. J.W. Duckworth, IUCN SSC, Bath, UK
Dr. Rajah Jayapal, SAGON, Coimbatore, Tamil Nadu, India
Dr. Rajiv S. Kalsi, M.L.N. College, Yamuna Nagar, Haryana, India
Dr. V. Santharam, Rishi Valley Education Centre, Chittoor Dt., Andhra Pradesh, India
Dr. S. Balachandran, Bombay Natural History Society, Mumbai, India
Mr. J. Praveen, Bengaluru, India
Dr. C. Srinivasulu, Osmania University, Hyderabad, India
Dr. K.S. Gopi Sundar, International Crane Foundation, Baraboo, USA
Dr. Gombobaatar Sunde, Professor of Ornithology, Ulaanbaatar, Mongolia
Prof. Reuven Yosef, International Birding & Research Centre, Eilat, Israel
Dr. Taej Mundkur, Wetlands International, Wageningen, The Netherlands
Dr. Carol Inskipp, Bishop Auckland Co., Durham, UK
Dr. Tim Inskipp, Bishop Auckland Co., Durham, UK
Dr. V. Gokula, National College, Tiruchirappalli, Tamil Nadu, India
Dr. Arkady Lelej, Russian Academy of Sciences, Vladivostok, Russia
Dr. Simon Dowell, Science Director, Chester Zoo, UK
Dr. Mário Gabriel Santiago dos Santos, Universidade de Trás-os-Montes e Alto Douro, Quinta de Prados, Vila Real, Portugal
Dr. Grant Connette, Smithsonian Institution, Royal, VA, USA
Dr. P.A. Azeez, Coimbatore, Tamil Nadu, India

Mammals

Dr. Giovanni Amori, CNR - Institute of Ecosystem Studies, Rome, Italy
Dr. Anwaruddin Chowdhury, Guwahati, India
Dr. David Mallon, Zoological Society of London, UK
Dr. Shomita Mukherjee, SAGON, Coimbatore, Tamil Nadu, India
Dr. Angie Appel, Wild Cat Network, Germany
Dr. P.O. Nameer, Kerala Agricultural University, Thrissur, Kerala, India
Dr. Ian Redmond, UNEP Convention on Migratory Species, Lansdown, UK
Dr. Heidi S. Riddle, Riddle's Elephant and Wildlife Sanctuary, Arkansas, USA
Dr. Karin Schwartz, George Mason University, Fairfax, Virginia.
Dr. Lala A.K. Singh, Bhubaneswar, Orissa, India
Dr. Mewa Singh, Mysore University, Mysore, India
Dr. Paul Racey, University of Exeter, Devon, UK
Dr. Honnavalli N. Kumara, SAGON, Anaikatty P.O., Coimbatore, Tamil Nadu, India
Dr. Nishith Dharaiya, HNG University, Patan, Gujarat, India
Dr. Spartaco Gippoliti, Socio Onorario Società Italiana per la Storia della Fauna "Giuseppe Altobello", Rome, Italy
Dr. Justus Joshua, Green Future Foundation, Tiruchirappalli, Tamil Nadu, India
Dr. H. Raghuram, The American College, Madurai, Tamil Nadu, India
Dr. Paul Bates, Harison Institute, Kent, UK
Dr. Jim Sanderson, Small Wild Cat Conservation Foundation, Hartford, USA
Dr. Dan Challender, University of Kent, Canterbury, UK
Dr. David Mallon, Manchester Metropolitan University, Derbyshire, UK
Dr. Brian L. Cypher, California State University-Stanislaus, Bakersfield, CA
Dr. S.S. Talmale, Zoological Survey of India, Pune, Maharashtra, India
Prof. Karan Bahadur Shah, Budhanilakantha Municipality, Kathmandu, Nepal
Dr. Susan Cheyne, Borneo Nature Foundation International, Palangkaraja, Indonesia
Dr. Hemanta Kafley, Wildlife Sciences, Tarleton State University, Texas, USA

Other Disciplines

Dr. Aniruddha Belsare, Columbia MO 65203, USA (Veterinary)
Dr. Mandar S. Paingankar, University of Pune, Pune, Maharashtra, India (Molecular)
Dr. Jack Tordoff, Critical Ecosystem Partnership Fund, Arlington, USA (Communities)
Dr. Ulrike Streicher, University of Oregon, Eugene, USA (Veterinary)
Dr. Hari Balasubramanian, EcoAdvisors, Nova Scotia, Canada (Communities)
Dr. Rayanna Hellem Santos Bezerra, Universidade Federal de Sergipe, São Cristóvão, Brazil
Dr. Jamie R. Wood, Landcare Research, Canterbury, New Zealand
Dr. Wendy Collinson-Jonker, Endangered Wildlife Trust, Gauteng, South Africa
Dr. Rajeshkumar G. Jani, Anand Agricultural University, Anand, Gujarat, India
Dr. O.N. Tiwari, Senior Scientist, ICAR-Indian Agricultural Research Institute (IARI), New Delhi, India
Dr. L.D. Singla, Guru Angad Dev Veterinary and Animal Sciences University, Ludhiana, India
Dr. Rupika S. Rajakaruna, University of Peradeniya, Peradeniya, Sri Lanka
Dr. Bahar Baviskar, Wild-CER, Nagpur, Maharashtra 440013, India

Reviewers 2021–2023

Due to pausity of space, the list of reviewers for 2021–2023 is available online.

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Print copies of the Journal are available at cost. Write to:
The Managing Editor, JoTT,
c/o Wildlife Information Liaison Development Society,
3A2 Varadarajulu Nagar, FCI Road, Ganapathy, Coimbatore,
Tamil Nadu 641006, India
ravi@threatenedtaxa.org & ravi@zooreach.org

Journal of Threatened Taxa is indexed/abstracted in Bibliography of Systematic Mycology, Biological Abstracts, BIOSIS Previews, CAB Abstracts, EBSCO, Google Scholar, Index Copernicus, Index Fungorum, JournalSeek, National Academy of Agricultural Sciences, NewJour, OCLC WorldCat, SCOPUS, Stanford University Libraries, Virtual Library of Biology, Zoological Records.

NAAS rating (India) 5.64



OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

October 2025 | Vol. 17 | No. 10 | Pages: 27551–27786

Date of Publication: 26 October 2025 (Online & Print)

DOI: 10.11609/jott.2025.17.10.27551-27786

www.threatenedtaxa.org

Articles

Fruit bat (Pteropodidae) composition and diversity in the montane forests of Mt. Kampalili, Davao De Oro, Philippines

– Ilamay Joy A. Yangurin, Marion John Michael M. Achondo, Aaron Froilan M. Raganas, Aileen Grace D. Delima, Cyrose Suzie Silvosa-Millado, Dolens James B. Iñigo, Shiela Mae E. Cabrera, Sheryl Moana Marie R. Ollamina, Jayson C. Ibañez & Lief Erikson D. Gamalo, Pp. 27551–27562

The impact of anthropogenic activities on *Manis javanica* Desmarest, 1822 (Mammalia: Pholidota: Manidae) in Sepanggar Hill, Malaysia

– Nurasyiqin Awang Shairi, Julius Kodoh, Normah Binti Awang Besar & Jephthe Sompud, Pp. 27563–27575

Preliminary notes on a coastal population of Striped Hyena *Hyaena hyaena* (Linnaeus, 1758) from Chilika lagoon, India

– Partha Dey, Tiasa Adhya, Gottumukkala Himaja Varma & Supriya Nandy, Pp. 27576–27583

Wildlife management and conservation implications for Blackbuck corresponding with Tal Chhapar Wildlife Sanctuary, Rajasthan, India

– Ulhas Gondhali, Yogendra Singh Rathore, Sandeep Kumar Gupta & Kanti Prakash Sharma, Pp. 27584–27593

Amphibians and reptiles of Chitwan National Park, Nepal: an updated checklist and conservation issues

– Santosh Bhattarai, Bivek Gautam, Chiranjibi Prasad Pokheral & Ram Chandra Kandel, Pp. 27594–27610

Butterfly diversity in Nagarahole (Rajiv Gandhi) National Park of Karnataka, India: an updated checklist

– S. Santhosh, V. Gopi Krishna, G.K. Amulya, S. Sheily, M. Nithesh & S. Basavarajappa, Pp. 27611–27636

Floral traits, pollination syndromes, and nectar resources in tropical plants of Western Ghats

– Ankur Patwardhan, Medhavi Tadwalkar, Amruta Joglekar, Mrunalini Sonne, Vivek Pawar, Pratiksha Mestry, Shivani Kulkarni, Akanksha Kashikar & Tejaswini Pachpor, Pp. 27637–27650

Ecological status, distribution, and conservation strategies of *Terminalia coronata* in the community forests of southern Haryana, India

– K.C. Meena, Neetu Singh, M.S. Bhandoria, Pradeep Bansal & S.S. Yadav, Pp. 27651–27660

Pterocarpus santalinus L.f. (Magnoliopsida: Fabales: Fabaceae) associated arboreal diversity in Seshachalam Biosphere Reserve, Eastern Ghats of Andhra Pradesh, India

– Buchanapalli Sunil Kumar, Araveeti Madhusudhana Reddy, Chennuru Nagendra, Madha Venkata Suresh Babu, Nandimanadalam Rajasekhar Reddy, Veeramasu Jyosthna Sailaja Rani & Salkapuram Sunitha, Pp. 27661–27674

Potential distribution, habitat composition, preference and threats to Spikenard *Nardostachys jatamansi* (D.Don) DC. in Sakteng Wildlife Sanctuary, Trashigang, Bhutan

– Dorji Phuntsho, Namgay Shacha, Pema Rinzin & Tshewang Tenzin, Pp. 27675–27687

Checklist of floristic diversity of Mahadare Conservation Reserve, Satara, Maharashtra, India

– Sunil H. Bhoite, Shweta R. Sutar, Jaykumar J. Chavan & Swapnaja M. Deshpande, Pp. 27688–27704

Communication

Assessing fish diversity in the Ujani reservoir: an updated overview after one decade

– Ganesh Markad, Ranjit More, Vinod Kakade & Jiwan Sarwade, Pp. 27705–27719

Reviews

A review of 21st century studies on lizards (Reptilia: Squamata: Sauria) in northeastern India with an updated regional checklist

– Manmath Bharali, Manab Jyoti Kalita, Narayan Sharma & Ananda Ram Boro, Pp. 27720–27733

Understanding the ethnozoological drivers and socioeconomic patterns of bird hunting in the Indian subcontinent

– Anish Banerjee, Pp. 27734–27747

Short Communications

Recent records of endemic bird White-faced Partridge *Arborophila orientalis* (Horsfield, 1821) in Meru Betiri National Park, Indonesia

– Arif Mohammad Siddiq & Nur Kholiq, Pp. 27748–27753

Exploring carapace phenotypic variation in female Fiddler Crab *Austruca annulipes* (H. Milne Edwards, 1837): insights into adaptive strategies and ecological significance

– Vaishnavi Bharti, Sagar Naik & Nitin Sawant, Pp. 27754–27760

Habitat-specific distribution and density of fireflies (Coleoptera: Lampyridae): a comparative study between grassland and woodland habitats

– Kushal Choudhury, Firdus Ali, Bishal Basumatary, Meghraj Barman, Papiya Das & Hilloljyoti Singha, Pp. 27761–27765

Hygrophila phlomoides Nees (Acanthaceae), a new record to the flora of northern India from Suhelwa Wildlife Sanctuary, Uttar Pradesh

– Pankaj Bharti, Baleshwar Meena, T.S. Rana & K.M. Prabhukumar, Pp. 27766–27770

The rediscovery of *Strobilanthes parryorum* C.E.C.Fisch., 1928 (Asterids: Lamiales: Acanthaceae) in Mizoram, India

– Lucy Lalawmpuii, Renthlei Lalnunfeli, Paulraj Selva Singh Richard, Pochamoni Bharath Simha Yadav, Subbiah Karuppusamy & Kholhring Lalchandama, Pp. 27771–27776

New report of *Biophytum nervifolium* Thwaites (Oxalidaceae) from Gujarat, India

– Kishan Ishwarlal Prajapati, Siddharth Dangar, Santhosh Kumar Ettickal Sukumar, Vivek Chauhan & Ekta Joshi, Pp. 27777–27781

Note

Water Monitor *Varanus salvator* predation on a Hog Deer *Axis porcinus* fawn at Kaziranga National Park, Assam, India

– Saurav Kumar Boruah, Luku Ranjan Nath, Shisukanta Nath & Nilutpal Mahanta, Pp. 27782–27784

Book Review

A book review of moths from the Eastern Ghats: Moths of Agastya

– Sanjay Sondhi, Pp. 27785–27786

Publisher & Host



Threatened Taxa